

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge     | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|---------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.172           | 20                        | Berger           | Bullet Only   | Varmint                | 3750                  | 6                       | 0.120                      |                         |
| 0.172           | 20                        | Berger           | Bullet Only   | MEF                    | 3750                  | 6                       | 0.12                       |                         |
| 0.172           | 20                        | Hornady          | Bullet Only   | V-Max                  | 3600                  | 6                       | 0.185                      |                         |
| 0.172           | 20                        | Remington        | 17 Rem        | AccuTip                | 4250                  | 8                       | 0.185                      |                         |
| 0.172           | 25                        | Berger           | Bullet Only   | MEF                    | 3850                  | 6                       | 0.152                      |                         |
| 0.172           | 25                        | Berger           | Bullet Only   | Varmint                | 3850                  | 7                       | 0.150                      |                         |
| 0.172           | 25                        | Hornady          | Bullet Only   | HP                     | 3400                  | 6                       | 0.187                      |                         |
| 0.172           | 25                        | Remington        | 17 Rem        | HPPL                   | 4040                  | 7                       | 0.187                      |                         |
| 0.172           | 30                        | Berger           | Bullet Only   | MEF                    | 3600                  | 6                       | 0.178                      |                         |
| 0.172           | 30                        | Berger           | Bullet Only   | Varmint                | 3600                  | 7                       | 0.178                      |                         |
| 0.172           | 37                        | Berger           | Bullet Only   | VLD                    | 2953                  | 7                       | 0.348                      |                         |
| 0.204           | 32                        | Hornady          | Bullet Only   | V-Max                  | 3500                  | 6                       | 0.21                       |                         |
| 0.204           | 32                        | Remington        | 204 Ruger     | AccuTip V BT           | 4225                  | 8                       | 0.21                       |                         |
| 0.204           | 32                        | Sierra Bullets   | Bullet Only   | BlitzKing              | 4200                  | 8                       | 0.221                      |                         |
| 0.204           | 34                        | Winchester       | 204 Ruger     | JHP                    | 4025                  | 7                       | 0.167                      |                         |
| 0.204           | 39                        | Sierra Bullets   | Bullet Only   | BlitzKing              | 3900                  | 8                       | 0.287                      |                         |
| 0.204           | 40                        | Hornady          | Bullet Only   | V-Max                  | 3300                  | 6                       | 0.275                      |                         |
| 0.204           | 40                        | Remington        | 204 Ruger     | AccuTip V BT           | 2900                  | 4                       | 0.275                      |                         |
| 0.222           | 40                        | Hornady          | Bullet Only   | Jet                    | 3100                  | 2                       | 0.104                      |                         |
| 0.224           | 30                        | Berger           | Bullet Only   | MEF                    | 3800                  | 6                       | 0.196                      |                         |
| 0.224           | 34                        | Winchester       | 22 Hornet     | JHP                    | 3050                  | 1                       | 0.109                      |                         |
| 0.224           | 35                        | Berger           | Bullet Only   | MEF                    | 3800                  | 6                       | 0.201                      |                         |
| 0.224           | 35                        | Hornady          | Bullet Only   | V-Max                  | 3500                  | 3                       | 0.109                      |                         |
| 0.224           | 35                        | Remington        | 22 Hornet     | AccuTip V BT           | 3100                  | 2                       | 0.109                      |                         |
| 0.224           | 40                        | Barnes           | Bullet Only   | VLC HP                 | 3675                  | 6                       | 0.153                      |                         |
| 0.224           | 40                        | Barnes           | Bullet Only   | Varminter              | 3675                  | 6                       | 0.175                      |                         |
| 0.224           | 40                        | Berger           | Bullet Only   | MEF                    | 3800                  | 6                       | 0.267                      |                         |
| 0.224           | 40                        | Berger           | Bullet Only   | FB Varmint             | 3700                  | 7                       | 0.151                      |                         |
| 0.224           | 40                        | Black Hills Ammo | 223 Remington | Ballistic Tip          | 3600                  | 7                       | 0.221                      |                         |
| 0.224           | 40                        | Combined Tech    | Bullet Only   | Ballistic Silvertip    | 3500                  | 6                       | 0.221                      |                         |
| 0.224           | 40                        | Federal          | 223 Remington | Ballistic Tip          | 3700                  | 6                       | 0.221                      |                         |
| 0.224           | 40                        | Federal          | 222 Rem       | Ballistic Tip          | 3450                  | 6                       | 0.221                      |                         |
| 0.224           | 40                        | Federal          | 22-250 Rem    | Ballistic Tip          | 4150                  | 8                       | 0.221                      |                         |
| 0.224           | 40                        | Federal          | 220 Swift     | Ballistic Tip          | 4250                  | 8                       | 0.221                      |                         |
| 0.224           | 40                        | Hornady          | Bullet Only   | V-Max                  | 3400                  | 5                       | 0.2                        |                         |
| 0.224           | 40                        | Hornady          | 223 Rem       | V-Max                  | 3800                  | 8                       | 0.2                        |                         |
| 0.224           | 40                        | Nosler           | Bullet Only   | Ballistic Silvertip CT | 3700                  | 7                       | 0.221                      |                         |
| 0.224           | 40                        | Nosler           | Bullet Only   | Ballistic Tip          | 3700                  | 7                       | 0.221                      |                         |
| 0.224           | 40                        | Sierra Bullets   | Bullet Only   | Hornet                 | 2750                  | 1                       | 0.123                      |                         |
| 0.224           | 40                        | Sierra Bullets   | Bullet Only   | HP                     | 3400                  | 4                       | 0.155                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge     | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|---------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.224           | 40                        | Sierra Bullets   | Bullet Only   | BlitzKing           | 3350                  | 4                       | 0.196                      |                         |
| 0.224           | 40                        | Speer            | Bullet Only   | Spire Pt.           | 3000                  | 2                       | 0.144                      |                         |
| 0.224           | 40                        | Winchester       | 222 Rem       | BST                 | 3370                  | 6                       | 0.22                       |                         |
| 0.224           | 40                        | Winchester       | 223 Rem       | Ballistic Silvertip | 3700                  | 7                       | 0.2                        |                         |
| 0.224           | 40                        | Winchester       | 220 Swift     | Ballistic Silvertip | 4050                  | 8                       | 0.221                      |                         |
| 0.224           | 40                        | Winchester       | 22-250        | Ballistic Silvertip | 4150                  | 8                       | 0.215                      |                         |
| 0.224           | 45                        | Barnes           | Bullet Only   | Solid               | 3550                  | 6                       | 0.195                      |                         |
| 0.224           | 45                        | Barnes           | Bullet Only   | XBT - XLCBT         | 3550                  | 6                       | 0.203                      |                         |
| 0.224           | 45                        | Berger           | Bullet Only   | MEF                 | 3700                  | 6                       | 0.271                      |                         |
| 0.224           | 45                        | Hornady          | Bullet Only   | Hornet              | 3000                  | 4                       | 0.202                      |                         |
| 0.224           | 45                        | Hornady          | Bullet Only   | HP/Bee              | 3000                  | 2                       | 0.108                      |                         |
| 0.224           | 45                        | Remington        | 22 Hornet     | HP                  | 2690                  | 1                       | 0.13                       |                         |
| 0.224           | 45                        | Remington        | 22 Hornet     | PSP                 | 2690                  | 1                       | 0.13                       |                         |
| 0.224           | 45                        | Sierra Bullets   | Bullet Only   | Hornet              | 2700                  | 1                       | 0.138                      |                         |
| 0.224           | 45                        | Sierra Bullets   | Bullet Only   | SMP                 | 3400                  | 4                       | 0.165                      |                         |
| 0.224           | 45                        | Sierra Bullets   | Bullet Only   | SPT                 | 3400                  | 5                       | 0.21                       |                         |
| 0.224           | 45                        | Sierra Bullets   | Bullet Only   | SPT                 | 3400                  | 5                       | 0.21                       |                         |
| 0.224           | 45                        | Speer            | Bullet Only   | Spitzer             | 3000                  | 2                       | 0.128                      |                         |
| 0.224           | 45                        | Winchester       | 22 Hornet     | SP                  | 2690                  | 1                       | 0.13                       |                         |
| 0.224           | 45                        | Winchester       | 223 Rem       | JHP                 | 3600                  | 6                       | 0.185                      |                         |
| 0.224           | 45                        | Winchester       | 22-250        | JSP                 | 4000                  | 7                       | 0.129                      |                         |
| 0.224           | 46                        | Winchester       | 218 Bee       | HP                  | 2760                  | 1                       | 0.13                       |                         |
| 0.224           | 46                        | Winchester       | 22 Hornet     | HP                  | 2690                  | 1                       | 0.13                       |                         |
| 0.224           | 50                        | Barnes           | Bullet Only   | XBT - XLCBT         | 3300                  | 5                       | 0.229                      |                         |
| 0.224           | 50                        | Barnes           | Bullet Only   | XLC                 | 3550                  | 6                       | 0.220                      |                         |
| 0.224           | 50                        | Barnes           | Bullet Only   | VLC HP              | 3550                  | 6                       | 0.192                      |                         |
| 0.224           | 50                        | Barnes           | Bullet Only   | Varminter           | 3550                  | 6                       | 0.217                      |                         |
| 0.224           | 50                        | Barnes           | Bullet Only   | X                   | 3400                  | 6                       | 0.229                      |                         |
| 0.224           | 50                        | Barnes           | Bullet Only   | Solid               | 3400                  | 6                       | 0.235                      |                         |
| 0.224           | 50                        | Berger           | Bullet Only   | MEF                 | 3600                  | 7                       | 0.287                      |                         |
| 0.224           | 50                        | Black Hills Ammo | 223 Remington | V-Max               | 3300                  | 6                       | 0.221                      |                         |
| 0.224           | 50                        | Combined Tech    | Bullet Only   | Ballistic Silvertip | 2600                  | 6                       | 0.238                      |                         |
| 0.224           | 50                        | Federal          | 222 Rem       | Hi-Shok SP          | 3140                  | 4                       | 0.184                      |                         |
| 0.224           | 50                        | Federal          | 223 Remington | JHP                 | 3325                  | 6                       | 0.204                      |                         |
| 0.224           | 50                        | Federal          | 223 Remington | TNT HP              | 3325                  | 6                       | 0.204                      |                         |
| 0.224           | 50                        | Hornady          | Bullet Only   | SP                  | 3000                  | 4                       | 0.214                      |                         |
| 0.224           | 50                        | Hornady          | Bullet Only   | SPSX                | 3000                  | 4                       | 0.214                      |                         |
| 0.224           | 50                        | Hornady          | Bullet Only   | V-Max               | 3300                  | 6                       | 0.242                      |                         |
| 0.224           | 50                        | Hornady          | 22-250 Rem    | V-Max               | 3800                  | 8                       | 0.242                      |                         |
| 0.224           | 50                        | Norma            | Bullet Only   | SMP                 | 3300                  | 5                       | 0.185                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge         | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.224           | 50                        | Norma             | Bullet Only       | FMJ                    | 3300                  | 5                       | 0.198                      |                         |
| 0.224           | 50                        | Nosler            | Bullet Only       | Ballistic Silvertip CT | 3100                  | 5                       | 0.238                      |                         |
| 0.224           | 50                        | Nosler            | Bullet Only       | Ballistic Tip          | 3100                  | 5                       | 0.238                      |                         |
| 0.224           | 50                        | PMC               | 222 Rem           | PSP                    | 3000                  | 4                       | 0.216                      |                         |
| 0.224           | 50                        | PMC               | 223 Rem           | BlitzKing              | 3300                  | 4                       | 0.222                      |                         |
| 0.224           | 50                        | PMC               | 22-250 Rem        | BlitzKing              | 3750                  | 7                       | 0.222                      |                         |
| 0.224           | 50                        | Remington         | 222 Rem           | PSP                    | 3140                  | 4                       | 0.175                      |                         |
| 0.224           | 50                        | Remington         | 222 Rem           | HPPL                   | 3140                  | 4                       | 0.188                      |                         |
| 0.224           | 50                        | Remington         | 221 Rem Fireball  | AccuTip                | 2995                  | 4                       | 0.238                      |                         |
| 0.224           | 50                        | Remington         | 221 Rem Fireball  | V-Max                  | 2995                  | 4                       | 0.238                      |                         |
| 0.224           | 50                        | Remington         | 221 Rem Fireball  | V-Max                  | 2995                  | 4                       | 0.238                      |                         |
| 0.224           | 50                        | Remington         | 222 Rem           | AccuTip                | 3140                  | 5                       | 0.242                      |                         |
| 0.224           | 50                        | Remington         | 222 Rem           | V-Max                  | 3140                  | 5                       | 0.242                      |                         |
| 0.224           | 50                        | Remington         | 223 Rem           | AccuTip                | 3300                  | 6                       | 0.242                      |                         |
| 0.224           | 50                        | Remington         | 220 Swift         | PSP                    | 3780                  | 7                       | 0.175                      |                         |
| 0.224           | 50                        | Remington         | 22-250            | V-Max                  | 3725                  | 7                       | 0.242                      |                         |
| 0.224           | 50                        | Remington         | 220 Swift         | V-Max                  | 3780                  | 8                       | 0.175                      |                         |
| 0.224           | 50                        | Remington         | 22-250            | AccuTip                | 3725                  | 8                       | 0.242                      |                         |
| 0.224           | 50                        | Remington         | 22-250            | V-Max                  | 3725                  | 8                       | 0.242                      |                         |
| 0.224           | 50                        | RWS-Dynamit Nobel | 222 Rem           | TMS                    | 3182                  | 4                       | 0.186                      |                         |
| 0.224           | 50                        | RWS-Dynamit Nobel | 5.6 x 50 R Magnum | TMS                    | 3510                  | 6                       | 0.186                      |                         |
| 0.224           | 50                        | Sierra Bullets    | Bullet Only       | SMP                    | 3300                  | 4                       | 0.192                      |                         |
| 0.224           | 50                        | Sierra Bullets    | Bullet Only       | Blitz                  | 3300                  | 6                       | 0.222                      |                         |
| 0.224           | 50                        | Sierra Bullets    | Bullet Only       | SPT                    | 3300                  | 6                       | 0.222                      |                         |
| 0.224           | 50                        | Sierra Bullets    | Bullet Only       | BlitzKing              | 3300                  | 6                       | 0.248                      |                         |
| 0.224           | 50                        | Speer             | Bullet Only       | Spitzer                | 3000                  | 4                       | 0.207                      |                         |
| 0.224           | 50                        | Speer             | Bullet Only       | TNT-HP                 | 3000                  | 4                       | 0.228                      |                         |
| 0.224           | 50                        | Speer             | Bullet Only       | Moly HP TNT            | 3000                  | 6                       | 0.228                      |                         |
| 0.224           | 50                        | Winchester        | 222 Rem           | PSP                    | 3140                  | 4                       | 0.175                      |                         |
| 0.224           | 50                        | Winchester        | 223 Rem           | Ballistic Silvertip    | 3410                  | 6                       | 0.238                      |                         |
| 0.224           | 50                        | Winchester        | 220 Swift         | PSP                    | 3870                  | 7                       | 0.2                        |                         |
| 0.224           | 50                        | Winchester        | 22-250            | Ballistic Silvertip    | 3810                  | 8                       | 0.238                      |                         |
| 0.224           | 51                        | Lapua             | Bullet Only       | HP                     | 3000                  | 4                       | 0.221                      |                         |
| 0.224           | 52                        | Berger            | Bullet Only       | MEF                    | 3500                  | 6                       | 0.242                      |                         |
| 0.224           | 52                        | Berger            | Bullet Only       | FB Varmint             | 3500                  | 7                       | 0.201                      |                         |
| 0.224           | 52                        | Black Hills Ammo  | 223 Remington     | HPBT                   | 3250                  | 6                       | 0.229                      |                         |
| 0.224           | 52                        | Hornady           | Bullet Only       | BTHP Match             | 3000                  | 4                       | 0.229                      |                         |
| 0.224           | 52                        | Hornady           | Bullet Only       | A-Max                  | 3000                  | 4                       | 0.247                      |                         |
| 0.224           | 52                        | PMC               | 223 Rem           | HPBT Match             | 3200                  | 5                       | 0.218                      |                         |
| 0.224           | 52                        | RWS-Dynamit Nobel | 222 Rem           | MJ                     | 3232                  | 4                       | 0.183                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge     | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|---------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.224           | 52                        | Sierra Bullets   | Bullet Only   | HPBT Matchking         | 3000                  | 4                       | 0.225                      |                         |
| 0.224           | 52                        | Speer            | Bullet Only   | Hollow Pt              | 3000                  | 3                       | 0.168                      |                         |
| 0.224           | 52                        | Speer            | Bullet Only   | BT HP Match            | 3000                  | 4                       | 0.23                       |                         |
| 0.224           | 53                        | Barnes           | Bullet Only   | TSX FB                 | 3300                  | 6                       | 0.204                      |                         |
| 0.224           | 53                        | Barnes           | Bullet Only   | X - XLCBT              | 3300                  | 6                       | 0.231                      |                         |
| 0.224           | 53                        | Barnes           | Bullet Only   | XLC                    | 3425                  | 6                       | 0.231                      |                         |
| 0.224           | 53                        | Hornady          | Bullet Only   | HP Match               | 3000                  | 6                       | 0.218                      |                         |
| 0.224           | 53                        | Norma            | Bullet Only   | SP                     | 3000                  | 4                       | 0.237                      |                         |
| 0.224           | 53                        | Sierra Bullets   | Bullet Only   | HP Matchking           | 3000                  | 6                       | 0.214                      |                         |
| 0.224           | 53                        | Winchester       | 223 Rem       | HP                     | 3330                  | 6                       | 0.223                      |                         |
| 0.224           | 55                        | Berger           | Bullet Only   | MEF                    | 3400                  | 6                       | 0.265                      |                         |
| 0.224           | 55                        | Berger           | Bullet Only   | FB Varmint             | 3400                  | 6                       | 0.209                      |                         |
| 0.224           | 55                        | Black Hills Ammo | 223 Remington | SP                     | 3250                  | 6                       | 0.235                      |                         |
| 0.224           | 55                        | Black Hills Ammo | 223 Remington | FMJ                    | 3200                  | 6                       | 0.243                      |                         |
| 0.224           | 55                        | Combined Tech    | Bullet Only   | Ballistic Silvertip    | 2600                  | 6                       | 0.276                      |                         |
| 0.224           | 55                        | Federal          | 223 Remington | FMJBT                  | 3240                  | 4                       | 0.269                      |                         |
| 0.224           | 55                        | Federal          | 222 Rem       | FMJBT                  | 3020                  | 4                       | 0.269                      |                         |
| 0.224           | 55                        | Federal          | 223 Remington | FMJ-BT                 | 3240                  | 4                       | 0.269                      |                         |
| 0.224           | 55                        | Federal          | 223 Remington | Ballistic Tip          | 3240                  | 6                       | 0.269                      |                         |
| 0.224           | 55                        | Federal          | 22-250 Rem    | Hi-Shok SP             | 3650                  | 7                       | 0.208                      |                         |
| 0.224           | 55                        | Federal          | 22-250 Rem    | Bear Claw              | 3600                  | 7                       | 0.215                      |                         |
| 0.224           | 55                        | Federal          | 22-250 Rem    | HPBT GameKing          | 3650                  | 7                       | 0.25                       |                         |
| 0.224           | 55                        | Federal          | 220 Swift     | BlitzKing              | 3800                  | 8                       | 0.271                      |                         |
| 0.224           | 55                        | Federal          | 22-250 Rem    | Ballistic Tip          | 3670                  | 8                       | 0.267                      |                         |
| 0.224           | 55                        | Federal          | 22-250 Rem    | BlitzKing              | 3625                  | 8                       | 0.27                       |                         |
| 0.224           | 55                        | Hornady          | Bullet Only   | SP                     | 3000                  | 4                       | 0.235                      |                         |
| 0.224           | 55                        | Hornady          | Bullet Only   | SP/WC                  | 3000                  | 4                       | 0.235                      |                         |
| 0.224           | 55                        | Hornady          | Bullet Only   | SPSX                   | 3000                  | 4                       | 0.235                      |                         |
| 0.224           | 55                        | Hornady          | Bullet Only   | FMJ                    | 3000                  | 4                       | 0.243                      |                         |
| 0.224           | 55                        | Lapua            | Bullet Only   | SP                     | 3000                  | 3                       | 0.208                      |                         |
| 0.224           | 55                        | Lapua            | Bullet Only   | SP                     | 3000                  | 4                       | 0.208                      |                         |
| 0.224           | 55                        | Lapua            | Bullet Only   | FMJ                    | 3000                  | 4                       | 0.251                      |                         |
| 0.224           | 55                        | Lapua            | Bullet Only   | FMJ                    | 3000                  | 4                       | 0.251                      |                         |
| 0.224           | 55                        | Nosler           | Bullet Only   | Ballistic Silvertip CT | 3000                  | 5                       | 0.267                      |                         |
| 0.224           | 55                        | Nosler           | Bullet Only   | Ballistic Tip          | 3000                  | 5                       | 0.267                      |                         |
| 0.224           | 55                        | PMC              | 223 Rem       | HPBT                   | 3240                  | 4                       | 0.176                      |                         |
| 0.224           | 55                        | PMC              | 223 Rem       | PSP                    | 3200                  | 5                       | 0.226                      |                         |
| 0.224           | 55                        | PMC              | 223 Rem       | FMJBT                  | 3195                  | 6                       | 0.265                      |                         |
| 0.224           | 55                        | PMC              | 22-250 Rem    | HPBT                   | 3650                  | 7                       | 0.189                      |                         |
| 0.224           | 55                        | PMC              | 22-250 Rem    | PSP                    | 3600                  | 7                       | 0.237                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge         | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.224           | 55                        | Remington         | 223 Rem           | PSP                    | 3240                  | 5                       | 0.197                      |                         |
| 0.224           | 55                        | Remington         | 223 Rem           | HPPL                   | 3240                  | 5                       | 0.209                      |                         |
| 0.224           | 55                        | Remington         | 223 Rem           | HPPL                   | 3240                  | 5                       | 0.209                      |                         |
| 0.224           | 55                        | Remington         | 22-250            | PSP                    | 3680                  | 7                       | 0.197                      |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | HPBT                   | 3200                  | 4                       | 0.185                      |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | SPT                    | 3200                  | 5                       | 0.237                      |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | FMJBT                  | 3200                  | 5                       | 0.272                      |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | SMP                    | 3200                  | 6                       | 0.204                      |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | Blitz                  | 3200                  | 6                       | 0.237                      |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | SBT                    | 3200                  | 6                       | 0.25                       |                         |
| 0.224           | 55                        | Sierra Bullets    | Bullet Only       | BlitzKing              | 3100                  | 6                       | 0.271                      |                         |
| 0.224           | 55                        | Speer             | Bullet Only       | TBBC                   | 3000                  | 3                       | 0.199                      |                         |
| 0.224           | 55                        | Speer             | Bullet Only       | Spitzer                | 3000                  | 4                       | 0.212                      |                         |
| 0.224           | 55                        | Speer             | Bullet Only       | Sptizer (Cann)         | 3000                  | 4                       | 0.212                      |                         |
| 0.224           | 55                        | Speer             | Bullet Only       | TNT-HP HV              | 3000                  | 4                       | 0.233                      |                         |
| 0.224           | 55                        | Speer             | Bullet Only       | FMJBT                  | 3000                  | 5                       | 0.269                      |                         |
| 0.224           | 55                        | Weatherby         | 224 Weatherby     | SP                     | 3650                  | 8                       | 0.235                      |                         |
| 0.224           | 55                        | Winchester        | 5.56mm            | Super-X Super Clean NT | 3150                  | 3                       | 0.267                      |                         |
| 0.224           | 55                        | Winchester        | 223 Rem           | PSP                    | 3240                  | 4                       | 0.197                      |                         |
| 0.224           | 55                        | Winchester        | 225 Win           | PSP                    | 3570                  | 6                       | 0.208                      |                         |
| 0.224           | 55                        | Winchester        | 223 Rem           | FMJ                    | 3240                  | 6                       | 0.255                      |                         |
| 0.224           | 55                        | Winchester        | 223 Rem           | Ballistic Silvertip    | 3240                  | 6                       | 0.267                      |                         |
| 0.224           | 55                        | Winchester        | 5.56mm            | USA FMJ                | 3270                  | 6                       | 0.267                      |                         |
| 0.224           | 55                        | Winchester        | 22-250            | PSP                    | 3680                  | 7                       | 0.197                      |                         |
| 0.224           | 55                        | Winchester        | 223 WSSM          | Super X PSP            | 3850                  | 7                       | 0.233                      |                         |
| 0.224           | 55                        | Winchester        | 22-250            | Ballistic Silvertip    | 3680                  | 8                       | 0.255                      |                         |
| 0.224           | 55                        | Winchester        | 223 WSSM          | Ballistic Silvertip    | 3850                  | 8                       | 0.276                      |                         |
| 0.224           | 56                        | RWS-Dynamit Nobel | 5.6 x 50 R Magnum | TMS                    | 3281                  | 5                       | 0.207                      |                         |
| 0.224           | 60                        | Berger            | Bullet Only       | MEF                    | 3100                  | 5                       | 0.285                      |                         |
| 0.224           | 60                        | Berger            | Bullet Only       | FB Varmint             | 3100                  | 6                       | 0.271                      |                         |
| 0.224           | 60                        | Black Hills Ammo  | 223 Remington     | SP                     | 3150                  | 5                       | 0.264                      |                         |
| 0.224           | 60                        | Black Hills Ammo  | 223 Remington     | V-Max                  | 3150                  | 5                       | 0.265                      |                         |
| 0.224           | 60                        | Federal           | 223 Remington     | Partition              | 3160                  | 5                       | 0.227                      |                         |
| 0.224           | 60                        | Federal           | 22-250 Rem        | Partition              | 3500                  | 6                       | 0.227                      |                         |
| 0.224           | 60                        | Hornady           | Bullet Only       | V-Max                  | 3000                  | 5                       | 0.256                      |                         |
| 0.224           | 60                        | Hornady           | Bullet Only       | SP                     | 3000                  | 5                       | 0.264                      |                         |
| 0.224           | 60                        | Hornady           | Bullet Only       | HP                     | 3000                  | 5                       | 0.271                      |                         |
| 0.224           | 60                        | Nosler            | Bullet Only       | Partition              | 2700                  | 3                       | 0.228                      |                         |
| 0.224           | 60                        | Sierra Bullets    | Bullet Only       | HP                     | 3100                  | 5                       | 0.246                      |                         |
| 0.224           | 62                        | Berger            | Bullet Only       | MEF                    | 3100                  | 5                       | 0.324                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge         | Bullet Type             | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------------|-------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.224           | 62                        | Black Hills Ammo  | 223 Remington     | Barnes TSX              | 3025                  | 5                       | 0.287                      |                         |
| 0.224           | 62                        | Federal           | 223 Remington     | FMJ                     | 3020                  | 5                       | 0.307                      |                         |
| 0.224           | 62                        | Norma             | Bullet Only       | SP,SMP                  | 3000                  | 4                       | 0.214                      |                         |
| 0.224           | 62                        | Remington         | 223 Rem           | HP Match                | 3025                  | 4                       | 0.205                      |                         |
| 0.224           | 62                        | Speer             | Bullet Only       | FMJBT                   | 2800                  | 4                       | 0.307                      |                         |
| 0.224           | 62                        | Winchester        | 223 Rem           | USA FMJ                 | 3100                  | 5                       | 0.283                      |                         |
| 0.224           | 63                        | RWS-Dynamit Nobel | 5.6 x 50 R Magnum | TMS                     | 2953                  | 4                       | 0.24                       |                         |
| 0.224           | 63                        | RWS-Dynamit Nobel | 5.6 x 50 R Magnum | TMS                     | 2953                  | 4                       | 0.24                       |                         |
| 0.224           | 63                        | Sierra Bullets    | Bullet Only       | SMP                     | 3000                  | 4                       | 0.231                      |                         |
| 0.224           | 64                        | Berger            | Bullet Only       | FB Varmint              | 3100                  | 5                       | 0.287                      |                         |
| 0.224           | 64                        | PMC               | 223 Rem           | PSP                     | 2775                  | 4                       | 0.285                      |                         |
| 0.224           | 64                        | Winchester        | 223 Rem           | PP                      | 3020                  | 4                       | 0.257                      |                         |
| 0.224           | 64                        | Winchester        | 223 Rem           | PP-Plus                 | 3020                  | 5                       | 0.234                      |                         |
| 0.224           | 64                        | Winchester        | 223 WSSM          | Super X PP              | 3600                  | 7                       | 0.233                      |                         |
| 0.224           | 64                        | Winchester        | 22-250            | PP                      | 3500                  | 7                       | 0.251                      |                         |
| 0.224           | 65                        | Sierra Bullets    | Bullet Only       | SBT                     | 3000                  | 5                       | 0.301                      |                         |
| 0.224           | 68                        | Black Hills Ammo  | 223 Remington     | HPBT Match              | 2850                  | 5                       | 0.355                      |                         |
| 0.224           | 68                        | Hornady           | Bullet Only       | BTHP Match              | 2850                  | 5                       | 0.355                      |                         |
| 0.224           | 69                        | Black Hills Ammo  | 223 Remington     | HPBT Matchking          | 3000                  | 5                       | 0.351                      |                         |
| 0.224           | 69                        | Federal           | 223 Remington     | HPBT MatchKing          | 2950                  | 6                       | 0.301                      |                         |
| 0.224           | 69                        | Lapua             | Bullet Only       | Scenar                  | 3000                  | 5                       | 0.321                      |                         |
| 0.224           | 69                        | Nosler            | Bullet Only       | HPBT Custom Competition | 3000                  | 6                       | 0.305                      |                         |
| 0.224           | 69                        | PMC               | 223 Rem           | HPBT Match              | 2900                  | 4                       | 0.305                      |                         |
| 0.224           | 69                        | Remington         | 223 Rem           | HPBT Matchking          | 3000                  | 5                       | 0.336                      |                         |
| 0.224           | 69                        | Sierra Bullets    | Bullet Only       | HPBT Matchking          | 3000                  | 6                       | 0.301                      |                         |
| 0.224           | 70                        | Barnes            | Bullet Only       | TSX BT                  | 3200                  | 6                       | 0.314                      |                         |
| 0.224           | 70                        | Berger            | Bullet Only       | Match VLD               | 3000                  | 5                       | 0.190                      |                         |
| 0.224           | 70                        | Berger            | Bullet Only       | VLD                     | 3000                  | 6                       | 0.365                      |                         |
| 0.224           | 70                        | Speer             | Bullet Only       | Semi-Spitzer            | 3000                  | 4                       | 0.219                      |                         |
| 0.224           | 71                        | RWS-Dynamit Nobel | 5.6 x 52 R        | TMS                     | 2854                  | 3                       | 0.248                      |                         |
| 0.224           | 73                        | Berger            | Bullet Only       | LTB                     | 2900                  | 5                       | 0.343                      |                         |
| 0.224           | 74                        | RWS-Dynamit Nobel | 5.6 x 57          | KS                      | 3412                  | 6                       | 0.26                       |                         |
| 0.224           | 75                        | Berger            | Bullet Only       | VLD                     | 2900                  | 6                       | 0.423                      |                         |
| 0.224           | 75                        | Black Hills Ammo  | 223 Remington     | Heavy Match Hollow      | 2850                  | 4                       | 0.395                      |                         |
| 0.224           | 75                        | Black Hills Ammo  | 223 Remington     | HPBT Match              | 2750                  | 4                       | 0.395                      |                         |
| 0.224           | 75                        | Hornady           | Bullet Only       | BTHP Match              | 2750                  | 5                       | 0.395                      |                         |
| 0.224           | 75                        | Hornady           | Bullet Only       | A-Max                   | 2750                  | 5                       | 0.435                      |                         |
| 0.224           | 77                        | Black Hills Ammo  | 223 Remington     | HPBT Match              | 2750                  | 4                       | 0.361                      |                         |
| 0.224           | 77                        | Federal           | 223 Remington     | HPBT MatchKing          | 2720                  | 6                       | 0.372                      |                         |
| 0.224           | 77                        | Nosler            | Bullet Only       | HPBT Custom Competition | 3000                  | 5                       | 0.34                       |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge   | Bullet Type             | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|-------------|-------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.224           | 77                        | Sierra Bullets   | Bullet Only | HPBT Matchking          | 3000                  | 6                       | 0.372                      |                         |
| 0.224           | 80                        | Berger           | Bullet Only | VLD                     | 2800                  | 5                       | 0.444                      |                         |
| 0.224           | 80                        | Nosler           | Bullet Only | HPBT Custom Competition | 3000                  | 6                       | 0.415                      |                         |
| 0.224           | 80                        | Sierra Bullets   | Bullet Only | HPBT Matchking          | 3000                  | 6                       | 0.42                       |                         |
| 0.224           | 90                        | Sierra Bullets   | Bullet Only | HPBT Matchking          | 2750                  | 5                       | 0.504                      |                         |
| 0.243           | 55                        | Black Hills Ammo | Win BH Gold | Ballistic Tip           | 3800                  | 8                       | 0.276                      |                         |
| 0.243           | 55                        | Combined Tech    | Bullet Only | Ballistic Silvertip     | 2600                  | 8                       | 0.276                      |                         |
| 0.243           | 55                        | Federal          | 243 Win     | Ballistic Tip           | 3850                  | 8                       | 0.276                      |                         |
| 0.243           | 55                        | Nosler           | Bullet Only | Ballistic Silvertip CT  | 3800                  | 8                       | 0.276                      |                         |
| 0.243           | 55                        | Nosler           | Bullet Only | Ballistic Tip           | 3800                  | 8                       | 0.276                      |                         |
| 0.243           | 55                        | Sierra Bullets   | Bullet Only | BlitzKing               | 3200                  | 5                       | 0.225                      |                         |
| 0.243           | 55                        | Winchester       | 243 Win     | Ballistic Silvertip     | 3910                  | 8                       | 0.276                      |                         |
| 0.243           | 55                        | Winchester       | 243 WSSM    | Ballistic Tip           | 4060                  | 8                       | 0.276                      |                         |
| 0.243           | 58                        | Barnes           | Bullet Only | Varminter               | 3425                  | 5                       | 0.173                      |                         |
| 0.243           | 58                        | Barnes           | Bullet Only | VLC HP                  | 3450                  | 5                       | 0.398                      |                         |
| 0.243           | 58                        | Hornady          | Bullet Only | V-Max                   | 3600                  | 7                       | 0.25                       |                         |
| 0.243           | 60                        | Berger           | Bullet Only | MEF                     | 3800                  | 8                       | 0.242                      |                         |
| 0.243           | 60                        | Sierra Bullets   | Bullet Only | HP                      | 3200                  | 6                       | 0.182                      |                         |
| 0.243           | 62                        | Berger           | Bullet Only | MEF                     | 3800                  | 8                       | 0.237                      |                         |
| 0.243           | 65                        | Berger           | Bullet Only | MEF                     | 3600                  | 7                       | 0.269                      |                         |
| 0.243           | 65                        | Berger           | Bullet Only | BT Target               | 3600                  | 8                       | 0.281                      |                         |
| 0.243           | 65                        | Berger           | Bullet Only | MEF                     | 3600                  | 8                       | 0.269                      |                         |
| 0.243           | 65                        | Berger           | Bullet Only | BT                      | 3600                  | 8                       | 0.27                       |                         |
| 0.243           | 65                        | Hornady          | Bullet Only | V-Max                   | 3400                  | 7                       | 0.28                       |                         |
| 0.243           | 68                        | Berger           | Bullet Only | MEF                     | 3600                  | 7                       | 0.28                       |                         |
| 0.243           | 68                        | Berger           | Bullet Only | FB Target               | 3600                  | 8                       | 0.255                      |                         |
| 0.243           | 69                        | Berger           | Bullet Only | LD MEF                  | 3600                  | 7                       | 0.291                      |                         |
| 0.243           | 69                        | Berger           | Bullet Only | LD                      | 3600                  | 8                       | 0.291                      |                         |
| 0.243           | 70                        | Berger           | Bullet Only | MEF                     | 3600                  | 7                       | 0.277                      |                         |
| 0.243           | 70                        | Federal          | 243 Win     | TNT HP                  | 3400                  | 7                       | 0.282                      |                         |
| 0.243           | 70                        | Federal          | 243 Win     | Ballistic Tip           | 3450                  | 7                       | 0.309                      |                         |
| 0.243           | 70                        | Hornady          | Bullet Only | SP                      | 3100                  | 5                       | 0.262                      |                         |
| 0.243           | 70                        | Nosler           | Bullet Only | Ballistic Tip           | 3400                  | 7                       | 0.31                       |                         |
| 0.243           | 70                        | Sierra Bullets   | Bullet Only | HPBT Matchking          | 3100                  | 5                       | 0.259                      |                         |
| 0.243           | 70                        | Sierra Bullets   | Bullet Only | BlitzKing               | 3200                  | 6                       | 0.299                      |                         |
| 0.243           | 70                        | Speer            | Bullet Only | Moly HP TNT             | 3200                  | 6                       | 0.279                      |                         |
| 0.243           | 70                        | Speer            | Bullet Only | TNT-HP                  | 3200                  | 6                       | 0.279                      |                         |
| 0.243           | 71                        | Berger           | Bullet Only | BT MEF                  | 3600                  | 8                       | 0.287                      |                         |
| 0.243           | 71                        | Berger           | Bullet Only | BT                      | 3600                  | 8                       | 0.341                      |                         |
| 0.243           | 72                        | Barnes           | Bullet Only | Varminter               | 3200                  | 5                       | 0.208                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand          | Cartridge     | Bullet Type   | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|----------------|---------------|---------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.243           | 72                        | Barnes         | Bullet Only   | VLC HP        | 3250                  | 6                       | 0.208                      |                         |
| 0.243           | 74                        | Berger         | Bullet Only   | MEF           | 3500                  | 7                       | 0.3                        |                         |
| 0.243           | 75                        | Barnes         | Bullet Only   | Solid BT      | 3450                  | 7                       | 0.341                      |                         |
| 0.243           | 75                        | Barnes         | Bullet Only   | X             | 3450                  | 7                       | 0.341                      |                         |
| 0.243           | 75                        | Hornady        | Bullet Only   | HP            | 3100                  | 5                       | 0.294                      |                         |
| 0.243           | 75                        | Hornady        | Bullet Only   | V-Max         | 3100                  | 6                       | 0.33                       |                         |
| 0.243           | 75                        | Remington      | 243 Win       | AccuTip       | 3375                  | 7                       | 0.33                       |                         |
| 0.243           | 75                        | Remington      | 243 Win       | V-Max         | 3375                  | 7                       | 0.33                       |                         |
| 0.243           | 75                        | Sierra Bullets | Bullet Only   | HP            | 3100                  | 4                       | 0.217                      |                         |
| 0.243           | 75                        | Speer          | Bullet Only   | Hollow Pt     | 3200                  | 5                       | 0.192                      |                         |
| 0.243           | 77                        | Lapua          | Bullet Only   | HP            | 3200                  | 6                       | 0.34                       |                         |
| 0.243           | 80                        | Berger         | Bullet Only   | MEF           | 3400                  | 7                       | 0.324                      |                         |
| 0.243           | 80                        | Federal        | 243 Win       | Hot-Cor SP    | 3330                  | 7                       | 0.365                      |                         |
| 0.243           | 80                        | Hornady        | Bullet Only   | FMJ           | 3100                  | 5                       | 0.261                      |                         |
| 0.243           | 80                        | Norma          | Bullet Only   | FMJ           | 2789                  | 5                       | 0.262                      |                         |
| 0.243           | 80                        | Nosler         | Bullet Only   | Ballistic Tip | 3300                  | 7                       | 0.329                      |                         |
| 0.243           | 80                        | Remington      | 243 Win       | PSP           | 3350                  | 6                       | 0.255                      |                         |
| 0.243           | 80                        | Remington      | 243 Win       | HPPL          | 3350                  | 7                       | 0.255                      |                         |
| 0.243           | 80                        | Sierra Bullets | Bullet Only   | SBT Blitz     | 2500                  | 3                       | 0.319                      |                         |
| 0.243           | 80                        | Speer          | Bullet Only   | Spitzer       | 3200                  | 6                       | 0.325                      |                         |
| 0.243           | 80                        | Winchester     | 243 Win       | PSP           | 3350                  | 6                       | 0.255                      |                         |
| 0.243           | 85                        | Barnes         | Bullet Only   | Solid BT      | 3250                  | 7                       | 0.333                      |                         |
| 0.243           | 85                        | Barnes         | Bullet Only   | TSX FB        | 3250                  | 7                       | 0.333                      |                         |
| 0.243           | 85                        | Barnes         | Bullet Only   | XBT - XLCBT   | 3250                  | 7                       | 0.333                      |                         |
| 0.243           | 85                        | Barnes         | Bullet Only   | XLC BT        | 3375                  | 8                       | 0.401                      |                         |
| 0.243           | 85                        | Federal        | 243 Win       | HPBT GameKing | 3300                  | 7                       | 0.315                      |                         |
| 0.243           | 85                        | Nosler         | Bullet Only   | Partition     | 3200                  | 6                       | 0.315                      |                         |
| 0.243           | 85                        | Sierra Bullets | Bullet Only   | HPBT          | 3000                  | 5                       | 0.282                      |                         |
| 0.243           | 85                        | Sierra Bullets | Bullet Only   | SPT           | 3000                  | 5                       | 0.315                      |                         |
| 0.243           | 85                        | Speer          | Bullet Only   | Boat Tail     | 3000                  | 6                       | 0.38                       |                         |
| 0.243           | 87                        | Hornady        | Bullet Only   | SP            | 3100                  | 6                       | 0.327                      |                         |
| 0.243           | 87                        | Hornady        | Bullet Only   | BTHP          | 3100                  | 6                       | 0.376                      |                         |
| 0.243           | 87                        | Hornady        | Bullet Only   | BTHP          | 3100                  | 6                       | 0.376                      |                         |
| 0.243           | 87                        | Hornady        | Bullet Only   | V-Max         | 3200                  | 7                       | 0.4                        |                         |
| 0.243           | 87                        | Weatherby      | 240 Weatherby | SP            | 3523                  | 8                       | 0.327                      |                         |
| 0.243           | 88                        | Berger         | Bullet Only   | Match Varmint | 3200                  | 6                       | 0.391                      |                         |
| 0.243           | 88                        | Berger         | Bullet Only   | LD            | 3200                  | 7                       | 0.391                      |                         |
| 0.243           | 88                        | Berger         | Bullet Only   | LD            | 3200                  | 7                       | 0.391                      |                         |
| 0.243           | 90                        | Barnes         | Bullet Only   | X             | 3200                  | 7                       | 0.382                      |                         |
| 0.243           | 90                        | Berger         | Bullet Only   | BT MEF        | 3200                  | 6                       | 0.41                       |                         |



| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.243           | 90                        | Berger            | Bullet Only   | BT                     | 3200                  | 7                       | 0.41                       |                         |
| 0.243           | 90                        | Federal           | 6mm           | Hot-Cor SP             | 3470                  | 8                       | 0.365                      |                         |
| 0.243           | 90                        | Lapua             | Bullet Only   | Scenar                 | 2900                  | 5                       | 0.42                       |                         |
| 0.243           | 90                        | Lapua             | Bullet Only   | FMJ                    | 3200                  | 7                       | 0.387                      |                         |
| 0.243           | 90                        | Nosler            | Bullet Only   | Ballistic Tip          | 3100                  | 6                       | 0.365                      |                         |
| 0.243           | 90                        | Nosler            | Bullet Only   | Ballistic Tip          | 3100                  | 6                       | 0.365                      |                         |
| 0.243           | 90                        | Remington         | 243 Win       | Scirocco               | 3120                  | 6                       | 0.39                       |                         |
| 0.243           | 90                        | Sierra Bullets    | Bullet Only   | FMJBT                  | 3000                  | 6                       | 0.387                      |                         |
| 0.243           | 90                        | Speer             | Bullet Only   | Spitzer                | 3000                  | 6                       | 0.365                      |                         |
| 0.243           | 90                        | Weatherby         | 240 Weatherby | Barnes-X               | 3500                  | 8                       | 0.382                      |                         |
| 0.243           | 95                        | Barnes            | Bullet Only   | XLC BT                 | 3100                  | 6                       | 0.398                      |                         |
| 0.243           | 95                        | Berger            | Bullet Only   | VLD                    | 3100                  | 7                       | 0.486                      |                         |
| 0.243           | 95                        | Black Hills Ammo  | Win BH Gold   | Ballistic Tip          | 2950                  | 5                       | 0.335                      |                         |
| 0.243           | 95                        | Combined Tech     | Bullet Only   | Ballistic Silvertip    | 2600                  | 6                       | 0.379                      |                         |
| 0.243           | 95                        | Federal           | 243 Win       | Ballistic Tip          | 3030                  | 6                       | 0.378                      |                         |
| 0.243           | 95                        | Nosler            | Bullet Only   | Partition              | 3000                  | 5                       | 0.365                      |                         |
| 0.243           | 95                        | Nosler            | Bullet Only   | Partition              | 3000                  | 6                       | 0.365                      |                         |
| 0.243           | 95                        | Nosler            | Bullet Only   | Ballistic Silvertip CT | 3000                  | 6                       | 0.379                      |                         |
| 0.243           | 95                        | Nosler            | Bullet Only   | Ballistic Silvertip CT | 3000                  | 6                       | 0.379                      |                         |
| 0.243           | 95                        | Nosler            | Bullet Only   | Ballistic Tip          | 3000                  | 6                       | 0.379                      |                         |
| 0.243           | 95                        | Nosler            | Bullet Only   | Ballistic Tip          | 3000                  | 6                       | 0.379                      |                         |
| 0.243           | 95                        | Remington         | 243 Win       | AccuTip BT             | 3120                  | 6                       | 0.355                      |                         |
| 0.243           | 95                        | Weatherby         | 240 Weatherby | Ballistic Tip          | 3420                  | 8                       | 0.379                      |                         |
| 0.243           | 95                        | Winchester        | 243 Win       | Ballistic Silvertip    | 3100                  | 6                       | 0.4                        |                         |
| 0.243           | 95                        | Winchester        | 243 WSSM      | Ballistic Tip          | 3250                  | 7                       | 0.401                      |                         |
| 0.243           | 96                        | RWS-Dynamit Nobel | 243 Win       | KS                     | 3133                  | 5                       | 0.294                      |                         |
| 0.243           | 100                       | Federal           | 243 Win       | Grand Slam             | 2960                  | 5                       | 0.351                      |                         |
| 0.243           | 100                       | Federal           | 243 Win       | Hi-Shok SP             | 2960                  | 5                       | 0.355                      |                         |
| 0.243           | 100                       | Federal           | 243 Win       | Partition              | 2850                  | 5                       | 0.384                      |                         |
| 0.243           | 100                       | Federal           | 6mm           | Hi-Shok SP             | 3100                  | 6                       | 0.354                      |                         |
| 0.243           | 100                       | Federal           | 243 Win       | SBT GameKing           | 2960                  | 6                       | 0.43                       |                         |
| 0.243           | 100                       | Federal           | 6mm           | Partition              | 3100                  | 7                       | 0.384                      |                         |
| 0.243           | 100                       | Hornady           | Bullet Only   | RN Interlock           | 3100                  | 5                       | 0.23                       |                         |
| 0.243           | 100                       | Hornady           | Bullet Only   | SP Interlock           | 3100                  | 6                       | 0.381                      |                         |
| 0.243           | 100                       | Hornady           | Bullet Only   | BTSP Interlock         | 3100                  | 6                       | 0.405                      |                         |
| 0.243           | 100                       | Lapua             | Bullet Only   | SP                     | 3100                  | 7                       | 0.287                      |                         |
| 0.243           | 100                       | Norma             | Bullet Only   | SP,SMP                 | 3000                  | 5                       | 0.257                      |                         |
| 0.243           | 100                       | Nosler            | Bullet Only   | Partition              | 3000                  | 5                       | 0.384                      |                         |
| 0.243           | 100                       | Nosler            | Bullet Only   | Partition              | 3000                  | 6                       | 0.384                      |                         |
| 0.243           | 100                       | Remington         | 243 Win       | PSPBT                  | 2960                  | 5                       | 0.356                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.243           | 100                       | Remington         | 243 Win       | PSPCL                  | 2960                  | 5                       | 0.356                      |                         |
| 0.243           | 100                       | Remington         | 243 Win       | PSPCL                  | 2960                  | 5                       | 0.356                      |                         |
| 0.243           | 100                       | Remington         | 6mm Rem       | PSPBT                  | 3100                  | 6                       | 0.356                      |                         |
| 0.243           | 100                       | Remington         | 6mm Rem       | PSPCL                  | 3100                  | 6                       | 0.356                      |                         |
| 0.243           | 100                       | RWS-Dynamit Nobel | 243 Win       | TM                     | 3068                  | 6                       | 0.371                      |                         |
| 0.243           | 100                       | Sierra Bullets    | Bullet Only   | SMP                    | 3000                  | 6                       | 0.275                      |                         |
| 0.243           | 100                       | Sierra Bullets    | Bullet Only   | SPT                    | 3000                  | 6                       | 0.373                      |                         |
| 0.243           | 100                       | Sierra Bullets    | Bullet Only   | SBT                    | 3000                  | 6                       | 0.43                       |                         |
| 0.243           | 100                       | Speer             | Bullet Only   | Grand Slam SP          | 2800                  | 4                       | 0.327                      |                         |
| 0.243           | 100                       | Speer             | Bullet Only   | Boat Tail              | 2800                  | 4                       | 0.446                      |                         |
| 0.243           | 100                       | Weatherby         | 240 Weatherby | SP                     | 3406                  | 8                       | 0.381                      |                         |
| 0.243           | 100                       | Weatherby         | 240 Weatherby | Partition              | 3406                  | 8                       | 0.384                      |                         |
| 0.243           | 100                       | Winchester        | 243 Win       | PP                     | 2960                  | 5                       | 0.356                      |                         |
| 0.243           | 100                       | Winchester        | 243 Win       | PP-Plus                | 3090                  | 6                       | 0.356                      |                         |
| 0.243           | 100                       | Winchester        | 243WSSm       | Super X PP             | 3110                  | 6                       | 0.356                      |                         |
| 0.243           | 100                       | Winchester        | 6mm Rem       | PP                     | 3100                  | 6                       | 0.356                      |                         |
| 0.243           | 105                       | Berger            | Bullet Only   | Match VLD Hunting      | 2900                  | 6                       | 0.532                      |                         |
| 0.243           | 105                       | Berger            | Bullet Only   | VLD                    | 2900                  | 6                       | 0.532                      |                         |
| 0.243           | 105                       | Lapua             | Bullet Only   | Scenar                 | 2850                  | 5                       | 0.53                       |                         |
| 0.243           | 105                       | Speer             | Bullet Only   | Spitzer                | 2800                  | 5                       | 0.424                      |                         |
| 0.243           | 107                       | Sierra Bullets    | Bullet Only   | HPBT Matchking         | 3000                  | 7                       | 0.527                      |                         |
| 0.243           | 115                       | Barnes            | Bullet Only   | RNSP                   | 2900                  | 5                       | 0.322                      |                         |
| 0.243           | 115                       | Berger            | Bullet Only   | VLD                    | 2900                  | 6                       | 0.551                      |                         |
| 0.257           | 60                        | Hornady           | Bullet Only   | FP                     | 3200                  | 1                       | 0.101                      |                         |
| 0.257           | 75                        | Barnes            | Bullet Only   | Solid BT               | 3500                  | 7                       | 0.297                      |                         |
| 0.257           | 75                        | Barnes            | Bullet Only   | X                      | 3500                  | 7                       | 0.289                      |                         |
| 0.257           | 75                        | Hornady           | Bullet Only   | HP                     | 3200                  | 6                       | 0.257                      |                         |
| 0.257           | 75                        | Hornady           | Bullet Only   | V-Max                  | 3200                  | 6                       | 0.29                       |                         |
| 0.257           | 75                        | Sierra Bullets    | Bullet Only   | HP                     | 3000                  | 3                       | 0.189                      |                         |
| 0.257           | 78                        | Berger            | Bullet Only   | MEF                    | 3500                  | 7                       | 0.319                      |                         |
| 0.257           | 85                        | Barnes            | Bullet Only   | X                      | 3450                  | 7                       | 0.309                      |                         |
| 0.257           | 85                        | Combined Tech     | Bullet Only   | Ballistic Silvertip    | 2600                  | 7                       | 0.331                      |                         |
| 0.257           | 85                        | Federal           | 25-06 Rem     | Ballistic Tip          | 3550                  | 8                       | 0.329                      |                         |
| 0.257           | 85                        | Nosler            | Bullet Only   | Ballistic Silvertip CT | 3200                  | 6                       | 0.329                      |                         |
| 0.257           | 85                        | Nosler            | Bullet Only   | Ballistic Tip          | 3200                  | 6                       | 0.329                      |                         |
| 0.257           | 85                        | Winchester        | 25 WSSM       | Ballistic Silvertip    | 3470                  | 8                       | 0.333                      |                         |
| 0.257           | 85                        | Winchester        | 25-06 Rem     | Ballistic Silvertip    | 3470                  | 8                       | 0.333                      |                         |
| 0.257           | 87                        | Berger            | Bullet Only   | MEF                    | 3400                  | 7                       | 0.331                      |                         |
| 0.257           | 87                        | Hornady           | Bullet Only   | SP                     | 3000                  | 5                       | 0.322                      |                         |
| 0.257           | 87                        | Sierra Bullets    | Bullet Only   | SPT                    | 3000                  | 6                       | 0.293                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge         | Bullet Type       | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|-------------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.257           | 87                        | Speer            | Bullet Only       | Spitzer           | 3200                  | 6                       | 0.3                        |                         |
| 0.257           | 87                        | Speer            | Bullet Only       | Moly HP TNT       | 3200                  | 6                       | 0.337                      |                         |
| 0.257           | 87                        | Speer            | Bullet Only       | TNT-HP            | 3200                  | 6                       | 0.337                      |                         |
| 0.257           | 87                        | Weatherby        | 257 Weatherby     | SP                | 3825                  | 8                       | 0.322                      |                         |
| 0.257           | 90                        | Barnes           | Bullet Only       | Solid BT          | 3400                  | 7                       | 0.325                      |                         |
| 0.257           | 90                        | Barnes           | Bullet Only       | XBT               | 3400                  | 7                       | 0.343                      |                         |
| 0.257           | 90                        | Sierra Bullets   | Bullet Only       | HPBT              | 3000                  | 6                       | 0.25                       |                         |
| 0.257           | 90                        | Winchester       | 25-06 Rem         | PEP               | 3440                  | 7                       | 0.259                      |                         |
| 0.257           | 100                       | Barnes           | Bullet Only       | XLC               | 3000                  | 6                       | 0.420                      |                         |
| 0.257           | 100                       | Barnes           | Bullet Only       | X                 | 3150                  | 7                       | 0.336                      |                         |
| 0.257           | 100                       | Barnes           | Bullet Only       | XBT - XLCBT       | 3150                  | 7                       | 0.42                       |                         |
| 0.257           | 100                       | Barnes           | Bullet Only       | XLC BT            | 3275                  | 7                       | 0.42                       |                         |
| 0.257           | 100                       | Black Hills Ammo | 25-06 Rem BH Gold | XLC               | 2990                  | 6                       | 0.420                      |                         |
| 0.257           | 100                       | Black Hills Ammo | 25-06 Rem BH Gold | Ballistic Tip     | 3200                  | 7                       | 0.393                      |                         |
| 0.257           | 100                       | Federal          | 25-06 Rem         | HP Varminter      | 3000                  | 7                       | 0.255                      |                         |
| 0.257           | 100                       | Federal          | 25-06 Rem         | Ballistic Tip     | 3210                  | 7                       | 0.394                      |                         |
| 0.257           | 100                       | Federal          | 25-06 Rem         | XLC X-Bullet      | 3210                  | 7                       | 0.409                      |                         |
| 0.257           | 100                       | Federal          | 25-06 Rem         | Triple-Shock X    | 3210                  | 7                       | 0.42                       |                         |
| 0.257           | 100                       | Hornady          | Bullet Only       | SP Interlock      | 3000                  | 6                       | 0.357                      |                         |
| 0.257           | 100                       | Lazzeroni        | 6.52 Scramjet     | Partition         | 3740                  | 8                       | 0.393                      |                         |
| 0.257           | 100                       | Nosler           | Bullet Only       | Partition         | 3000                  | 6                       | 0.377                      |                         |
| 0.257           | 100                       | Nosler           | Bullet Only       | Ballistic Tip     | 3000                  | 6                       | 0.393                      |                         |
| 0.257           | 100                       | Remington        | 250 Savage        | PSP               | 2820                  | 4                       | 0.285                      |                         |
| 0.257           | 100                       | Remington        | 25-06             | PSPCL             | 3230                  | 6                       | 0.292                      |                         |
| 0.257           | 100                       | Sierra Bullets   | Bullet Only       | SPT               | 2900                  | 5                       | 0.33                       |                         |
| 0.257           | 100                       | Sierra Bullets   | Bullet Only       | SBT               | 2900                  | 5                       | 0.355                      |                         |
| 0.257           | 100                       | Sierra Bullets   | Bullet Only       | HPBT Matchking    | 3250                  | 7                       | 0.394                      |                         |
| 0.257           | 100                       | Speer            | Bullet Only       | Hollow Pt         | 3200                  | 6                       | 0.263                      |                         |
| 0.257           | 100                       | Speer            | Bullet Only       | Spitzer           | 3200                  | 7                       | 0.334                      |                         |
| 0.257           | 100                       | Speer            | Bullet Only       | Boat Tail         | 3200                  | 7                       | 0.393                      |                         |
| 0.257           | 100                       | Swift            | Bullet Only       | A-Frame           | 3000                  | 5                       | 0.318                      |                         |
| 0.257           | 100                       | Weatherby        | 257 Weatherby     | SP                | 3602                  | 8                       | 0.357                      |                         |
| 0.257           | 100                       | Winchester       | 250 Savage        | Silvertip         | 2820                  | 3                       | 0.254                      |                         |
| 0.257           | 110                       | Nosler           | Bullet Only       | Accubond          | 3000                  | 6                       | 0.418                      |                         |
| 0.257           | 110                       | Winchester       | 25 WSSM           | Accubond CT       | 3100                  | 6                       | 0.421                      |                         |
| 0.257           | 110                       | Winchester       | 25-06 Rem         | Accubond CT       | 3100                  | 6                       | 0.421                      |                         |
| 0.257           | 115                       | Barnes           | Bullet Only       | X - LCBT          | 3000                  | 6                       | 0.335                      |                         |
| 0.257           | 115                       | Berger           | Bullet Only       | Match VLD Hunting | 3000                  | 5                       | 0.466                      |                         |
| 0.257           | 115                       | Berger           | Bullet Only       | VLD               | 3000                  | 6                       | 0.479                      |                         |
| 0.257           | 115                       | Combined Tech    | Bullet Only       | Accubond          | 2600                  | 6                       | 0.453                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge      | Bullet Type          | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|----------------|----------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.257           | 115                       | Combined Tech     | Bullet Only    | Ballistic Silvertip  | 2950                  | 6                       | 0.453                      |                         |
| 0.257           | 115                       | Federal           | 25-06 Rem      | Partition            | 3030                  | 6                       | 0.389                      |                         |
| 0.257           | 115                       | Remington         | 25-06          | PSPCL                | 3000                  | 6                       | 0.38                       |                         |
| 0.257           | 115                       | Weatherby         | 257 Weatherby  | Barnes-X             | 3400                  | 8                       | 0.389                      |                         |
| 0.257           | 115                       | Weatherby         | 257 Weatherby  | Ballistic Tip        | 3400                  | 8                       | 0.453                      |                         |
| 0.257           | 115                       | Winchester        | 25 WSSM        | Ballistic Silvertip  | 3060                  | 6                       | 0.446                      |                         |
| 0.257           | 115                       | Winchester        | 25-06 Rem      | Ballistic Silvertip  | 3060                  | 6                       | 0.446                      |                         |
| 0.257           | 117                       | Federal           | 25-06 Rem      | Hot-Cor SP           | 3030                  | 6                       | 0.361                      |                         |
| 0.257           | 117                       | Federal           | 25-06 Rem      | SBT GameKing         | 3030                  | 6                       | 0.41                       |                         |
| 0.257           | 117                       | Hornady           | Bullet Only    | SST Interlock        | 2900                  | 5                       | 0.39                       |                         |
| 0.257           | 117                       | Remington         | 257 Roberts    | SPCL                 | 2650                  | 3                       | 0.24                       |                         |
| 0.257           | 117                       | Sierra Bullets    | Bullet Only    | SBT                  | 2900                  | 5                       | 0.41                       |                         |
| 0.257           | 117                       | Sierra Bullets    | Bullet Only    | SPT                  | 2900                  | 6                       | 0.388                      |                         |
| 0.257           | 117                       | Winchester        | 25-35 Win      | SP                   | 2230                  | 1                       | 0.213                      |                         |
| 0.257           | 117                       | Winchester        | 257 Robert+P   | PP                   | 2780                  | 3                       | 0.24                       |                         |
| 0.257           | 120                       | Federal           | 257 Roberts +P | Partition            | 2780                  | 4                       | 0.391                      |                         |
| 0.257           | 120                       | Hornady           | Bullet Only    | HP Interlock         | 2800                  | 5                       | 0.394                      |                         |
| 0.257           | 120                       | Nosler            | Bullet Only    | Partition            | 2900                  | 5                       | 0.391                      |                         |
| 0.257           | 120                       | Remington         | 25-06          | PSPCL                | 2990                  | 6                       | 0.362                      |                         |
| 0.257           | 120                       | Sierra Bullets    | Bullet Only    | HPBT                 | 2800                  | 5                       | 0.35                       |                         |
| 0.257           | 120                       | Speer             | Bullet Only    | Grand Slam SP        | 3000                  | 5                       | 0.356                      |                         |
| 0.257           | 120                       | Speer             | Bullet Only    | Spitzer              | 3000                  | 6                       | 0.405                      |                         |
| 0.257           | 120                       | Speer             | Bullet Only    | Boat Tail            | 3000                  | 6                       | 0.48                       |                         |
| 0.257           | 120                       | Swift             | Bullet Only    | A-Frame              | 2800                  | 4                       | 0.382                      |                         |
| 0.257           | 120                       | Winchester        | 25 WSSM        | PEP                  | 2990                  | 5                       | 0.344                      |                         |
| 0.257           | 120                       | Winchester        | 25-06 Rem      | PEP                  | 2990                  | 5                       | 0.344                      |                         |
| 0.264           | 85                        | Sierra Bullets    | Bullet Only    | HP                   | 3200                  | 6                       | 0.225                      |                         |
| 0.264           | 90                        | Speer             | Bullet Only    | TNT-HP               | 3200                  | 6                       | 0.281                      |                         |
| 0.264           | 93                        | RWS-Dynamit Nobel | 6.5 x 57 R     | TMS                  | 3232                  | 5                       | 0.255                      |                         |
| 0.264           | 93                        | RWS-Dynamit Nobel | 6.5 x 57       | TMS                  | 3314                  | 6                       | 0.255                      |                         |
| 0.264           | 95                        | Federal           | 6.5 Creedmoor  | V-Max                | 3300                  | 7                       | 0.365                      |                         |
| 0.264           | 95                        | Hornady           | Bullet Only    | V-Max                | 3150                  | 6                       | 0.365                      |                         |
| 0.264           | 100                       | Hornady           | Bullet Only    | SP                   | 3100                  | 6                       | 0.358                      |                         |
| 0.264           | 100                       | Lapua             | Bullet Only    | FMJ                  | 3100                  | 5                       | 0.25                       |                         |
| 0.264           | 100                       | Lapua             | Bullet Only    | Scenar               | 3100                  | 6                       | 0.444                      |                         |
| 0.264           | 100                       | Norma             | Bullet Only    | HP Banskytte/Rekrytt | 2789                  | 3                       | 0.321                      |                         |
| 0.264           | 100                       | Nosler            | Bullet Only    | Partition            | 3100                  | 6                       | 0.326                      |                         |
| 0.264           | 100                       | Nosler            | Bullet Only    | Ballistic Tip        | 3100                  | 6                       | 0.35                       |                         |
| 0.264           | 100                       | Sierra Bullets    | Bullet Only    | HP                   | 3200                  | 6                       | 0.259                      |                         |
| 0.264           | 107                       | Sierra Bullets    | Bullet Only    | HPBT Matchking       | 3350                  | 8                       | 0.43                       |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type       | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.264           | 108                       | Lapua             | Bullet Only   | Scenar            | 3100                  | 7                       | 0.487                      |                         |
| 0.264           | 108                       | RWS-Dynamit Nobel | 6.5 x 57 R    | KS                | 2854                  | 4                       | 0.308                      |                         |
| 0.264           | 108                       | RWS-Dynamit Nobel | 6.5 x 57      | KS                | 3100                  | 5                       | 0.308                      |                         |
| 0.264           | 120                       | Barnes            | Bullet Only   | Solid             | 2950                  | 6                       | 0.453                      |                         |
| 0.264           | 120                       | Barnes            | Bullet Only   | X - TSCBT - XLCBT | 2950                  | 6                       | 0.381                      |                         |
| 0.264           | 120                       | Federal           | 260 Remington | Ballistic Tip     | 2950                  | 6                       | 0.417                      |                         |
| 0.264           | 120                       | Norma             | Bullet Only   | FMJ Jaktmatch     | 2690                  | 4                       | 0.428                      |                         |
| 0.264           | 120                       | Nosler            | Bullet Only   | Ballistic Tip     | 3000                  | 6                       | 0.458                      |                         |
| 0.264           | 120                       | Remington         | 260 Rem       | AccuTip BT        | 2890                  | 6                       | 0.48                       |                         |
| 0.264           | 120                       | Sierra Bullets    | Bullet Only   | SPT               | 3100                  | 6                       | 0.356                      |                         |
| 0.264           | 120                       | Sierra Bullets    | Bullet Only   | HPBT Matchking    | 3100                  | 6                       | 0.421                      |                         |
| 0.264           | 120                       | Speer             | Bullet Only   | Spitzer           | 2800                  | 5                       | 0.392                      |                         |
| 0.264           | 120                       | Swift             | Bullet Only   | A-Frame           | 3000                  | 5                       | 0.344                      |                         |
| 0.264           | 123                       | Lapua             | Bullet Only   | Scenar            | 3100                  | 7                       | 0.547                      |                         |
| 0.264           | 125                       | Nosler            | Bullet Only   | Partition         | 3000                  | 6                       | 0.449                      |                         |
| 0.264           | 127                       | RWS-Dynamit Nobel | 6.5 x 57 R    | KS                | 2854                  | 4                       | 0.308                      |                         |
| 0.264           | 127                       | RWS-Dynamit Nobel | 6.5 x 57      | KS                | 2854                  | 4                       | 0.361                      |                         |
| 0.264           | 127                       | RWS-Dynamit Nobel | 6.5 x 65 RWS  | KS                | 2854                  | 5                       | 0.361                      |                         |
| 0.264           | 127                       | RWS-Dynamit Nobel | 6.5 x 55      | KS                | 2904                  | 5                       | 0.361                      |                         |
| 0.264           | 129                       | Hornady           | Bullet Only   | SP                | 3100                  | 7                       | 0.445                      |                         |
| 0.264           | 129                       | Hornady           | Bullet Only   | SST               | 3100                  | 7                       | 0.485                      |                         |
| 0.264           | 130                       | Barnes            | Bullet Only   | X                 | 2850                  | 5                       | 0.335                      |                         |
| 0.264           | 130                       | Barnes            | Bullet Only   | TSX FB            | 2850                  | 5                       | 0.365                      |                         |
| 0.264           | 130                       | Norma             | Bullet Only   | HPBT Diamond      | 3050                  | 6                       | 0.548                      |                         |
| 0.264           | 139                       | Lapua             | Bullet Only   | Scenar            | 3000                  | 6                       | 0.615                      |                         |
| 0.264           | 140                       | Barnes            | Bullet Only   | X - XLCBT         | 2800                  | 5                       | 0.586                      |                         |
| 0.264           | 140                       | Barnes            | Bullet Only   | XLC FB            | 2925                  | 6                       | 0.522                      |                         |
| 0.264           | 140                       | Berger            | Bullet Only   | VLD               | 2800                  | 5                       | 0.595                      |                         |
| 0.264           | 140                       | Hornady           | Bullet Only   | SP Interlock      | 3000                  | 6                       | 0.465                      |                         |
| 0.264           | 140                       | Hornady           | Bullet Only   | SST Interlock     | 3000                  | 6                       | 0.52                       |                         |
| 0.264           | 140                       | Hornady           | Bullet Only   | A-Max             | 3000                  | 6                       | 0.55                       |                         |
| 0.264           | 140                       | Lapua             | Bullet Only   | Naturalis         | 2750                  | 4                       | 0.329                      |                         |
| 0.264           | 140                       | Nosler            | Bullet Only   | Partition         | 3000                  | 6                       | 0.49                       |                         |
| 0.264           | 140                       | Remington         | 6.5x55 Swede  | PSPCL             | 2550                  | 3                       | 0.435                      |                         |
| 0.264           | 140                       | Remington         | 264 Rem       | PSPCL             | 3030                  | 5                       | 0.384                      |                         |
| 0.264           | 140                       | Remington         | 260 Rem       | PSPCL             | 2750                  | 5                       | 0.435                      |                         |
| 0.264           | 140                       | RWS-Dynamit Nobel | 6.5 x 57 R    | DK                | 2543                  | 2                       | 0.305                      |                         |
| 0.264           | 140                       | RWS-Dynamit Nobel | 6.5 x 57      | DK                | 2657                  | 3                       | 0.305                      |                         |
| 0.264           | 140                       | RWS-Dynamit Nobel | 6.5 x 55      | DK                | 2854                  | 4                       | 0.305                      |                         |
| 0.264           | 140                       | Sierra Bullets    | Bullet Only   | SBT               | 3000                  | 6                       | 0.495                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge          | Bullet Type    | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|--------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.264           | 140                       | Sierra Bullets   | Bullet Only        | HPBT Matchking | 3000                  | 6                       | 0.535                      |                         |
| 0.264           | 140                       | Speer            | Bullet Only        | Grand Slam SP  | 2600                  | 3                       | 0.385                      |                         |
| 0.264           | 140                       | Speer            | Bullet Only        | TBBC           | 2700                  | 4                       | 0.405                      |                         |
| 0.264           | 140                       | Speer            | Bullet Only        | Spitzer        | 2600                  | 4                       | 0.498                      |                         |
| 0.264           | 140                       | Swift            | Bullet Only        | A-Frame        | 2800                  | 4                       | 0.401                      |                         |
| 0.264           | 140                       | Winchester       | 6.5x55 Swede       | SP             | 2550                  | 3                       | 0.45                       |                         |
| 0.264           | 140                       | Winchester       | 264 Winchester Mag | PP             | 3030                  | 6                       | 0.384                      |                         |
| 0.264           | 142                       | Black Hills Ammo | 6.5-284            | HPBT Match     | 2950                  | 6                       | 0.58                       |                         |
| 0.264           | 142                       | Sierra Bullets   | Bullet Only        | HPBT Matchking | 2850                  | 6                       | 0.559                      |                         |
| 0.264           | 143                       | Hornady          | 6.5 Creedmoor      | ELD-X          | 2704                  | 5                       | 0.625                      |                         |
| 0.264           | 144                       | Lapua            | Bullet Only        | FMJBT          | 2750                  | 5                       | 0.636                      |                         |
| 0.264           | 155                       | Lapua            | Bullet Only        | Mega           | 2800                  | 4                       | 0.377                      |                         |
| 0.264           | 155                       | Sierra Bullets   | Bullet Only        | HPBT Matchking | 3000                  | 6                       | 0.57                       |                         |
| 0.264           | 156                       | Norma            | Bullet Only        | Alaska SPRN    | 3000                  | 5                       | 0.276                      |                         |
| 0.264           | 156                       | Norma            | Bullet Only        | Oryx Bonded SP | 3000                  | 5                       | 0.348                      |                         |
| 0.264           | 156                       | Norma            | Bullet Only        | Vulkan PP      | 3000                  | 5                       | 0.354                      |                         |
| 0.264           | 160                       | Hornady          | Bullet Only        | RN Interlock   | 2800                  | 4                       | 0.283                      |                         |
| 0.264           | 160                       | Sierra Bullets   | Bullet Only        | SMP            | 3000                  | 6                       | 0.353                      |                         |
| 0.267           | 160                       | Hornady          | Bullet Only        | RN Carcano     | 2600                  | 3                       | 0.275                      |                         |
| 0.277           | 90                        | Sierra Bullets   | Bullet Only        | HP             | 3100                  | 4                       | 0.195                      |                         |
| 0.277           | 90                        | Speer            | Bullet Only        | Moly HP TNT    | 3300                  | 7                       | 0.303                      |                         |
| 0.277           | 90                        | Speer            | Bullet Only        | TNT-HP         | 3300                  | 7                       | 0.303                      |                         |
| 0.277           | 100                       | Barnes           | Bullet Only        | Solid          | 2360                  | 2                       | 0.37                       |                         |
| 0.277           | 100                       | Hornady          | Bullet Only        | SP             | 3100                  | 6                       | 0.307                      |                         |
| 0.277           | 100                       | Remington        | 270 Win            | PSP            | 3320                  | 6                       | 0.252                      |                         |
| 0.277           | 100                       | Speer            | Bullet Only        | Hollow Pt      | 3200                  | 5                       | 0.201                      |                         |
| 0.277           | 100                       | Weatherby        | 270 Weatherby      | SP             | 3760                  | 6                       | 0.307                      |                         |
| 0.277           | 110                       | Hornady          | Bullet Only        | HP             | 3000                  | 5                       | 0.352                      |                         |
| 0.277           | 110                       | Hornady          | Bullet Only        | V-Max          | 3000                  | 5                       | 0.37                       |                         |
| 0.277           | 110                       | Sierra Bullets   | Bullet Only        | SPT            | 3000                  | 6                       | 0.318                      |                         |
| 0.277           | 115                       | Hornady          | 6.8 SPC            | BTHP W/C       | 2950                  | 5                       | 0.34                       |                         |
| 0.277           | 115                       | Remington        | 270 Win            | Managed Recoil | 2710                  | 3                       | 0.295                      |                         |
| 0.277           | 115                       | Remington        | 6.8m Rem Arms SPC  | MC             | 2800                  | 4                       | 0.292                      |                         |
| 0.277           | 115                       | Remington        | 6.8m Rem Arms SPC  | Core-Lokt      | 2800                  | 4                       | 0.295                      |                         |
| 0.277           | 115                       | Remington        | 6.8m Rem Arms SPC  | HPBT           | 2800                  | 4                       | 0.333                      |                         |
| 0.277           | 115                       | Remington        | 6.8m Rem Arms SPC  | Open Tip Match | 2800                  | 4                       | 0.344                      |                         |
| 0.277           | 115                       | Sierra Bullets   | Bullet Only        | HPBT Matchking | 3000                  | 6                       | 0.324                      |                         |
| 0.277           | 120                       | Barnes           | Bullet Only        | Solid          | 2360                  | 2                       | 0.438                      |                         |
| 0.277           | 120                       | Barnes           | Bullet Only        | X              | 3200                  | 7                       | 0.423                      |                         |
| 0.277           | 120                       | Barnes           | Bullet Only        | XBT            | 3200                  | 7                       | 0.423                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge   | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.277           | 130                       | Barnes            | Bullet Only | X                      | 3100                  | 6                       | 0.431                      |                         |
| 0.277           | 130                       | Barnes            | Bullet Only | XBT                    | 3100                  | 6                       | 0.431                      |                         |
| 0.277           | 130                       | Barnes            | Bullet Only | Solid                  | 3100                  | 6                       | 0.448                      |                         |
| 0.277           | 130                       | Barnes            | Bullet Only | XLC BT                 | 3225                  | 7                       | 0.466                      |                         |
| 0.277           | 130                       | Combined Tech     | Bullet Only | Ballistic Silvertip    | 2600                  | 6                       | 0.433                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Grand Slam             | 3060                  | 6                       | 0.345                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Solid Base Boattail    | 3050                  | 6                       | 0.412                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | XLC Coated X-Bullet    | 3060                  | 6                       | 0.466                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Triple-Shock X         | 3060                  | 6                       | 0.287                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Hi-Shok SP             | 3060                  | 6                       | 0.372                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Partition              | 3060                  | 6                       | 0.416                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Ballistic Tip          | 3060                  | 6                       | 0.432                      |                         |
| 0.277           | 130                       | Federal           | 270 Win     | Trophy Bonded B. C.    | 3060                  | 6                       | 0.44                       |                         |
| 0.277           | 130                       | Federal           | 270 WSM     | Partition              | 3280                  | 7                       | 0.416                      |                         |
| 0.277           | 130                       | Federal           | 270 Wby Mag | SBT GameKing           | 3200                  | 7                       | 0.436                      |                         |
| 0.277           | 130                       | Federal           | 270 WSM     | Solid Base Boattail    | 3280                  | 7                       | 0.412                      |                         |
| 0.277           | 130                       | Federal           | 270 Wby Mag | Solid Base Boattail    | 3280                  | 7                       | 0.412                      |                         |
| 0.277           | 130                       | Federal           | 270 WSM     | Soft Point             | 3250                  | 7                       | 0.367                      |                         |
| 0.277           | 130                       | Federal           | 270 WSM     | Triple-Shock X         | 3280                  | 7                       | 0.431                      |                         |
| 0.277           | 130                       | Federal           | 270 WSM     | Ballistic Tip          | 3300                  | 7                       | 0.433                      |                         |
| 0.277           | 130                       | Federal           | 270 Wby Mag | Partition              | 3200                  | 7                       | 0.44                       |                         |
| 0.277           | 130                       | Hornady           | Bullet Only | SP Interlock           | 2900                  | 5                       | 0.409                      |                         |
| 0.277           | 130                       | Hornady           | Bullet Only | Interbond              | 2900                  | 6                       | 0.46                       |                         |
| 0.277           | 130                       | Norma             | Bullet Only | FMJ Jaktmatch          | 2887                  | 5                       | 0.365                      |                         |
| 0.277           | 130                       | Norma             | Bullet Only | SP,SMP                 | 2789                  | 5                       | 0.359                      |                         |
| 0.277           | 130                       | Nosler            | Bullet Only | Partition              | 3000                  | 6                       | 0.416                      |                         |
| 0.277           | 130                       | Nosler            | Bullet Only | Ballistic Silvertip CT | 3000                  | 6                       | 0.433                      |                         |
| 0.277           | 130                       | Nosler            | Bullet Only | Ballistic Tip          | 3000                  | 6                       | 0.433                      |                         |
| 0.277           | 130                       | PMC               | 270 Win     | X-BT                   | 2910                  | 5                       | 0.431                      |                         |
| 0.277           | 130                       | PMC               | 270 Win     | PSP                    | 3000                  | 6                       | 0.409                      |                         |
| 0.277           | 130                       | PMC               | 270 Win     | SPBT                   | 3050                  | 6                       | 0.437                      |                         |
| 0.277           | 130                       | Remington         | 270 Win     | PSPCL                  | 3060                  | 6                       | 0.336                      |                         |
| 0.277           | 130                       | Remington         | 270 Win     | BRPT                   | 3060                  | 6                       | 0.372                      |                         |
| 0.277           | 130                       | Remington         | 270 Win     | Scirocco               | 3060                  | 6                       | 0.433                      |                         |
| 0.277           | 130                       | Remington         | 270 Win     | AccuTip BT             | 3060                  | 6                       | 0.447                      |                         |
| 0.277           | 130                       | RWS-Dynamit Nobel | 270 Win     | HMK                    | 3133                  | 5                       | 0.272                      |                         |
| 0.277           | 130                       | RWS-Dynamit Nobel | 270 Win     | TMS                    | 3166                  | 6                       | 0.325                      |                         |
| 0.277           | 130                       | Sierra Bullets    | Bullet Only | SPT                    | 2900                  | 6                       | 0.37                       |                         |
| 0.277           | 130                       | Sierra Bullets    | Bullet Only | SBT                    | 2900                  | 6                       | 0.436                      |                         |
| 0.277           | 130                       | Speer             | Bullet Only | Grand Slam             | 3000                  | 5                       | 0.332                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand          | Cartridge     | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|----------------|---------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.277           | 130                       | Speer          | Bullet Only   | Spitzer             | 3000                  | 6                       | 0.383                      |                         |
| 0.277           | 130                       | Speer          | Bullet Only   | Boat Tail           | 3000                  | 6                       | 0.412                      |                         |
| 0.277           | 130                       | Swift          | Bullet Only   | A-Frame             | 3000                  | 5                       | 0.323                      |                         |
| 0.277           | 130                       | Weatherby      | 270 Weatherby | SP                  | 3375                  | 8                       | 0.409                      |                         |
| 0.277           | 130                       | Weatherby      | 270 Weatherby | Partition           | 3375                  | 8                       | 0.416                      |                         |
| 0.277           | 130                       | Winchester     | 270 Win       | PP                  | 3060                  | 6                       | 0.372                      |                         |
| 0.277           | 130                       | Winchester     | 270 Win       | PPP                 | 3060                  | 6                       | 0.372                      |                         |
| 0.277           | 130                       | Winchester     | 270 Win       | Ballistic Silvertip | 3050                  | 6                       | 0.433                      |                         |
| 0.277           | 130                       | Winchester     | 270 Win       | ST                  | 3060                  | 6                       | 0.433                      |                         |
| 0.277           | 130                       | Winchester     | 270 WSSM      | Ballistic Silvertip | 3125                  | 6                       | 0.433                      |                         |
| 0.277           | 135                       | Sierra Bullets | Bullet Only   | HPBT Matchking      | 2900                  | 6                       | 0.488                      |                         |
| 0.277           | 140                       | Barnes         | Bullet Only   | X                   | 3000                  | 6                       | 0.404                      |                         |
| 0.277           | 140                       | Barnes         | Bullet Only   | XBT                 | 3000                  | 7                       | 0.404                      |                         |
| 0.277           | 140                       | Combined Tech  | Bullet Only   | Fail Safe           | 2900                  | 5                       | 0.322                      |                         |
| 0.277           | 140                       | Federal        | 270 Win       | Trophy Bonded B. C. | 2950                  | 5                       | 0.455                      |                         |
| 0.277           | 140                       | Federal        | 270 Win       | Accubond            | 2950                  | 6                       | 0.496                      |                         |
| 0.277           | 140                       | Federal        | 270 WSM       | TB Bear Claw        | 3200                  | 7                       | 0.455                      |                         |
| 0.277           | 140                       | Federal        | 270 WSM       | Accubond            | 3200                  | 7                       | 0.496                      |                         |
| 0.277           | 140                       | Hornady        | Bullet Only   | BTSP Interlock      | 2900                  | 6                       | 0.486                      |                         |
| 0.277           | 140                       | Hornady        | Bullet Only   | SST Interlock       | 2900                  | 6                       | 0.495                      |                         |
| 0.277           | 140                       | Nosler         | Bullet Only   | Fail Safe           | 2900                  | 5                       | 0.322                      |                         |
| 0.277           | 140                       | Nosler         | Bullet Only   | SP Partition        | 2900                  | 5                       | 0.432                      |                         |
| 0.277           | 140                       | Nosler         | Bullet Only   | Ballistic Tip       | 2900                  | 5                       | 0.456                      |                         |
| 0.277           | 140                       | Nosler         | Bullet Only   | Accubond            | 2900                  | 6                       | 0.496                      |                         |
| 0.277           | 140                       | Remington      | 270 Win       | A-Frame             | 2925                  | 5                       | 0.339                      |                         |
| 0.277           | 140                       | Remington      | 270 Win       | PSPCL               | 2925                  | 5                       | 0.36                       |                         |
| 0.277           | 140                       | Remington      | 270 Win       | PSPBT               | 2960                  | 6                       | 0.336                      |                         |
| 0.277           | 140                       | Sierra Bullets | Bullet Only   | HPBT                | 2900                  | 6                       | 0.337                      |                         |
| 0.277           | 140                       | Sierra Bullets | Bullet Only   | SBT                 | 2900                  | 6                       | 0.457                      |                         |
| 0.277           | 140                       | Speer          | Bullet Only   | TBBC                | 3000                  | 6                       | 0.392                      |                         |
| 0.277           | 140                       | Swift          | Bullet Only   | A-Frame             | 2900                  | 5                       | 0.414                      |                         |
| 0.277           | 140                       | Weatherby      | 270 Weatherby | Barnes-X            | 3250                  | 7                       | 0.462                      |                         |
| 0.277           | 140                       | Weatherby      | 270 Weatherby | Ballistic Tip       | 3300                  | 8                       | 0.456                      |                         |
| 0.277           | 140                       | Winchester     | 270 Win       | FailSafe            | 2920                  | 5                       | 0.322                      |                         |
| 0.277           | 140                       | Winchester     | 270 Win       | Accubond CT         | 2950                  | 6                       | 0.472                      |                         |
| 0.277           | 140                       | Winchester     | 270 WSM       | FailSafe            | 3275                  | 7                       | 0.322                      |                         |
| 0.277           | 140                       | Winchester     | 270 WSM       | Accubond CT         | 3200                  | 7                       | 0.472                      |                         |
| 0.277           | 150                       | Barnes         | Bullet Only   | Solid RN            | 2900                  | 5                       | 0.307                      |                         |
| 0.277           | 150                       | Barnes         | Bullet Only   | X - TSXBT           | 2900                  | 6                       | 0.386                      |                         |
| 0.277           | 150                       | Combined Tech  | Bullet Only   | Partition Gold      | 2800                  | 5                       | 0.465                      |                         |



| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type              | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|--------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.277           | 150                       | Federal           | 270 Win       | Hi-Shok RN               | 2830                  | 4                       | 0.261                      |                         |
| 0.277           | 150                       | Federal           | 270 Win       | Grand Slam               | 2850                  | 5                       | 0.378                      |                         |
| 0.277           | 150                       | Federal           | 270 Win       | SBT GameKing             | 2830                  | 5                       | 0.48                       |                         |
| 0.277           | 150                       | Federal           | 270 Win       | Ballistic Tip            | 3060                  | 6                       | 0.496                      |                         |
| 0.277           | 150                       | Federal           | 270 WSM       | HE SBT GameKing          | 2830                  | 6                       | 0.483                      |                         |
| 0.277           | 150                       | Federal           | 270 Win       | Partition                | 2830                  | 6                       | 0.466                      |                         |
| 0.277           | 150                       | Federal           | 270 WSM       | Soft Point               | 3200                  | 7                       | 0.378                      |                         |
| 0.277           | 150                       | Federal           | 270 WSM       | Partition                | 3100                  | 7                       | 0.456                      |                         |
| 0.277           | 150                       | Hornady           | Bullet Only   | RN Interlock             | 2800                  | 4                       | 0.269                      |                         |
| 0.277           | 150                       | Hornady           | Bullet Only   | RN Interlock             | 2800                  | 4                       | 0.269                      |                         |
| 0.277           | 150                       | Hornady           | Bullet Only   | SP Interlock             | 2800                  | 5                       | 0.462                      |                         |
| 0.277           | 150                       | Hornady           | Bullet Only   | SP Interlock             | 2800                  | 5                       | 0.462                      |                         |
| 0.277           | 150                       | Hornady           | Bullet Only   | SST Interlock            | 2800                  | 5                       | 0.525                      |                         |
| 0.277           | 150                       | Hornady           | Bullet Only   | SST Interlock            | 2800                  | 5                       | 0.525                      |                         |
| 0.277           | 150                       | Norma             | Bullet Only   | SMP                      | 2789                  | 5                       | 0.373                      |                         |
| 0.277           | 150                       | Nosler            | Bullet Only   | Partition                | 2800                  | 5                       | 0.465                      |                         |
| 0.277           | 150                       | Nosler            | Bullet Only   | Partition Gold Moly-Free | 2800                  | 5                       | 0.465                      |                         |
| 0.277           | 150                       | Nosler            | Bullet Only   | Ballistic Silvertip CT   | 2800                  | 5                       | 0.496                      |                         |
| 0.277           | 150                       | Nosler            | Bullet Only   | Ballistic Tip            | 2800                  | 5                       | 0.496                      |                         |
| 0.277           | 150                       | PMC               | 270 Win       | X-BT                     | 2700                  | 4                       | 0.491                      |                         |
| 0.277           | 150                       | PMC               | 270 Win       | SPBT                     | 2850                  | 5                       | 0.462                      |                         |
| 0.277           | 150                       | Remington         | 270 Win       | SPCL                     | 2850                  | 4                       | 0.261                      |                         |
| 0.277           | 150                       | RWS-Dynamit Nobel | 270 Win       | KS                       | 2936                  | 5                       | 0.345                      |                         |
| 0.277           | 150                       | Sierra Bullets    | Bullet Only   | RN                       | 2800                  | 3                       | 0.223                      |                         |
| 0.277           | 150                       | Sierra Bullets    | Bullet Only   | SBT                      | 2800                  | 6                       | 0.483                      |                         |
| 0.277           | 150                       | Speer             | Bullet Only   | Grand Slam               | 2700                  | 4                       | 0.378                      |                         |
| 0.277           | 150                       | Speer             | Bullet Only   | Spitzer                  | 2700                  | 4                       | 0.455                      |                         |
| 0.277           | 150                       | Swift             | Bullet Only   | A-Frame                  | 2800                  | 5                       | 0.444                      |                         |
| 0.277           | 150                       | Weatherby         | 270 Weatherby | SP                       | 3245                  | 7                       | 0.462                      |                         |
| 0.277           | 150                       | Weatherby         | 270 Weatherby | Partition                | 3300                  | 7                       | 0.465                      |                         |
| 0.277           | 150                       | Winchester        | 270 Win       | PP                       | 2850                  | 4                       | 0.344                      |                         |
| 0.277           | 150                       | Winchester        | 270 Win       | PP-Plus                  | 2950                  | 5                       | 0.294                      |                         |
| 0.277           | 150                       | Winchester        | 270 Win       | Partition Gold           | 2930                  | 5                       | 0.392                      |                         |
| 0.277           | 150                       | Winchester        | 270 WSSM      | Super X PP               | 3150                  | 6                       | 0.344                      |                         |
| 0.277           | 150                       | Winchester        | 270 WSSM      | Ballistic Silvertip      | 3120                  | 7                       | 0.496                      |                         |
| 0.277           | 160                       | Nosler            | Bullet Only   | Semi Spitzer Partition   | 2700                  | 4                       | 0.434                      |                         |
| 0.277           | 180                       | Barnes            | Bullet Only   | RNSP                     | 2400                  | 2                       | 0.351                      |                         |
| 0.284           | 100                       | Barnes            | Bullet Only   | Solid                    | 3300                  | 7                       | 0.343                      |                         |
| 0.284           | 100                       | Hornady           | Bullet Only   | HP                       | 3300                  | 6                       | 0.279                      |                         |
| 0.284           | 100                       | Sierra Bullets    | Bullet Only   | HP                       | 3200                  | 6                       | 0.209                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge           | Bullet Type              | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------------|--------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.284           | 110                       | Speer             | Bullet Only         | Moly HP TNT              | 2900                  | 5                       | 0.384                      |                         |
| 0.284           | 110                       | Speer             | Bullet Only         | TNT-HP                   | 2900                  | 5                       | 0.384                      |                         |
| 0.284           | 115                       | Speer             | Bullet Only         | Hollow Pt                | 2900                  | 4                       | 0.25                       |                         |
| 0.284           | 120                       | Barnes            | Bullet Only         | Solid                    | 2440                  | 3                       | 0.499                      |                         |
| 0.284           | 120                       | Barnes            | Bullet Only         | X                        | 3100                  | 6                       | 0.349                      |                         |
| 0.284           | 120                       | Barnes            | Bullet Only         | XBT - TSXBT              | 3100                  | 6                       | 0.349                      |                         |
| 0.284           | 120                       | Federal           | 7-30 Waters         | SPT ProHunter            | 2700                  | 3                       | 0.215                      |                         |
| 0.284           | 120                       | Hornady           | Bullet Only         | HP                       | 3200                  | 6                       | 0.334                      |                         |
| 0.284           | 120                       | Hornady           | Bullet Only         | SP                       | 3200                  | 7                       | 0.35                       |                         |
| 0.284           | 120                       | Hornady           | Bullet Only         | V-Max                    | 3200                  | 7                       | 0.365                      |                         |
| 0.284           | 120                       | Lazzeroni         | 7.21 Firebird       | XBT Lubed Lazerhead      | 3950                  | 8                       | 0.411                      |                         |
| 0.284           | 120                       | Nosler            | Bullet Only         | Flat Point               | 2600                  | 2                       | 0.195                      |                         |
| 0.284           | 120                       | Nosler            | Bullet Only         | Ballistic Tip            | 3000                  | 6                       | 0.417                      |                         |
| 0.284           | 120                       | Remington         | 7mm-08 Rem Arms     | HP                       | 3000                  | 5                       | 0.343                      |                         |
| 0.284           | 120                       | Sierra Bullets    | Bullet Only         | SPT                      | 3000                  | 5                       | 0.328                      |                         |
| 0.284           | 123                       | RWS-Dynamit Nobel | 7 x 57              | FPS                      | 2953                  | 4                       | 0.29                       |                         |
| 0.284           | 123                       | RWS-Dynamit Nobel | 7 x 57 R            | FPS                      | 2920                  | 4                       | 0.29                       |                         |
| 0.284           | 123                       | RWS-Dynamit Nobel | 7 x 65 R            | KS                       | 1969                  | 5                       | 0.29                       |                         |
| 0.284           | 123                       | RWS-Dynamit Nobel | 7 x 64              | KS                       | 3182                  | 6                       | 0.29                       |                         |
| 0.284           | 130                       | Barnes            | Bullet Only         | XBT                      | 3000                  | 6                       | 0.35                       |                         |
| 0.284           | 130                       | Sierra Bullets    | Bullet Only         | SPT (single shot pistol) | 2300                  | 2                       | 0.327                      |                         |
| 0.284           | 130                       | Sierra Bullets    | Bullet Only         | HPBT Matchking           | 2850                  | 5                       | 0.395                      |                         |
| 0.284           | 130                       | Speer             | 7-30 Waters         | FN-SP                    | 2800                  | 4                       | 0.257                      |                         |
| 0.284           | 130                       | Speer             | Bullet Only         | Spitzer                  | 2800                  | 4                       | 0.394                      |                         |
| 0.284           | 130                       | Speer             | Bullet Only         | Spitzer                  | 2800                  | 4                       | 0.394                      |                         |
| 0.284           | 130                       | Speer             | Bullet Only         | Boat Tail                | 2800                  | 5                       | 0.424                      |                         |
| 0.284           | 139                       | Hornady           | Bullet Only         | SP Interlock             | 2800                  | 5                       | 0.392                      |                         |
| 0.284           | 139                       | Hornady           | Bullet Only         | Interbond                | 2800                  | 5                       | 0.486                      |                         |
| 0.284           | 139                       | Hornady           | Bullet Only         | SST Interlock            | 2800                  | 5                       | 0.486                      |                         |
| 0.284           | 139                       | Hornady           | Bullet Only         | BTSP Interlock           | 3200                  | 7                       | 0.453                      |                         |
| 0.284           | 139                       | Lazzeroni         | 7.82 Firebird       | Lazerhead                | 3700                  | 8                       | 0.486                      |                         |
| 0.284           | 139                       | RWS-Dynamit Nobel | 7 x 57 R            | TMR                      | 2559                  | 2                       | 0.255                      |                         |
| 0.284           | 139                       | Weatherby         | 7mm Weatherby       | SP                       | 3340                  | 7                       | 0.392                      |                         |
| 0.284           | 140                       | Barnes            | Bullet Only         | Solid                    | 2480                  | 3                       | 0.464                      |                         |
| 0.284           | 140                       | Barnes            | Bullet Only         | X                        | 3000                  | 6                       | 0.394                      |                         |
| 0.284           | 140                       | Barnes            | Bullet Only         | XBT - XLCBT              | 3000                  | 6                       | 0.477                      |                         |
| 0.284           | 140                       | Barnes            | Bullet Only         | XLC                      | 3125                  | 7                       | 0.477                      |                         |
| 0.284           | 140                       | Black Hills Ammo  | 7mm Win Mag BH Gold | Ballistic Tip            | 3150                  | 7                       | 0.485                      |                         |
| 0.284           | 140                       | Black Hills Ammo  | 7mm Win Mag BH Gold | XLC                      | 3150                  | 7                       | 0.477                      |                         |
| 0.284           | 140                       | Combined Tech     | Bullet Only         | Fail Safe                | 2800                  | 4                       | 0.323                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand          | Cartridge       | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|----------------|-----------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.284           | 140                       | Combined Tech  | Bullet Only     | Ballistic Silvertip    | 2600                  | 5                       | 0.461                      |                         |
| 0.284           | 140                       | Federal        | 7mm Mauser      | Partition              | 2660                  | 4                       | 0.434                      |                         |
| 0.284           | 140                       | Federal        | 280 Rem         | Solid Base Boattail    | 2990                  | 5                       | 0.461                      |                         |
| 0.284           | 140                       | Federal        | 7-08 Rem        | Solid Base Boattail    | 2880                  | 5                       | 0.461                      |                         |
| 0.284           | 140                       | Federal        | 7-08 Rem        | Partition              | 2800                  | 5                       | 0.435                      |                         |
| 0.284           | 140                       | Federal        | 7-08 Rem        | Ballistic Tip          | 2800                  | 5                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 280 Rem         | Accubond               | 3000                  | 6                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 7mm WSM         | Accubond               | 3250                  | 7                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 7mm Rem Mag     | Ballistic Tip          | 3100                  | 7                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 7mm Rem Mag     | Partition              | 3150                  | 7                       | 0.434                      |                         |
| 0.284           | 140                       | Federal        | 7-08 Rem        | Accubond               | 2800                  | 7                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 7mm Rem Mag     | Accubond               | 3110                  | 7                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 280 Rem         | Ballistic Tip          | 2990                  | 7                       | 0.485                      |                         |
| 0.284           | 140                       | Federal        | 7mm WSM         | Ballistic Tip          | 3310                  | 8                       | 0.482                      |                         |
| 0.284           | 140                       | Lazzeroni      | 7.21 Firebird   | Lubed ProHunter        | 3400                  | 8                       | 0.377                      |                         |
| 0.284           | 140                       | Lazzeroni      | 7.21 Tomahawk   | Partition              | 3379                  | 8                       | 0.434                      |                         |
| 0.284           | 140                       | Lazzeroni      | 7.21 Firebird   | Partition              | 3750                  | 8                       | 0.434                      |                         |
| 0.284           | 140                       | Lazzeroni      | 7.21 Firebird   | Partition Lubed        | 3750                  | 8                       | 0.434                      |                         |
| 0.284           | 140                       | Lazzeroni      | 7.21 Firebird   | PSPCL                  | 3750                  | 8                       | 0.409                      |                         |
| 0.284           | 140                       | Nosler         | Bullet Only     | Fail Safe              | 3000                  | 5                       | 0.323                      |                         |
| 0.284           | 140                       | Nosler         | Bullet Only     | Partition              | 3000                  | 6                       | 0.434                      |                         |
| 0.284           | 140                       | Nosler         | Bullet Only     | Partition              | 3000                  | 6                       | 0.434                      |                         |
| 0.284           | 140                       | Nosler         | Bullet Only     | Accubond               | 3000                  | 6                       | 0.485                      |                         |
| 0.284           | 140                       | Nosler         | Bullet Only     | Ballistic Silvertip CT | 3000                  | 6                       | 0.485                      |                         |
| 0.284           | 140                       | Nosler         | Bullet Only     | Ballistic Tip          | 3000                  | 6                       | 0.485                      |                         |
| 0.284           | 140                       | Remington      | 7mm Rem Mag     | Managed Recoil         | 2710                  | 4                       | 0.388                      |                         |
| 0.284           | 140                       | Remington      | 7mm Mauser      | PSP                    | 2660                  | 4                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 7mm-08 Rem Arms | PSPBT                  | 2860                  | 5                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 7mm-08 Rem Arms | PSPCL                  | 2860                  | 5                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 7mm-08 Rem Arms | AccuTip                | 2860                  | 5                       | 0.486                      |                         |
| 0.284           | 140                       | Remington      | 7mm R.S.A.U.M.  | PSPCL                  | 3110                  | 6                       | 0.346                      |                         |
| 0.284           | 140                       | Remington      | 280 Rem Arms    | PSPBT                  | 3000                  | 6                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 280 Rem Arms    | PSPCL                  | 3000                  | 6                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 7STW            | A-Frame                | 3325                  | 7                       | 0.332                      |                         |
| 0.284           | 140                       | Remington      | 7mm Rem Mag     | PSPCL                  | 3175                  | 7                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 7STW            | PSPCL                  | 3325                  | 7                       | 0.39                       |                         |
| 0.284           | 140                       | Remington      | 7mm Rem Mag     | PSP Ultra              | 3175                  | 7                       | 0.409                      |                         |
| 0.284           | 140                       | Remington      | 7mm R.S.A.U.M.  | PSPCL Ultra            | 3175                  | 7                       | 0.409                      |                         |
| 0.284           | 140                       | Remington      | 7mm R.U.M.      | PSPCL                  | 3425                  | 8                       | 0.409                      |                         |
| 0.284           | 140                       | Sierra Bullets | Bullet Only     | SPT                    | 3000                  | 6                       | 0.377                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge         | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.284           | 140                       | Sierra Bullets    | Bullet Only       | SBT                 | 3000                  | 6                       | 0.416                      |                         |
| 0.284           | 140                       | Speer             | Bullet Only       | TBBC                | 2700                  | 4                       | 0.36                       |                         |
| 0.284           | 140                       | Swift             | Bullet Only       | A-Frame             | 3000                  | 5                       | 0.335                      |                         |
| 0.284           | 140                       | Weatherby         | 7mm Weatherby     | Partition           | 3303                  | 7                       | 0.434                      |                         |
| 0.284           | 140                       | Winchester        | 7mm-08            | FailSafe            | 2760                  | 4                       | 0.322                      |                         |
| 0.284           | 140                       | Winchester        | 7mm-08            | PP                  | 2800                  | 4                       | 0.36                       |                         |
| 0.284           | 140                       | Winchester        | 280 Rem Arms      | FailSafe            | 3050                  | 5                       | 0.323                      |                         |
| 0.284           | 140                       | Winchester        | 7mm-08            | PP-Plus             | 2875                  | 5                       | 0.325                      |                         |
| 0.284           | 140                       | Winchester        | 7mm-08            | Ballistic Silvertip | 2770                  | 5                       | 0.454                      |                         |
| 0.284           | 140                       | Winchester        | 7mm Rem Mag       | FailSafe            | 3150                  | 6                       | 0.323                      |                         |
| 0.284           | 140                       | Winchester        | 280 Rem Arms      | BST                 | 3040                  | 6                       | 0.485                      |                         |
| 0.284           | 140                       | Winchester        | 7mm Rem Mag       | Ballistic Silvertip | 3100                  | 7                       | 0.46                       |                         |
| 0.284           | 140                       | Winchester        | 7mm WSM           | Ballistic Silvertip | 3225                  | 7                       | 0.46                       |                         |
| 0.284           | 140                       | Winchester        | 7mm Rem Mag       | Accubond CT         | 3180                  | 7                       | 0.461                      |                         |
| 0.284           | 140                       | Winchester        | 7mm WSM           | Accubond CT         | 3225                  | 7                       | 0.461                      |                         |
| 0.284           | 140                       | Winchester        | 7mm STW           | Ballistic Silvertip | 3300                  | 8                       | 0.485                      |                         |
| 0.284           | 145                       | Federal           | 7mm Mauser        | Hot-Cor SP          | 2660                  | 4                       | 0.416                      |                         |
| 0.284           | 145                       | Federal           | 7mm Rem Mag       | Grand Slam          | 3025                  | 5                       | 0.353                      |                         |
| 0.284           | 145                       | Federal           | 280 Rem           | Hot-Cor SP          | 2990                  | 7                       | 0.416                      |                         |
| 0.284           | 145                       | RWS-Dynamit Nobel | 7mm Rem Mag       | TMS                 | 3182                  | 6                       | 0.346                      |                         |
| 0.284           | 145                       | Speer             | Bullet Only       | Grand Slam SP       | 2700                  | 3                       | 0.353                      |                         |
| 0.284           | 145                       | Speer             | Bullet Only       | Spitzer             | 2700                  | 4                       | 0.416                      |                         |
| 0.284           | 145                       | Speer             | Bullet Only       | Match BT            | 2700                  | 4                       | 0.468                      |                         |
| 0.284           | 145                       | Speer             | Bullet Only       | Boat Tail           | 2700                  | 4                       | 0.472                      |                         |
| 0.284           | 145                       | Speer             | Bullet Only       | Boat Tail           | 2700                  | 4                       | 0.472                      |                         |
| 0.284           | 145                       | Winchester        | 7mm Mauser (7x57) | PP                  | 2660                  | 3                       | 0.355                      |                         |
| 0.284           | 150                       | Barnes            | Bullet Only       | X                   | 2900                  | 6                       | 0.529                      |                         |
| 0.284           | 150                       | Barnes            | Bullet Only       | XBT                 | 2900                  | 6                       | 0.529                      |                         |
| 0.284           | 150                       | Combined Tech     | Bullet Only       | Ballistic Silvertip | 2600                  | 5                       | 0.493                      |                         |
| 0.284           | 150                       | Federal           | 7-08 Rem          | Hot-Cor SP          | 2650                  | 4                       | 0.413                      |                         |
| 0.284           | 150                       | Federal           | 280 Rem           | Hi-Shok SP          | 2890                  | 5                       | 0.415                      |                         |
| 0.284           | 150                       | Federal           | 280 Rem           | Partition           | 2890                  | 5                       | 0.457                      |                         |
| 0.284           | 150                       | Federal           | 7mm Rem Mag       | Solid Base Boattail | 3100                  | 6                       | 0.459                      |                         |
| 0.284           | 150                       | Federal           | 7mm Rem Mag       | Hi-Shok SP          | 3110                  | 6                       | 0.359                      |                         |
| 0.284           | 150                       | Federal           | 7mm STW           | Solid Base Boattail | 3180                  | 7                       | 0.459                      |                         |
| 0.284           | 150                       | Federal           | 7mm WSM           | Solid Base Boattail | 3230                  | 7                       | 0.459                      |                         |
| 0.284           | 150                       | Federal           | 7mm Wby Mag       | Solid Base Boattail | 3230                  | 7                       | 0.459                      |                         |
| 0.284           | 150                       | Federal           | 7mm Rem Mag       | SBT GameKing        | 3110                  | 7                       | 0.436                      |                         |
| 0.284           | 150                       | Federal           | 7mm Rem Mag       | Ballistic Tip       | 3025                  | 7                       | 0.495                      |                         |
| 0.284           | 150                       | Norma             | Bullet Only       | FMJ Jaktmatch       | 3000                  | 6                       | 0.441                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.284           | 150                       | Nosler            | Bullet Only   | Partition              | 2900                  | 6                       | 0.456                      |                         |
| 0.284           | 150                       | Nosler            | Bullet Only   | Ballistic Silvertip CT | 2900                  | 6                       | 0.493                      |                         |
| 0.284           | 150                       | Nosler            | Bullet Only   | Ballistic Tip          | 2900                  | 6                       | 0.493                      |                         |
| 0.284           | 150                       | Remington         | 280 Rem Arms  | PSPCL                  | 2890                  | 5                       | 0.346                      |                         |
| 0.284           | 150                       | Remington         | 7mm Rem Mag   | PSPCL                  | 3110                  | 6                       | 0.346                      |                         |
| 0.284           | 150                       | Remington         | 7mm Rem Mag   | AccuTip BT             | 3110                  | 7                       | 0.53                       |                         |
| 0.284           | 150                       | Remington         | 7mm Rem Mag   | Scirocco               | 3110                  | 7                       | 0.533                      |                         |
| 0.284           | 150                       | Sierra Bullets    | Bullet Only   | HPBT Matchking         | 3000                  | 6                       | 0.429                      |                         |
| 0.284           | 150                       | Sierra Bullets    | Bullet Only   | SBT                    | 3000                  | 6                       | 0.436                      |                         |
| 0.284           | 150                       | Swift             | Bullet Only   | Scirocco               | 3110                  | 7                       | 0.515                      |                         |
| 0.284           | 150                       | Weatherby         | 7mm Weatherby | Barnes-X               | 3100                  | 6                       | 0.488                      |                         |
| 0.284           | 150                       | Weatherby         | 7mm Weatherby | Ballistic Tip          | 3300                  | 7                       | 0.493                      |                         |
| 0.284           | 150                       | Winchester        | 284 Win       | PP                     | 2860                  | 5                       | 0.364                      |                         |
| 0.284           | 150                       | Winchester        | 7mm WSM       | PP                     | 3200                  | 6                       | 0.346                      |                         |
| 0.284           | 150                       | Winchester        | 7mm Rem Mag   | PP-Plus                | 3130                  | 6                       | 0.364                      |                         |
| 0.284           | 150                       | Winchester        | 7mm Rem Mag   | PP                     | 3090                  | 6                       | 0.373                      |                         |
| 0.284           | 150                       | Winchester        | 7mm STW       | PP                     | 3280                  | 7                       | 0.364                      |                         |
| 0.284           | 150                       | Winchester        | 7mm Rem Mag   | Ballistic Silvertip    | 3100                  | 7                       | 0.493                      |                         |
| 0.284           | 154                       | Hornady           | Bullet Only   | RN Interlock           | 3000                  | 5                       | 0.279                      |                         |
| 0.284           | 154                       | Hornady           | Bullet Only   | SP Interlock           | 3000                  | 6                       | 0.433                      |                         |
| 0.284           | 154                       | Hornady           | Bullet Only   | Interbond              | 3000                  | 6                       | 0.525                      |                         |
| 0.284           | 154                       | Hornady           | Bullet Only   | SST Interlock          | 3000                  | 6                       | 0.525                      |                         |
| 0.284           | 154                       | RWS-Dynamit Nobel | 7 x 57 R      | DK                     | 2592                  | 3                       | 0.338                      |                         |
| 0.284           | 154                       | RWS-Dynamit Nobel | 7 x 64        | DK                     | 2904                  | 4                       | 0.338                      |                         |
| 0.284           | 154                       | RWS-Dynamit Nobel | 7 x 65 R      | DK                     | 2838                  | 4                       | 0.338                      |                         |
| 0.284           | 154                       | Weatherby         | 7mm Weatherby | SP                     | 3260                  | 7                       | 0.433                      |                         |
| 0.284           | 156                       | Norma             | Bullet Only   | Oryx                   | 2789                  | 5                       | 0.33                       |                         |
| 0.284           | 156                       | Norma             | Bullet Only   | Oryx Bonded SP         | 3000                  | 6                       | 0.33                       |                         |
| 0.284           | 160                       | Barnes            | Bullet Only   | X - XLCBT              | 2800                  | 5                       | 0.508                      |                         |
| 0.284           | 160                       | Barnes            | Bullet Only   | Solid                  | 2800                  | 5                       | 0.522                      |                         |
| 0.284           | 160                       | Barnes            | Bullet Only   | XLC FB                 | 2925                  | 6                       | 0.508                      |                         |
| 0.284           | 160                       | Combined Tech     | Bullet Only   | Fail Safe              | 2700                  | 4                       | 0.382                      |                         |
| 0.284           | 160                       | Combined Tech     | Bullet Only   | Partition Gold         | 2700                  | 5                       | 0.475                      |                         |
| 0.284           | 160                       | Federal           | 280 Rem       | Accubond               | 2800                  | 5                       | 0.531                      |                         |
| 0.284           | 160                       | Federal           | 7mm Rem Mag   | Hot-Cor SP             | 2940                  | 6                       | 0.504                      |                         |
| 0.284           | 160                       | Federal           | 7mm Rem Mag   | XLC Coated X-Bullet    | 2940                  | 6                       | 0.508                      |                         |
| 0.284           | 160                       | Federal           | 7mm Rem Mag   | Partition              | 2950                  | 6                       | 0.475                      |                         |
| 0.284           | 160                       | Federal           | 7mm Rem Mag   | Triple-Shock X         | 2940                  | 6                       | 0.508                      |                         |
| 0.284           | 160                       | Federal           | 7mm WSM       | Triple-Shock X         | 2990                  | 6                       | 0.508                      |                         |
| 0.284           | 160                       | Federal           | 7mm Rem Mag   | Accubond               | 2900                  | 6                       | 0.531                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge      | Bullet Type              | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|----------------|--------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.284           | 160                       | Federal           | 7mm WSM        | Accubond                 | 3160                  | 7                       | 0.531                      |                         |
| 0.284           | 160                       | Federal           | 7mm STW        | SBT GameKing             | 3200                  | 7                       | 0.455                      |                         |
| 0.284           | 160                       | Federal           | 7mm STW        | Accubond                 | 3100                  | 7                       | 0.52                       |                         |
| 0.284           | 160                       | Lazzeroni         | 7.21 Firebird  | Partition Lubed          | 3550                  | 8                       | 0.475                      |                         |
| 0.284           | 160                       | Nosler            | Bullet Only    | Partition                | 2800                  | 5                       | 0.475                      |                         |
| 0.284           | 160                       | Nosler            | Bullet Only    | Partition Gold           | 2800                  | 5                       | 0.475                      |                         |
| 0.284           | 160                       | Nosler            | Bullet Only    | Partition Gold Moly-Free | 2800                  | 5                       | 0.475                      |                         |
| 0.284           | 160                       | Nosler            | Bullet Only    | Accubond                 | 2800                  | 5                       | 0.531                      |                         |
| 0.284           | 160                       | Remington         | 7mm Rem Mag    | A-Frame PSP              | 2900                  | 5                       | 0.382                      |                         |
| 0.284           | 160                       | Remington         | 7mm R.S.A.U.M. | PSPCL Ultra              | 2860                  | 5                       | 0.414                      |                         |
| 0.284           | 160                       | Remington         | 7mm Rem Mag    | PSP Ultra                | 2950                  | 6                       | 0.415                      |                         |
| 0.284           | 160                       | Sierra Bullets    | Bullet Only    | HPBT                     | 3000                  | 6                       | 0.384                      |                         |
| 0.284           | 160                       | Sierra Bullets    | Bullet Only    | SBT                      | 3000                  | 6                       | 0.455                      |                         |
| 0.284           | 160                       | Sierra Bullets    | Bullet Only    | SBT                      | 3000                  | 6                       | 0.455                      |                         |
| 0.284           | 160                       | Speer             | Bullet Only    | Magnum Mag-Tip           | 2600                  | 3                       | 0.34                       |                         |
| 0.284           | 160                       | Speer             | Bullet Only    | TBBC                     | 2600                  | 3                       | 0.38                       |                         |
| 0.284           | 160                       | Speer             | Bullet Only    | Grand Slam               | 2600                  | 3                       | 0.389                      |                         |
| 0.284           | 160                       | Speer             | Bullet Only    | Spitzer                  | 2600                  | 4                       | 0.504                      |                         |
| 0.284           | 160                       | Speer             | Bullet Only    | Boat Tail                | 2600                  | 4                       | 0.519                      |                         |
| 0.284           | 160                       | Swift             | Bullet Only    | A-Frame                  | 2800                  | 5                       | 0.45                       |                         |
| 0.284           | 160                       | Weatherby         | 7mm Weatherby  | Partition                | 3200                  | 7                       | 0.475                      |                         |
| 0.284           | 160                       | Winchester        | 7mm Rem Mag    | FailSafe                 | 2920                  | 5                       | 0.382                      |                         |
| 0.284           | 160                       | Winchester        | 7mm Rem Mag    | Partition Gold           | 2950                  | 6                       | 0.475                      |                         |
| 0.284           | 160                       | Winchester        | 7mm STW        | FailSafe                 | 3050                  | 6                       | 0.382                      |                         |
| 0.284           | 160                       | Winchester        | 7mm WSM        | FailSafe                 | 2990                  | 6                       | 0.382                      |                         |
| 0.284           | 160                       | Winchester        | 7mm Rem Mag    | Accubond CT              | 2950                  | 6                       | 0.512                      |                         |
| 0.284           | 160                       | Winchester        | 7mm WSM        | Accubond CT              | 3050                  | 7                       | 0.512                      |                         |
| 0.284           | 162                       | Hornady           | Bullet Only    | BTSP Interlock           | 3100                  | 7                       | 0.514                      |                         |
| 0.284           | 162                       | Hornady           | Bullet Only    | SST Interlock            | 3100                  | 7                       | 0.55                       |                         |
| 0.284           | 162                       | Hornady           | Bullet Only    | A-Max                    | 3100                  | 7                       | 0.625                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7 x 57 R       | TIG                      | 2559                  | 3                       | 0.325                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7 x 57 R       | KS                       | 2559                  | 3                       | 0.381                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7 x 65 R       | TIG                      | 2854                  | 4                       | 0.325                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7 x 64         | TIG                      | 2887                  | 4                       | 0.325                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 280 Rem Arms   | TIG                      | 2789                  | 4                       | 0.325                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7 x 65 R       | KS                       | 2822                  | 4                       | 0.381                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7 x 64         | KS                       | 2877                  | 5                       | 0.381                      |                         |
| 0.284           | 162                       | RWS-Dynamit Nobel | 7mm Rem Mag    | KS                       | 3051                  | 6                       | 0.381                      |                         |
| 0.284           | 165                       | Federal           | 7mm Rem Mag    | SBT GameKing             | 2950                  | 6                       | 0.458                      |                         |
| 0.284           | 165                       | Remington         | 280 Rem Arms   | SPCL                     | 2820                  | 4                       | 0.29                       |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type     | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.284           | 168                       | Berger            | Bullet Only   | VLD             | 2800                  | 5                       | 0.617                      |                         |
| 0.284           | 168                       | Sierra Bullets    | Bullet Only   | HPBT Matchking  | 3000                  | 6                       | 0.488                      |                         |
| 0.284           | 170                       | Norma             | Bullet Only   | Vulkan PP       | 2800                  | 4                       | 0.353                      |                         |
| 0.284           | 170                       | Norma             | Bullet Only   | Oryx            | 2900                  | 5                       | 0.324                      |                         |
| 0.284           | 170                       | Sierra Bullets    | Bullet Only   | RN              | 2800                  | 4                       | 0.28                       |                         |
| 0.284           | 173                       | RWS-Dynamit Nobel | 7 x 65 R      | TMR             | 2523                  | 2                       | 0.301                      |                         |
| 0.284           | 173                       | RWS-Dynamit Nobel | 7 x 57 R      | HMK             | 2461                  | 2                       | 0.383                      |                         |
| 0.284           | 173                       | RWS-Dynamit Nobel | 7 x 64        | TMR             | 2625                  | 3                       | 0.301                      |                         |
| 0.284           | 173                       | RWS-Dynamit Nobel | 7 x 64        | HMK             | 2789                  | 4                       | 0.383                      |                         |
| 0.284           | 173                       | RWS-Dynamit Nobel | 7 x 65 R      | HMK             | 2723                  | 4                       | 0.383                      |                         |
| 0.284           | 175                       | Barnes            | Bullet Only   | Solid RN        | 2750                  | 5                       | 0.321                      |                         |
| 0.284           | 175                       | Federal           | 7mm Mauser    | Power Shock JSP | 2390                  | 2                       | 0.272                      |                         |
| 0.284           | 175                       | Federal           | 7mm Rem Mag   | Grand Slam      | 2860                  | 5                       | 0.436                      |                         |
| 0.284           | 175                       | Federal           | 7mm Rem Mag   | Bear Claw       | 2750                  | 5                       | 0.407                      |                         |
| 0.284           | 175                       | Federal           | 7mm Rem Mag   | Hi-Shok SP      | 2860                  | 5                       | 0.429                      |                         |
| 0.284           | 175                       | Hornady           | Bullet Only   | RN Interlock    | 2800                  | 4                       | 0.285                      |                         |
| 0.284           | 175                       | Hornady           | Bullet Only   | SP Interlock    | 2800                  | 5                       | 0.462                      |                         |
| 0.284           | 175                       | Nosler            | Bullet Only   | Partition       | 2800                  | 5                       | 0.519                      |                         |
| 0.284           | 175                       | Remington         | 7x64mm        | PSPCL           | 2650                  | 4                       | 0.427                      |                         |
| 0.284           | 175                       | Remington         | 7mm Rem Mag   | PSPCL           | 2860                  | 5                       | 0.427                      |                         |
| 0.284           | 175                       | Sierra Bullets    | Bullet Only   | HPBT Matchking  | 2400                  | 3                       | 0.608                      |                         |
| 0.284           | 175                       | Sierra Bullets    | Bullet Only   | SBT             | 2800                  | 6                       | 0.533                      |                         |
| 0.284           | 175                       | Speer             | Bullet Only   | Magnum Mag-Tip  | 2500                  | 3                       | 0.382                      |                         |
| 0.284           | 175                       | Speer             | Bullet Only   | TBBC            | 2500                  | 3                       | 0.4                        |                         |
| 0.284           | 175                       | Speer             | Bullet Only   | Grand Slam      | 2500                  | 3                       | 0.436                      |                         |
| 0.284           | 175                       | Swift             | Bullet Only   | A-Frame         | 2700                  | 4                       | 0.493                      |                         |
| 0.284           | 175                       | Weatherby         | 7mm Weatherby | SP              | 3070                  | 6                       | 0.462                      |                         |
| 0.284           | 175                       | Winchester        | 7mm Rem Mag   | PP              | 2860                  | 5                       | 0.426                      |                         |
| 0.284           | 177                       | RWS-Dynamit Nobel | 7 x 57 R      | TIG             | 2461                  | 2                       | 0.356                      |                         |
| 0.284           | 177                       | RWS-Dynamit Nobel | 7 x 65 R      | TIG             | 2690                  | 3                       | 0.356                      |                         |
| 0.284           | 177                       | RWS-Dynamit Nobel | 7 x 64        | TIG             | 2789                  | 4                       | 0.356                      |                         |
| 0.284           | 177                       | RWS-Dynamit Nobel | 7mm Rem Mag   | TIG             | 2920                  | 5                       | 0.356                      |                         |
| 0.284           | 180                       | Berger            | Bullet Only   | VLD             | 2700                  | 5                       | 0.659                      |                         |
| 0.284           | 180                       | Lazzeroni         | 7.82 Firebird | PSPCL           | 3184                  | 8                       | 0.383                      |                         |
| 0.284           | 195                       | Barnes            | Bullet Only   | RNSP            | 2200                  | 5                       | 0.570                      |                         |
| 0.308           | 55                        | Remington         | 30-30 Win     | Accelerator     | 3400                  | 4                       | 0.139                      |                         |
| 0.308           | 55                        | Remington         | 30-06 Sprg.   | Accelerator     | 4080                  | 8                       | 0.197                      |                         |
| 0.308           | 100                       | Hornady           | Bullet Only   | SJ              | 3000                  | 3                       | 0.152                      |                         |
| 0.308           | 100                       | Speer             | Bullet Only   | Plinker         | 3200                  | 3                       | 0.144                      |                         |
| 0.308           | 110                       | Barnes            | Bullet Only   | Solid           | 3300                  | 7                       | 0.337                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge    | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|--------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 110                       | Berger            | Bullet Only  | MEF                 | 3200                  | 5                       | 0.284                      |                         |
| 0.308           | 110                       | Federal           | 30 Carbine   | FMJ                 | 1990                  | 1                       | 0.165                      |                         |
| 0.308           | 110                       | Federal           | 30 Carbine   | Hi-Shok RN          | 1990                  | 1                       | 0.165                      |                         |
| 0.308           | 110                       | Hornady           | Bullet Only  | RN                  | 3000                  | 3                       | 0.15                       |                         |
| 0.308           | 110                       | Hornady           | Bullet Only  | FMJ                 | 3000                  | 3                       | 0.178                      |                         |
| 0.308           | 110                       | Hornady           | Bullet Only  | SP                  | 3200                  | 6                       | 0.256                      |                         |
| 0.308           | 110                       | Hornady           | Bullet Only  | V-Max               | 3200                  | 6                       | 0.29                       |                         |
| 0.308           | 110                       | Sierra Bullets    | Bullet Only  | FMJ                 | 2400                  | 1                       | 0.144                      |                         |
| 0.308           | 110                       | Sierra Bullets    | Bullet Only  | RN                  | 2400                  | 1                       | 0.144                      |                         |
| 0.308           | 110                       | Sierra Bullets    | Bullet Only  | HP                  | 2400                  | 1                       | 0.177                      |                         |
| 0.308           | 110                       | Speer             | Bullet Only  | H.P. Varminter      | 2800                  | 1                       | 0.128                      |                         |
| 0.308           | 110                       | Speer             | Bullet Only  | Spire Pt.           | 3100                  | 5                       | 0.245                      |                         |
| 0.308           | 123                       | Federal           | 7.62x39mm    | Hi-Shok SP          | 2350                  | 1                       | 0.274                      |                         |
| 0.308           | 123                       | Winchester        | 7.62x39mm    | FMJ                 | 2355                  | 1                       | 0.245                      |                         |
| 0.308           | 123                       | Winchester        | 7.62x39mm    | Super X SP          | 2365                  | 1                       | 0.265                      |                         |
| 0.308           | 124                       | Federal           | 7.62x39mm    | FMJ                 | 2350                  | 1                       | 0.298                      |                         |
| 0.308           | 125                       | Barnes            | Bullet Only  | Solid BT            | 3150                  | 6                       | 0.372                      |                         |
| 0.308           | 125                       | Berger            | Bullet Only  | MEF                 | 3100                  | 5                       | 0.329                      |                         |
| 0.308           | 125                       | Federal           | 30-30 Win    | Hi-Shok HP          | 2570                  | 1                       | 0.171                      |                         |
| 0.308           | 125                       | Nosler            | Bullet Only  | Ballistic Tip       | 3100                  | 6                       | 0.366                      |                         |
| 0.308           | 125                       | Remington         | 7.62x39mm    | PSP                 | 2365                  | 2                       | 0.267                      |                         |
| 0.308           | 125                       | Remington         | 30-06 Sprg.  | Managed Recoil      | 2660                  | 3                       | 0.267                      |                         |
| 0.308           | 125                       | Remington         | 308 Win      | Core-Lokt PSP       | 2660                  | 3                       | 0.314                      |                         |
| 0.308           | 125                       | Remington         | 30-06 Sprg.  | PSP                 | 3140                  | 5                       | 0.268                      |                         |
| 0.308           | 125                       | Sierra Bullets    | .30-30       | HP/FN               | 2400                  | 1                       | 0.119                      |                         |
| 0.308           | 125                       | Sierra Bullets    | Bullet Only  | SPT                 | 2400                  | 2                       | 0.279                      |                         |
| 0.308           | 125                       | Speer             | Bullet Only  | TNT-HP              | 2800                  | 4                       | 0.341                      |                         |
| 0.308           | 125                       | Winchester        | 30-06 Sprg.  | PSP                 | 3140                  | 6                       | 0.268                      |                         |
| 0.308           | 130                       | Barnes            | Bullet Only  | XBT - TSXBT - XLCBT | 3100                  | 6                       | 0.34                       |                         |
| 0.308           | 130                       | Federal           | 30-06 Spring | Hot-Cor SP          | 2410                  | 2                       | 0.248                      |                         |
| 0.308           | 130                       | Hornady           | Bullet Only  | SS/PB               | 2000                  | 1                       | 0.295                      |                         |
| 0.308           | 130                       | Hornady           | Bullet Only  | SP                  | 3100                  | 6                       | 0.295                      |                         |
| 0.308           | 130                       | RWS-Dynamit Nobel | 308 Win      | FS                  | 2969                  | 4                       | 0.238                      |                         |
| 0.308           | 130                       | Speer             | 30-30        | Flat Nose           | 3000                  | 4                       | 0.213                      |                         |
| 0.308           | 130                       | Speer             | Bullet Only  | Hollow Pt           | 3000                  | 4                       | 0.244                      |                         |
| 0.308           | 135                       | Berger            | Bullet Only  | MEF                 | 3100                  | 6                       | 0.367                      |                         |
| 0.308           | 140                       | Barnes            | Bullet Only  | XBT                 | 3000                  | 6                       | 0.398                      |                         |
| 0.308           | 140                       | Hornady           | 30-30        | Mono-Flex           | 2465                  | 3                       | 0.277                      |                         |
| 0.308           | 147                       | Winchester        | 308 Win      | USA FMJ             | 2800                  | 5                       | 0.415                      |                         |
| 0.308           | 147                       | Winchester        | 7.62x51mm    | FMJ                 | 2800                  | 5                       | 0.415                      |                         |



| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge             | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|-----------------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 147                       | Winchester       | 30-06 Sprg.           | FMJ                 | 3000                  | 6                       | 0.421                      |                         |
| 0.308           | 150                       | Barnes           | .30-.30               | X-FN                | 2200                  | 1                       | 0.184                      |                         |
| 0.308           | 150                       | Barnes           | Bullet Only           | X                   | 2950                  | 6                       | 0.369                      |                         |
| 0.308           | 150                       | Barnes           | Bullet Only           | XBT - XLCBT         | 2950                  | 6                       | 0.428                      |                         |
| 0.308           | 150                       | Barnes           | Bullet Only           | XLC BT              | 3075                  | 6                       | 0.428                      |                         |
| 0.308           | 150                       | Berger           | Bullet Only           | FB Target           | 3000                  | 6                       | 0.393                      |                         |
| 0.308           | 150                       | Black Hills Ammo | Win BH Gold           | Ballistic Tip       | 2800                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Black Hills Ammo | .30-06 Spring BH Gold | Ballistic Tip       | 2900                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Combined Tech    | Bullet Only           | Accubond            | 2800                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Combined Tech    | Bullet Only           | Partition Gold      | 2800                  | 5                       | 0.387                      |                         |
| 0.308           | 150                       | Combined Tech    | Bullet Only           | Ballistic Silvertip | 2600                  | 5                       | 0.393                      |                         |
| 0.308           | 150                       | Federal          | 30-30 Win             | Hi-Shok SPFN        | 2390                  | 1                       | 0.218                      |                         |
| 0.308           | 150                       | Federal          | 30-30 Win             | Grand Slam          | 2620                  | 3                       | 0.295                      |                         |
| 0.308           | 150                       | Federal          | 300 Savage            | Hi-Shok SP          | 2630                  | 3                       | 0.313                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | Grand Slam          | 2820                  | 4                       | 0.295                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | Grand Slam          | 2910                  | 4                       | 0.295                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | Hi-Shok SP          | 2820                  | 4                       | 0.313                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | Hi-Shok SP          | 2910                  | 4                       | 0.313                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | Solid Base Boattail | 2900                  | 5                       | 0.393                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | Solid Base Boattail | 2800                  | 5                       | 0.393                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | XLC X-Bullet        | 2820                  | 5                       | 0.428                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | Hi-Shok SP          | 2910                  | 5                       | 0.313                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | Triple-Shock X      | 2820                  | 5                       | 0.369                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | SBT GameKing        | 2910                  | 5                       | 0.38                       |                         |
| 0.308           | 150                       | Federal          | 308 Win               | Partition           | 2840                  | 5                       | 0.387                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | FMJBT               | 2820                  | 5                       | 0.408                      |                         |
| 0.308           | 150                       | Federal          | 308 Win               | Ballistic Tip       | 2820                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Federal          | 300 Win Mag           | Grand Slam          | 3100                  | 6                       | 0.295                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | FMJBT               | 2910                  | 6                       | 0.408                      |                         |
| 0.308           | 150                       | Federal          | 30-06 Spring          | Ballistic Tip       | 2910                  | 6                       | 0.434                      |                         |
| 0.308           | 150                       | Federal          | 300 Win Mag           | Hot-Cor SP          | 3280                  | 7                       | 0.389                      |                         |
| 0.308           | 150                       | Federal          | 300 Win Mag           | Fusion              | 3200                  | 7                       | 0.41                       |                         |
| 0.308           | 150                       | Hornady          | Bullet Only           | RN Interlock        | 2500                  | 1                       | 0.186                      |                         |
| 0.308           | 150                       | Hornady          | Bullet Only           | SP Interlock        | 3000                  | 5                       | 0.338                      |                         |
| 0.308           | 150                       | Hornady          | Bullet Only           | BTSP Interlock      | 3000                  | 6                       | 0.349                      |                         |
| 0.308           | 150                       | Hornady          | Bullet Only           | FMJBT               | 3000                  | 6                       | 0.398                      |                         |
| 0.308           | 150                       | Hornady          | Bullet Only           | SST Interlock       | 3000                  | 6                       | 0.415                      |                         |
| 0.308           | 150                       | Lapua            | Bullet Only           | Mega                | 3000                  | 5                       | 0.33                       |                         |
| 0.308           | 150                       | Lapua            | Bullet Only           | Lock Base           | 3000                  | 6                       | 0.488                      |                         |
| 0.308           | 150                       | Lazzeroni        | 7.82 Warbird          | Lazerhead           | 3775                  | 8                       | 0.428                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge    | Bullet Type              | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|--------------|--------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 150                       | Lazzeroni         | 7.82 Patriot | XBT Lubed                | 3571                  | 8                       | 0.428                      |                         |
| 0.308           | 150                       | Norma             | Bullet Only  | FMJ Jaktmatch            | 3100                  | 6                       | 0.3                        |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Partition                | 2900                  | 5                       | 0.387                      |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Partition Gold           | 2900                  | 5                       | 0.387                      |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Partition Gold Moly-Free | 2900                  | 5                       | 0.387                      |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Accubond                 | 2900                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Ballistic Silvertip CT   | 2900                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Fail Safe                | 2900                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Nosler            | Bullet Only  | Ballistic Tip            | 3000                  | 6                       | 0.435                      |                         |
| 0.308           | 150                       | PMC               | 30-06 Sprg.  | X-BT                     | 2750                  | 4                       | 0.369                      |                         |
| 0.308           | 150                       | PMC               | 30-06 Sprg.  | FMJ                      | 2750                  | 4                       | 0.389                      |                         |
| 0.308           | 150                       | PMC               | 30-06 Sprg.  | PSP                      | 2750                  | 4                       | 0.389                      |                         |
| 0.308           | 150                       | PMC               | 30-06 Sprg.  | SPBT                     | 2900                  | 5                       | 0.381                      |                         |
| 0.308           | 150                       | Remington         | 30-30 Win    | SPCL                     | 2390                  | 1                       | 0.193                      |                         |
| 0.308           | 150                       | Remington         | 300 Win Mag  | Core-Lokt PSP            | 2650                  | 3                       | 0.314                      |                         |
| 0.308           | 150                       | Remington         | 300 Savage   | PSPCL                    | 2630                  | 3                       | 0.314                      |                         |
| 0.308           | 150                       | Remington         | 308 Win      | PSPCL                    | 2820                  | 4                       | 0.314                      |                         |
| 0.308           | 150                       | Remington         | 308 Win      | PSPCL Ultra              | 2820                  | 4                       | 0.331                      |                         |
| 0.308           | 150                       | Remington         | 30-06 Sprg.  | PSPCL                    | 2910                  | 5                       | 0.314                      |                         |
| 0.308           | 150                       | Remington         | 30-06 Sprg.  | PSPCL                    | 2910                  | 5                       | 0.314                      |                         |
| 0.308           | 150                       | Remington         | 30-06 Sprg.  | BRPT                     | 2910                  | 5                       | 0.365                      |                         |
| 0.308           | 150                       | Remington         | 30-06 Sprg.  | AccuTip BT               | 2910                  | 5                       | 0.415                      |                         |
| 0.308           | 150                       | Remington         | 308 Win      | Scirocco                 | 2820                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Remington         | 300 Win Mag  | PSPCL                    | 3290                  | 6                       | 0.294                      |                         |
| 0.308           | 150                       | Remington         | 300 RSAUM    | PSPCL Ultra              | 3200                  | 6                       | 0.33                       |                         |
| 0.308           | 150                       | Remington         | 300 RUM      | Scirocco                 | 3450                  | 8                       | 0.435                      |                         |
| 0.308           | 150                       | RWS-Dynamit Nobel | 308 Win      | KS                       | 2854                  | 3                       | 0.298                      |                         |
| 0.308           | 150                       | RWS-Dynamit Nobel | 308 Win      | TIG                      | 2854                  | 3                       | 0.303                      |                         |
| 0.308           | 150                       | RWS-Dynamit Nobel | 30-06 Sprg.  | KS                       | 2986                  | 5                       | 0.298                      |                         |
| 0.308           | 150                       | RWS-Dynamit Nobel | 30 R Blaser  | KS                       | 3084                  | 5                       | 0.298                      |                         |
| 0.308           | 150                       | Sierra Bullets    | .30-30       | FN                       | 2200                  | 1                       | 0.185                      |                         |
| 0.308           | 150                       | Sierra Bullets    | Bullet Only  | RN                       | 2800                  | 3                       | 0.2                        |                         |
| 0.308           | 150                       | Sierra Bullets    | Bullet Only  | SPT                      | 2900                  | 6                       | 0.336                      |                         |
| 0.308           | 150                       | Sierra Bullets    | Bullet Only  | SBT                      | 2900                  | 6                       | 0.38                       |                         |
| 0.308           | 150                       | Sierra Bullets    | Bullet Only  | FMJBT                    | 2900                  | 6                       | 0.408                      |                         |
| 0.308           | 150                       | Sierra Bullets    | Bullet Only  | HPBT Matchking           | 2900                  | 6                       | 0.417                      |                         |
| 0.308           | 150                       | Speer             | Bullet Only  | Round Nose               | 2800                  | 3                       | 0.235                      |                         |
| 0.308           | 150                       | Speer             | Bullet Only  | Magnum Mag-Tip           | 2800                  | 4                       | 0.278                      |                         |
| 0.308           | 150                       | Speer             | Bullet Only  | Grand Slam SP            | 2800                  | 4                       | 0.295                      |                         |
| 0.308           | 150                       | Speer             | Bullet Only  | TBBC                     | 2800                  | 4                       | 0.335                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge     | Bullet Type             | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|---------------|-------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 150                       | Speer            | Bullet Only   | Spitzer                 | 2800                  | 4                       | 0.377                      |                         |
| 0.308           | 150                       | Speer            | Bullet Only   | Boat Tail               | 2800                  | 5                       | 0.423                      |                         |
| 0.308           | 150                       | Speer            | Bullet Only   | FMJBT                   | 2800                  | 5                       | 0.425                      |                         |
| 0.308           | 150                       | Swift            | Bullet Only   | Scirocco                | 2700                  | 4                       | 0.43                       |                         |
| 0.308           | 150                       | Weatherby        | 300 Weatherby | SP                      | 3540                  | 8                       | 0.338                      |                         |
| 0.308           | 150                       | Weatherby        | 300 Weatherby | Partition               | 3540                  | 8                       | 0.387                      |                         |
| 0.308           | 150                       | Winchester       | 30-30 Win     | HP                      | 2390                  | 1                       | 0.218                      |                         |
| 0.308           | 150                       | Winchester       | 30-30 Win     | PP                      | 2390                  | 1                       | 0.218                      |                         |
| 0.308           | 150                       | Winchester       | 30-30 Win     | ST                      | 2390                  | 1                       | 0.232                      |                         |
| 0.308           | 150                       | Winchester       | 30-30 Win     | PP-Plus                 | 2480                  | 2                       | 0.218                      |                         |
| 0.308           | 150                       | Winchester       | 300 Savage    | PP                      | 2630                  | 3                       | 0.294                      |                         |
| 0.308           | 150                       | Winchester       | 308 Win       | PP-Plus                 | 2900                  | 4                       | 0.27                       |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | PP                      | 2920                  | 4                       | 0.294                      |                         |
| 0.308           | 150                       | Winchester       | 308 Win       | PP                      | 2820                  | 4                       | 0.294                      |                         |
| 0.308           | 150                       | Winchester       | 308 Win       | FailSafe                | 2820                  | 4                       | 0.314                      |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | FailSafe                | 2920                  | 5                       | 0.310                      |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | PP-Plus                 | 3050                  | 5                       | 0.27                       |                         |
| 0.308           | 150                       | Winchester       | 308 Win       | Partition Gold          | 2900                  | 5                       | 0.363                      |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | Partition Gold          | 2960                  | 5                       | 0.367                      |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | ST                      | 2910                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | Ballistic Silvertip     | 2900                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Winchester       | 308 Win       | Ballistic Silvertip     | 2810                  | 5                       | 0.435                      |                         |
| 0.308           | 150                       | Winchester       | 300 Win Mag   | FailSafe                | 3260                  | 6                       | 0.310                      |                         |
| 0.308           | 150                       | Winchester       | 300 Win Mag   | PP                      | 3290                  | 6                       | 0.294                      |                         |
| 0.308           | 150                       | Winchester       | 300 WSM       | PP                      | 3270                  | 6                       | 0.294                      |                         |
| 0.308           | 150                       | Winchester       | 30-06 Sprg.   | Ballistic Silvertip     | 2900                  | 6                       | 0.435                      |                         |
| 0.308           | 150                       | Winchester       | 300 WSM       | Ballistic Silvertip     | 3300                  | 7                       | 0.424                      |                         |
| 0.308           | 155                       | Berger           | Bullet Only   | LTB                     | 3000                  | 5                       | 0.438                      |                         |
| 0.308           | 155                       | Berger           | Bullet Only   | VLD                     | 3000                  | 6                       | 0.439                      |                         |
| 0.308           | 155                       | Federal          | 308 Win       | HPBT Palma MatchKing    | 2950                  | 7                       | 0.504                      |                         |
| 0.308           | 155                       | Hornady          | Bullet Only   | A-Max                   | 3000                  | 6                       | 0.435                      |                         |
| 0.308           | 155                       | Lapua            | Bullet Only   | Scenar                  | 2750                  | 5                       | 0.508                      |                         |
| 0.308           | 155                       | Nosler           | Bullet Only   | HPBT Custom Competition | 2900                  | 5                       | 0.45                       |                         |
| 0.308           | 155                       | Sierra Bullets   | Bullet Only   | HPBT Palma MatchKing    | 2900                  | 6                       | 0.45                       |                         |
| 0.308           | 165                       | Barnes           | Bullet Only   | Solid BT                | 2800                  | 5                       | 0.438                      |                         |
| 0.308           | 165                       | Barnes           | Bullet Only   | XBT - XLCBT             | 2800                  | 5                       | 0.457                      |                         |
| 0.308           | 165                       | Barnes           | Bullet Only   | X                       | 2800                  | 5                       | 0.505                      |                         |
| 0.308           | 165                       | Barnes           | Bullet Only   | XLC BT                  | 2925                  | 6                       | 0.457                      |                         |
| 0.308           | 165                       | Black Hills Ammo | Win BH Gold   | Ballistic Tip           | 2650                  | 4                       | 0.475                      |                         |
| 0.308           | 165                       | Black Hills Ammo | Win           | Ballistic Tip           | 2650                  | 4                       | 0.475                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge             | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-----------------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 165                       | Black Hills Ammo  | .30-06 Spring BH Gold | Ballistic Tip       | 2750                  | 4                       | 0.475                      |                         |
| 0.308           | 165                       | Black Hills Ammo  | Win                   | BTSP                | 2650                  | 4                       | 0.435                      |                         |
| 0.308           | 165                       | Combined Tech     | Bullet Only           | Fail Safe           | 2700                  | 4                       | 0.314                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Hot-Cor SP          | 2800                  | 4                       | 0.433                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Solid Base Boattail | 2790                  | 4                       | 0.428                      |                         |
| 0.308           | 165                       | Federal           | 308 Win               | Solid Base Boattail | 2670                  | 4                       | 0.428                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | SBT GameKing        | 2800                  | 4                       | 0.404                      |                         |
| 0.308           | 165                       | Federal           | 308 Win               | SBT GameKing        | 2700                  | 4                       | 0.404                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Partition           | 2830                  | 4                       | 0.409                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Partition           | 2830                  | 4                       | 0.409                      |                         |
| 0.308           | 165                       | Federal           | 308 Win               | Trophy Bonded B. C. | 2700                  | 4                       | 0.45                       |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Trophy Bonded B. C. | 2800                  | 4                       | 0.45                       |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | SBT GameKing        | 2800                  | 5                       | 0.404                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Ballistic Tip       | 2800                  | 5                       | 0.475                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | Ballistic Tip       | 2800                  | 5                       | 0.475                      |                         |
| 0.308           | 165                       | Federal           | 30-06 Spring          | SBT GameKing HE     | 3000                  | 6                       | 0.404                      |                         |
| 0.308           | 165                       | Federal           | 300 Win Mag           | Partition           | 3050                  | 6                       | 0.409                      |                         |
| 0.308           | 165                       | Federal           | 300 WSM               | Partition           | 3120                  | 6                       | 0.411                      |                         |
| 0.308           | 165                       | Federal           | 300 WSM               | Solid Base Boattail | 3130                  | 7                       | 0.428                      |                         |
| 0.308           | 165                       | Federal           | 300 Win Mag           | Solid Base Boattail | 3140                  | 7                       | 0.428                      |                         |
| 0.308           | 165                       | Federal           | 300 RUM               | Solid Base Boattail | 3350                  | 7                       | 0.428                      |                         |
| 0.308           | 165                       | Federal           | 300 Win Mag           | Ballistic Tip       | 3050                  | 7                       | 0.45                       |                         |
| 0.308           | 165                       | Hornady           | Bullet Only           | SP Interlock        | 3000                  | 6                       | 0.387                      |                         |
| 0.308           | 165                       | Hornady           | Bullet Only           | BTSP Interlock      | 3000                  | 6                       | 0.435                      |                         |
| 0.308           | 165                       | Hornady           | Bullet Only           | SP InterBond        | 3000                  | 6                       | 0.447                      |                         |
| 0.308           | 165                       | Hornady           | Bullet Only           | SST Interlock       | 3000                  | 6                       | 0.447                      |                         |
| 0.308           | 165                       | Hornady           | 308 Win               | SST                 | 2840                  | 5                       | 0.447                      |                         |
| 0.308           | 165                       | Nosler            | Bullet Only           | Fail Safe           | 2800                  | 4                       | 0.314                      |                         |
| 0.308           | 165                       | Nosler            | Bullet Only           | Partition           | 2800                  | 5                       | 0.41                       |                         |
| 0.308           | 165                       | Nosler            | Bullet Only           | Ballistic Tip       | 2800                  | 5                       | 0.475                      |                         |
| 0.308           | 165                       | PMC               | 30-06 Sprg.           | X-BT                | 2750                  | 4                       | 0.38                       |                         |
| 0.308           | 165                       | Remington         | 30-06 Sprg.           | PSPCL               | 2800                  | 4                       | 0.339                      |                         |
| 0.308           | 165                       | Remington         | 308 Win               | AccuTip BT          | 2700                  | 4                       | 0.447                      |                         |
| 0.308           | 165                       | Remington         | 308 Win               | Scirocco            | 2700                  | 4                       | 0.475                      |                         |
| 0.308           | 165                       | Remington         | 30-06 Sprg.           | PSPBT               | 2800                  | 5                       | 0.339                      |                         |
| 0.308           | 165                       | Remington         | 30-06 Sprg.           | AccuTip BT          | 2800                  | 5                       | 0.447                      |                         |
| 0.308           | 165                       | Remington         | 300 RSAUM             | PSPCL               | 3075                  | 6                       | 0.339                      |                         |
| 0.308           | 165                       | RWS-Dynamit Nobel | 308 Win               | DK                  | 2690                  | 2                       | 0.293                      |                         |
| 0.308           | 165                       | RWS-Dynamit Nobel | 308 Win               | KS                  | 2690                  | 3                       | 0.329                      |                         |
| 0.308           | 165                       | RWS-Dynamit Nobel | 30 R Blaser           | DK                  | 2953                  | 4                       | 0.293                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge             | Bullet Type             | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-----------------------|-------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 165                       | RWS-Dynamit Nobel | 30-06 Sprg.           | DK                      | 2854                  | 4                       | 0.293                      |                         |
| 0.308           | 165                       | RWS-Dynamit Nobel | 30-06 Sprg.           | KS                      | 2854                  | 4                       | 0.329                      |                         |
| 0.308           | 165                       | RWS-Dynamit Nobel | 300 Win Mag           | DK                      | 3182                  | 6                       | 0.293                      |                         |
| 0.308           | 165                       | Sierra Bullets    | Bullet Only           | HPBT                    | 2800                  | 4                       | 0.363                      |                         |
| 0.308           | 165                       | Sierra Bullets    | Bullet Only           | SBT                     | 2800                  | 5                       | 0.404                      |                         |
| 0.308           | 165                       | Speer             | Bullet Only           | TBBC                    | 2700                  | 4                       | 0.342                      |                         |
| 0.308           | 165                       | Speer             | Bullet Only           | Grand Slam SP           | 2700                  | 4                       | 0.354                      |                         |
| 0.308           | 165                       | Speer             | Bullet Only           | Spitzer                 | 2700                  | 4                       | 0.444                      |                         |
| 0.308           | 165                       | Speer             | Bullet Only           | Deep-Shok BTSP          | 2700                  | 4                       | 0.477                      |                         |
| 0.308           | 165                       | Speer             | Bullet Only           | Boat Tail               | 2700                  | 4                       | 0.52                       |                         |
| 0.308           | 165                       | Swift             | Bullet Only           | A-Frame                 | 2700                  | 4                       | 0.367                      |                         |
| 0.308           | 165                       | Swift             | Bullet Only           | Scirocco                | 2700                  | 4                       | 0.47                       |                         |
| 0.308           | 165                       | Weatherby         | 300 Weatherby         | SP                      | 3390                  | 7                       | 0.387                      |                         |
| 0.308           | 165                       | Weatherby         | 300 Weatherby         | Ballistic Tip           | 3350                  | 8                       | 0.475                      |                         |
| 0.308           | 165                       | Weatherby         | 30-378 Weatherby      | Ballistic Tip           | 3500                  | 8                       | 0.475                      |                         |
| 0.308           | 165                       | Winchester        | 30-06 Sprg.           | FailSafe                | 2800                  | 4                       | 0.314                      |                         |
| 0.308           | 165                       | Winchester        | 30-06 Sprg.           | PSP                     | 2800                  | 4                       | 0.399                      |                         |
| 0.308           | 165                       | Winchester        | 300 Win Mag           | FailSafe                | 3120                  | 6                       | 0.314                      |                         |
| 0.308           | 165                       | Winchester        | 300 WSM               | FailSafe                | 3125                  | 6                       | 0.314                      |                         |
| 0.308           | 167                       | Lapua             | Bullet Only           | Scenar                  | 2700                  | 4                       | 0.47                       |                         |
| 0.308           | 168                       | Barnes            | Bullet Only           | XLCBT                   | 2550                  | 3                       | 0.476                      |                         |
| 0.308           | 168                       | Berger            | Bullet Only           | LTB                     | 2600                  | 4                       | 0.452                      |                         |
| 0.308           | 168                       | Berger            | Bullet Only           | VLD                     | 2600                  | 4                       | 0.473                      |                         |
| 0.308           | 168                       | Black Hills Ammo  | Win BH Gold           | XLC                     | 2650                  | 4                       | 0.505                      |                         |
| 0.308           | 168                       | Black Hills Ammo  | Win                   | HPBT Match              | 2650                  | 4                       | 0.431                      |                         |
| 0.308           | 168                       | Black Hills Ammo  | .30-06 Spring BH Gold | BTHP                    | 2700                  | 4                       | 0.45                       |                         |
| 0.308           | 168                       | Combined Tech     | Bullet Only           | Ballistic Silvertip     | 2600                  | 5                       | 0.447                      |                         |
| 0.308           | 168                       | Federal           | 308 Win               | HPBT MatchKing          | 2600                  | 4                       | 0.46                       |                         |
| 0.308           | 168                       | Federal           | 30-06 Spring          | HPBT MatchKing          | 2700                  | 4                       | 0.46                       |                         |
| 0.308           | 168                       | Hornady           | Bullet Only           | A-Max                   | 2600                  | 4                       | 0.475                      |                         |
| 0.308           | 168                       | Hornady           | Bullet Only           | BTHP                    | 3000                  | 6                       | 0.45                       |                         |
| 0.308           | 168                       | Lazzeroni         | 7.82 Warbird          | HPBT MatchKing          | 3550                  | 8                       | 0.363                      |                         |
| 0.308           | 168                       | Lazzeroni         | 7.82 Patriot          | HPBT MatchKing          | 3200                  | 8                       | 0.363                      |                         |
| 0.308           | 168                       | Nosler            | Bullet Only           | HPBT Custom Competition | 2900                  | 5                       | 0.462                      |                         |
| 0.308           | 168                       | Nosler            | Bullet Only           | Ballistic Silvertip CT  | 2900                  | 6                       | 0.49                       |                         |
| 0.308           | 168                       | PMC               | 30-06 Sprg.           | HPBT Match              | 2750                  | 4                       | 0.38                       |                         |
| 0.308           | 168                       | Remington         | 30-06 Sprg.           | PSPCL                   | 2800                  | 4                       | 0.356                      |                         |
| 0.308           | 168                       | Remington         | 308 Win               | BTHP Match              | 2680                  | 4                       | 0.475                      |                         |
| 0.308           | 168                       | RWS-Dynamit Nobel | 308 Win               | MS                      | 2625                  | 3                       | 0.48                       |                         |
| 0.308           | 168                       | Sierra Bullets    | Bullet Only           | HPBT Matchking          | 2900                  | 6                       | 0.462                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge             | Bullet Type           | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|-----------------------|-----------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 168                       | Speer            | Bullet Only           | Moly HPBT MHP         | 2700                  | 4                       | 0.504                      |                         |
| 0.308           | 168                       | Speer            | Bullet Only           | Match BT              | 2700                  | 4                       | 0.534                      |                         |
| 0.308           | 168                       | Winchester       | 308 Win               | HPBT                  | 2680                  | 4                       | 0.452                      |                         |
| 0.308           | 168                       | Winchester       | 308 Win               | Ballistic Silvertip   | 2670                  | 4                       | 0.474                      |                         |
| 0.308           | 168                       | Winchester       | 30-06 Sprg.           | Ballistic Silvertip   | 2790                  | 5                       | 0.475                      |                         |
| 0.308           | 170                       | Federal          | 30-30 Win             | Hi-Shok RN            | 2200                  | 1                       | 0.254                      |                         |
| 0.308           | 170                       | Federal          | 30-30 Win             | Partition             | 2200                  | 1                       | 0.254                      |                         |
| 0.308           | 170                       | Federal          | 30-06 Spring          | Soft Point Low Recoil | 2000                  | 1                       | 0.297                      |                         |
| 0.308           | 170                       | Federal          | 308 Win               | Soft Point Low Recoil | 2000                  | 1                       | 0.297                      |                         |
| 0.308           | 170                       | Federal          | 30-30 Win             | SP-FN                 | 2200                  | 1                       | 0.297                      |                         |
| 0.308           | 170                       | Hornady          | 30-30                 | FP Interlock          | 2500                  | 1                       | 0.189                      |                         |
| 0.308           | 170                       | Lapua            | Bullet Only           | FMJBT                 | 2600                  | 4                       | 0.525                      |                         |
| 0.308           | 170                       | Lapua            | Bullet Only           | Lock Base             | 2600                  | 4                       | 0.525                      |                         |
| 0.308           | 170                       | Nosler           | Bullet Only           | RN Partition          | 2100                  | 1                       | 0.252                      |                         |
| 0.308           | 170                       | Remington        | 30-30 Win             | HPCL                  | 2200                  | 1                       | 0.254                      |                         |
| 0.308           | 170                       | Remington        | 30-30 Win             | SPCL                  | 2200                  | 1                       | 0.254                      |                         |
| 0.308           | 170                       | Sierra Bullets   | .30-30                | FN                    | 2000                  | 1                       | 0.205                      |                         |
| 0.308           | 170                       | Speer            | 30-30                 | Flat Nose             | 2000                  | 1                       | 0.298                      |                         |
| 0.308           | 170                       | Winchester       | 30-30 Win             | PP                    | 2200                  | 1                       | 0.241                      |                         |
| 0.308           | 170                       | Winchester       | 30-30 Win             | ST                    | 2200                  | 1                       | 0.247                      |                         |
| 0.308           | 175                       | Berger           | Bullet Only           | VLD                   | 2600                  | 4                       | 0.498                      |                         |
| 0.308           | 175                       | Black Hills Ammo | Win                   | HPBT Match            | 2600                  | 4                       | 0.505                      |                         |
| 0.308           | 175                       | Federal          | 308 Win               | HPBT MatchKing        | 2600                  | 4                       | 0.505                      |                         |
| 0.308           | 175                       | Sierra Bullets   | Bullet Only           | HPBT Matchking        | 2900                  | 6                       | 0.505                      |                         |
| 0.308           | 178                       | Hornady          | Bullet Only           | A-Max                 | 2550                  | 3                       | 0.495                      |                         |
| 0.308           | 180                       | Barnes           | Bullet Only           | X - XC FB             | 2700                  | 5                       | 0.511                      |                         |
| 0.308           | 180                       | Barnes           | Bullet Only           | XBT - XLCBT           | 2700                  | 5                       | 0.552                      |                         |
| 0.308           | 180                       | Barnes           | Bullet Only           | XLC                   | 2825                  | 5                       | 0.552                      |                         |
| 0.308           | 180                       | Black Hills Ammo | .30-06 Spring BH Gold | XLC                   | 2650                  | 4                       | 0.511                      |                         |
| 0.308           | 180                       | Black Hills Ammo | .300 Win Mag BH Gold  | XLC                   | 2980                  | 6                       | 0.511                      |                         |
| 0.308           | 180                       | Black Hills Ammo | .300 Win Mag BH Gold  | Ballistic Tip         | 3100                  | 7                       | 0.507                      |                         |
| 0.308           | 180                       | Combined Tech    | Bullet Only           | Accubond              | 2600                  | 3                       | 0.507                      |                         |
| 0.308           | 180                       | Combined Tech    | Bullet Only           | Fail Safe             | 2600                  | 3                       | 0.391                      |                         |
| 0.308           | 180                       | Combined Tech    | Bullet Only           | Partition Gold        | 2600                  | 4                       | 0.474                      |                         |
| 0.308           | 180                       | Combined Tech    | Bullet Only           | Ballistic Silvertip   | 2600                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Federal          | 300 Savage            | Hi-Shok SP            | 2350                  | 2                       | 0.383                      |                         |
| 0.308           | 180                       | Federal          | 308 Win               | Grand Slam            | 2600                  | 4                       | 0.374                      |                         |
| 0.308           | 180                       | Federal          | 30-06 Spring          | Grand Slam            | 2700                  | 4                       | 0.374                      |                         |
| 0.308           | 180                       | Federal          | 308 Win               | Power-Shok SP         | 2570                  | 4                       | 0.382                      |                         |
| 0.308           | 180                       | Federal          | 308 Win               | Partition             | 2740                  | 4                       | 0.474                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand     | Cartridge    | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-----------|--------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 180                       | Federal   | 308 Win      | Partition           | 2740                  | 4                       | 0.474                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | SBT GameKing        | 2700                  | 4                       | 0.501                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | Solid Base Boattail | 2710                  | 4                       | 0.491                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | XLC Coated X-Bullet | 2700                  | 4                       | 0.511                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | Hi-Shok SP          | 2700                  | 4                       | 0.385                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | Triple-Shock X      | 2700                  | 4                       | 0.453                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | Trophy Bonded B. C. | 2620                  | 4                       | 0.5                        |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | Accubond            | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Grand Slam          | 2960                  | 6                       | 0.374                      |                         |
| 0.308           | 180                       | Federal   | 300 WSM      | Grand Slam          | 2970                  | 6                       | 0.374                      |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Solid Base Boattail | 2970                  | 6                       | 0.491                      |                         |
| 0.308           | 180                       | Federal   | 300 WSM      | Solid Base Boattail | 2975                  | 6                       | 0.491                      |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | XLC Coated X-Bullet | 2960                  | 6                       | 0.511                      |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Hot-Cor SP          | 2960                  | 6                       | 0.439                      |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Triple-Shock X      | 2960                  | 6                       | 0.453                      |                         |
| 0.308           | 180                       | Federal   | 300 WSM      | Triple-Shock X      | 2980                  | 6                       | 0.453                      |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Partition           | 2960                  | 6                       | 0.474                      |                         |
| 0.308           | 180                       | Federal   | 30-06 Spring | Partition           | 2700                  | 6                       | 0.474                      |                         |
| 0.308           | 180                       | Federal   | 300 Wby Mag  | Trophy Bonded B. C. | 3100                  | 6                       | 0.5                        |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Accubond            | 2960                  | 6                       | 0.507                      |                         |
| 0.308           | 180                       | Federal   | 300 WSM      | Accubond            | 2960                  | 6                       | 0.507                      |                         |
| 0.308           | 180                       | Federal   | 300 H&H Mag  | Partition           | 2880                  | 7                       | 0.474                      |                         |
| 0.308           | 180                       | Federal   | 300 Wby Mag  | SBT GameKing        | 3190                  | 7                       | 0.501                      |                         |
| 0.308           | 180                       | Federal   | 300 Wby Mag  | Solid Base Boattail | 3110                  | 7                       | 0.491                      |                         |
| 0.308           | 180                       | Federal   | 300 Wby Mag  | Partition           | 3080                  | 7                       | 0.474                      |                         |
| 0.308           | 180                       | Federal   | 300 Wby Mag  | Bear Claw           | 3100                  | 7                       | 0.5                        |                         |
| 0.308           | 180                       | Federal   | 300 Win Mag  | Trophy Bonded B. C. | 2960                  | 7                       | 0.5                        |                         |
| 0.308           | 180                       | Hornady   | Bullet Only  | RN Interlock        | 2700                  | 3                       | 0.241                      |                         |
| 0.308           | 180                       | Hornady   | Bullet Only  | SP Interlock        | 2900                  | 5                       | 0.425                      |                         |
| 0.308           | 180                       | Hornady   | Bullet Only  | SP Interlock        | 2900                  | 5                       | 0.425                      |                         |
| 0.308           | 180                       | Hornady   | Bullet Only  | BTSP Interlock      | 2900                  | 6                       | 0.452                      |                         |
| 0.308           | 180                       | Hornady   | Bullet Only  | SP InterBond        | 2900                  | 6                       | 0.48                       |                         |
| 0.308           | 180                       | Hornady   | Bullet Only  | SST Interlock       | 2900                  | 6                       | 0.48                       |                         |
| 0.308           | 180                       | Lazzeroni | 7.82 Warbird | A-Frame             | 3550                  | 8                       | 0.400                      |                         |
| 0.308           | 180                       | Lazzeroni | 7.82 Warbird | Partition           | 3550                  | 8                       | 0.474                      |                         |
| 0.308           | 180                       | Lazzeroni | 7.82 Patriot | Partition Lubed     | 3184                  | 8                       | 0.474                      |                         |
| 0.308           | 180                       | Lazzeroni | 7.82 Patriot | Partition Lubed     | 3184                  | 8                       | 0.474                      |                         |
| 0.308           | 180                       | Lazzeroni | 7.82 Warbird | PSPCL               | 3550                  | 8                       | 0.383                      |                         |
| 0.308           | 180                       | Norma     | Bullet Only  | Alaska SPRN         | 2800                  | 3                       | 0.257                      |                         |
| 0.308           | 180                       | Norma     | Bullet Only  | Vulkan PP           | 2800                  | 4                       | 0.305                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge   | Bullet Type               | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------|---------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 180                       | Nosler            | Bullet Only | Fail Safe                 | 2700                  | 4                       | 0.391                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Protected Point Partition | 2700                  | 4                       | 0.361                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Partition                 | 2700                  | 4                       | 0.474                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Partition                 | 2700                  | 4                       | 0.474                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Partition Gold            | 2700                  | 4                       | 0.474                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Partition Gold Moly-Free  | 2700                  | 4                       | 0.474                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Accubond                  | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Accubond                  | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Ballistic Silvertip CT    | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Ballistic Silvertip CT    | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Ballistic Tip             | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | Nosler            | Bullet Only | Ballistic Tip             | 2700                  | 4                       | 0.507                      |                         |
| 0.308           | 180                       | PMC               | 30-06 Sprg. | PSP                       | 2550                  | 4                       | 0.446                      |                         |
| 0.308           | 180                       | PMC               | 30-06 Sprg. | SPBT                      | 2700                  | 4                       | 0.506                      |                         |
| 0.308           | 180                       | PMC               | 30-06 Sprg. | X-BT                      | 2650                  | 4                       | 0.552                      |                         |
| 0.308           | 180                       | Remington         | 300 Savage  | SPCL                      | 2350                  | 1                       | 0.248                      |                         |
| 0.308           | 180                       | Remington         | 30-40 Krag  | PSPCL                     | 2430                  | 2                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 30-06 Sprg. | SPCL                      | 2700                  | 3                       | 0.248                      |                         |
| 0.308           | 180                       | Remington         | 308 Win     | SPCL                      | 2620                  | 3                       | 0.248                      |                         |
| 0.308           | 180                       | Remington         | 308 Win     | PSPCL                     | 2620                  | 3                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 30-06 Sprg. | A-Frame                   | 2700                  | 4                       | 0.377                      |                         |
| 0.308           | 180                       | Remington         | 30-06 Sprg. | PSPCL                     | 2700                  | 4                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 30-06 Sprg. | PSPCL                     | 2700                  | 4                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 308 Win     | PSP Ultra                 | 2620                  | 4                       | 0.402                      |                         |
| 0.308           | 180                       | Remington         | 308 Win     | PSPCL Ultra               | 2620                  | 4                       | 0.402                      |                         |
| 0.308           | 180                       | Remington         | 30-06 Sprg. | BRPT                      | 2700                  | 4                       | 0.412                      |                         |
| 0.308           | 180                       | Remington         | 30-06 Sprg. | Scirocco                  | 2700                  | 4                       | 0.5                        |                         |
| 0.308           | 180                       | Remington         | 300 Win Mag | PSPCL                     | 2960                  | 5                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 300 RSAUM   | PSPCL Ultra               | 2960                  | 5                       | 0.403                      |                         |
| 0.308           | 180                       | Remington         | 300 Wby Mag | PSPCL                     | 3120                  | 6                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 300 Win Mag | PSPCL                     | 2960                  | 6                       | 0.383                      |                         |
| 0.308           | 180                       | Remington         | 300 Win Mag | PSPCL Ultra               | 2960                  | 6                       | 0.402                      |                         |
| 0.308           | 180                       | Remington         | 300 Win Mag | AccuTip BT                | 2960                  | 6                       | 0.481                      |                         |
| 0.308           | 180                       | Remington         | 300 Win Mag | Scirocco                  | 2960                  | 6                       | 0.507                      |                         |
| 0.308           | 180                       | Remington         | 300 RUM     | PSPCL                     | 3250                  | 7                       | 0.382                      |                         |
| 0.308           | 180                       | Remington         | 300 RUM     | Scirocco                  | 3250                  | 7                       | 0.5                        |                         |
| 0.308           | 180                       | RWS-Dynamit Nobel | 308 Win     | HM                        | 2559                  | 2                       | 0.356                      |                         |
| 0.308           | 180                       | RWS-Dynamit Nobel | 30-06 Sprg. | TUG                       | 2756                  | 3                       | 0.35                       |                         |
| 0.308           | 180                       | RWS-Dynamit Nobel | 30-06 Sprg. | HM                        | 2756                  | 3                       | 0.356                      |                         |
| 0.308           | 180                       | RWS-Dynamit Nobel | 30 R Blaser | TUG                       | 3150                  | 4                       | 0.35                       |                         |



| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge        | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|------------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 180                       | RWS-Dynamit Nobel | 300 Win Mag      | TUG                 | 3084                  | 6                       | 0.35                       |                         |
| 0.308           | 180                       | Sierra Bullets    | Bullet Only      | RN                  | 2700                  | 3                       | 0.24                       |                         |
| 0.308           | 180                       | Sierra Bullets    | Bullet Only      | SBT                 | 2800                  | 5                       | 0.501                      |                         |
| 0.308           | 180                       | Sierra Bullets    | Bullet Only      | HPBT Matchking      | 2800                  | 6                       | 0.475                      |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | Round Nose          | 2700                  | 3                       | 0.312                      |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | Magnum Mag-Tip      | 2700                  | 4                       | 0.349                      |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | TBBC                | 2700                  | 4                       | 0.357                      |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | Grand Slam SP       | 2700                  | 4                       | 0.374                      |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | Spitzer             | 2700                  | 4                       | 0.441                      |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | Deep-Shok BTSP      | 2700                  | 4                       | 0.54                       |                         |
| 0.308           | 180                       | Speer             | Bullet Only      | Boat Tail           | 2700                  | 5                       | 0.545                      |                         |
| 0.308           | 180                       | Swift             | Bullet Only      | A-Frame             | 2700                  | 4                       | 0.4                        |                         |
| 0.308           | 180                       | Swift             | Bullet Only      | Scirocco            | 2700                  | 4                       | 0.52                       |                         |
| 0.308           | 180                       | Weatherby         | 300 Weatherby    | SP                  | 3240                  | 7                       | 0.425                      |                         |
| 0.308           | 180                       | Weatherby         | 300 Weatherby    | Barnes-X            | 3240                  | 7                       | 0.453                      |                         |
| 0.308           | 180                       | Weatherby         | 300 Weatherby    | Ballistic Tip       | 3250                  | 7                       | 0.507                      |                         |
| 0.308           | 180                       | Weatherby         | 30-378 Weatherby | Barnes-X            | 3360                  | 8                       | 0.453                      |                         |
| 0.308           | 180                       | Weatherby         | 30-378 Weatherby | Ballistic Tip       | 3420                  | 8                       | 0.507                      |                         |
| 0.308           | 180                       | Winchester        | 307 Win          | PP                  | 2510                  | 2                       | 0.253                      |                         |
| 0.308           | 180                       | Winchester        | 30-40 Krag       | PP                  | 2430                  | 2                       | 0.394                      |                         |
| 0.308           | 180                       | Winchester        | 308 Win          | PP                  | 2620                  | 3                       | 0.382                      |                         |
| 0.308           | 180                       | Winchester        | 308 Win          | Silvertip           | 2620                  | 3                       | 0.382                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | FailSafe            | 2700                  | 4                       | 0.391                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | PP                  | 2700                  | 4                       | 0.381                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | ST                  | 2700                  | 4                       | 0.383                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | Partition Gold      | 2790                  | 4                       | 0.435                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | PP-Plus             | 2770                  | 4                       | 0.436                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | Ballistic ST        | 2750                  | 5                       | 0.507                      |                         |
| 0.308           | 180                       | Winchester        | 30-06 Sprg.      | Accubond CT         | 2750                  | 5                       | 0.509                      |                         |
| 0.308           | 180                       | Winchester        | 300 H&H Magnum   | FailSafe            | 2880                  | 6                       | 0.391                      |                         |
| 0.308           | 180                       | Winchester        | 300 Win Mag      | FailSafe            | 2960                  | 6                       | 0.391                      |                         |
| 0.308           | 180                       | Winchester        | 300 Win Mag      | Partition Gold      | 3070                  | 6                       | 0.474                      |                         |
| 0.308           | 180                       | Winchester        | 300 WSM          | FailSafe            | 2970                  | 6                       | 0.391                      |                         |
| 0.308           | 180                       | Winchester        | 300 Win Mag      | PP                  | 2960                  | 6                       | 0.438                      |                         |
| 0.308           | 180                       | Winchester        | 300 Win Mag      | PP-Plus             | 3070                  | 6                       | 0.438                      |                         |
| 0.308           | 180                       | Winchester        | 300 WSM          | PP                  | 2970                  | 6                       | 0.438                      |                         |
| 0.308           | 180                       | Winchester        | 300 Win Mag      | Ballistic Silvertip | 2950                  | 6                       | 0.507                      |                         |
| 0.308           | 180                       | Winchester        | 300 WSM          | Ballistic Silvertip | 3010                  | 6                       | 0.507                      |                         |
| 0.308           | 180                       | Winchester        | 300 Win Mag      | Accubond CT         | 2950                  | 6                       | 0.509                      |                         |
| 0.308           | 180                       | Winchester        | 300 WSM          | Accubond CT         | 3010                  | 6                       | 0.509                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge        | Bullet Type    | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|------------------|----------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 181                       | Lapua             | Bullet Only      | Naturalis      | 2500                  | 3                       | 0.336                      |                         |
| 0.308           | 185                       | Berger            | Bullet Only      | VLD            | 2500                  | 3                       | 0.549                      |                         |
| 0.308           | 185                       | Lapua             | Bullet Only      | Mega           | 2500                  | 3                       | 0.319                      |                         |
| 0.308           | 185                       | Lapua             | Bullet Only      | Scenar         | 2500                  | 3                       | 0.521                      |                         |
| 0.308           | 185                       | Lapua             | Bullet Only      | FMJBT          | 2500                  | 4                       | 0.547                      |                         |
| 0.308           | 190                       | Berger            | Bullet Only      | VLD            | 2500                  | 3                       | 0.57                       |                         |
| 0.308           | 190                       | Black Hills Ammo  | .300 Win Mag     | HPBT Match     | 2950                  | 6                       | 0.53                       |                         |
| 0.308           | 190                       | Federal           | 300 Win Mag      | HPBT MatchKing | 2900                  | 6                       | 0.533                      |                         |
| 0.308           | 190                       | Hornady           | Bullet Only      | BTSP Interlock | 2900                  | 6                       | 0.491                      |                         |
| 0.308           | 190                       | RWS-Dynamit Nobel | 308 Win          | MS             | 2461                  | 2                       | 0.55                       |                         |
| 0.308           | 190                       | Sierra Bullets    | Bullet Only      | HPBT Matchking | 2700                  | 5                       | 0.533                      |                         |
| 0.308           | 200                       | Barnes            | Bullet Only      | X              | 2600                  | 4                       | 0.550                      |                         |
| 0.308           | 200                       | Barnes            | Bullet Only      | TSX FB         | 2600                  | 4                       | 0.423                      |                         |
| 0.308           | 200                       | Federal           | 30-06 Spring     | Bear Claw      | 2540                  | 4                       | 0.395                      |                         |
| 0.308           | 200                       | Federal           | 300 Win Mag      | Bear Claw      | 2700                  | 4                       | 0.395                      |                         |
| 0.308           | 200                       | Federal           | 300 Win Mag      | Partition HE   | 2930                  | 5                       | 0.481                      |                         |
| 0.308           | 200                       | Federal           | 300 Win Mag      | SBT GameKing   | 2830                  | 5                       | 0.560                      |                         |
| 0.308           | 200                       | Federal           | 300 Win Mag      | Bear Claw      | 2700                  | 6                       | 0.395                      |                         |
| 0.308           | 200                       | Federal           | 300 RUM          | Partition      | 3070                  | 7                       | 0.48                       |                         |
| 0.308           | 200                       | Lapua             | Bullet Only      | Mega           | 2400                  | 2                       | 0.344                      |                         |
| 0.308           | 200                       | Lapua             | Bullet Only      | FMJBT          | 2400                  | 3                       | 0.252                      |                         |
| 0.308           | 200                       | Norma             | Bullet Only      | Oryx Bonded SP | 2700                  | 4                       | 0.338                      |                         |
| 0.308           | 200                       | Nosler            | Bullet Only      | Partition      | 2500                  | 3                       | 0.481                      |                         |
| 0.308           | 200                       | Nosler            | Bullet Only      | Accubond       | 2500                  | 3                       | 0.588                      |                         |
| 0.308           | 200                       | Remington         | 300 Win Mag      | A-Frame PSP    | 2825                  | 5                       | 0.395                      |                         |
| 0.308           | 200                       | RWS-Dynamit Nobel | 30-06 Sprg.      | KS             | 2411                  | 2                       | 0.356                      |                         |
| 0.308           | 200                       | Sierra Bullets    | Bullet Only      | SBT            | 2700                  | 5                       | 0.56                       |                         |
| 0.308           | 200                       | Sierra Bullets    | Bullet Only      | HPBT Matchking | 2600                  | 5                       | 0.565                      |                         |
| 0.308           | 200                       | Speer             | Bullet Only      | TBBC           | 2900                  | 5                       | 0.392                      |                         |
| 0.308           | 200                       | Speer             | Bullet Only      | Grand Slam SP  | 2900                  | 5                       | 0.453                      |                         |
| 0.308           | 200                       | Speer             | Bullet Only      | Spitzer        | 2900                  | 6                       | 0.478                      |                         |
| 0.308           | 200                       | Swift             | Bullet Only      | A-Frame        | 2700                  | 4                       | 0.444                      |                         |
| 0.308           | 200                       | Weatherby         | 300 Weatherby    | RN-Ex          | 2845                  | 4                       | 0.3                        |                         |
| 0.308           | 200                       | Weatherby         | 300 Weatherby    | Partition      | 3060                  | 4                       | 0.481                      |                         |
| 0.308           | 200                       | Weatherby         | 30-378 Weatherby | Partition      | 3160                  | 7                       | 0.481                      |                         |
| 0.308           | 201                       | RWS-Dynamit Nobel | 30-06 Sprg.      | TUG            | 2592                  | 2                       | 0.38                       |                         |
| 0.308           | 201                       | RWS-Dynamit Nobel | 30 R Blaser      | KS             | 2625                  | 3                       | 0.356                      |                         |
| 0.308           | 220                       | Barnes            | Bullet Only      | Solid RN       | 2600                  | 3                       | 0.305                      |                         |
| 0.308           | 220                       | Federal           | 30-06 Spring     | Hot-Cor SP     | 2400                  | 2                       | 0.293                      |                         |
| 0.308           | 220                       | Hornady           | Bullet Only      | RN Interlock   | 2500                  | 3                       | 0.3                        |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand          | Cartridge      | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|----------------|----------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.308           | 220                       | Hornady        | Bullet Only    | RN Interlock           | 2500                  | 6                       | 0.3                        |                         |
| 0.308           | 220                       | Nosler         | Bullet Only    | Semi Spitzer Partition | 2500                  | 3                       | 0.351                      |                         |
| 0.308           | 220                       | Remington      | 30-06 Sprg.    | SPCL                   | 2410                  | 2                       | 0.294                      |                         |
| 0.308           | 220                       | Sierra Bullets | Bullet Only    | RN                     | 2500                  | 3                       | 0.31                       |                         |
| 0.308           | 220                       | Sierra Bullets | Bullet Only    | HPBT Matchking         | 2500                  | 3                       | 0.629                      |                         |
| 0.308           | 240                       | Sierra Bullets | Bullet Only    | HPBT Matchking         | 2600                  | 5                       | 0.711                      |                         |
| 0.308           | 250                       | Barnes         | Bullet Only    | RNSP                   | 2500                  | 3                       | 0.417                      |                         |
| 0.309           | 100                       | Lapua          | Bullet Only    | HP                     | 3000                  | 3                       | 0.17                       |                         |
| 0.309           | 123                       | Lapua          | Bullet Only    | FMJ                    | 2200                  | 1                       | 0.28                       |                         |
| 0.31            | 123                       | Hornady        | Bullet Only    | SP                     | 2300                  | 1                       | 0.252                      |                         |
| 0.311           | 123                       | Lapua          | Bullet Only    | FMJ                    | 2200                  | 1                       | 0.28                       |                         |
| 0.311           | 125                       | Sierra Bullets | Bullet Only    | SPT                    | 2500                  | 2                       | 0.274                      |                         |
| 0.311           | 125                       | Speer          | 7.62 x 39      | SPT                    | 2700                  | 3                       | 0.283                      |                         |
| 0.311           | 150                       | Federal        | 303 British    | Hi-Shok SP             | 2690                  | 4                       | 0.356                      |                         |
| 0.311           | 150                       | Sierra Bullets | Bullet Only    | SPT                    | 2500                  | 3                       | 0.344                      |                         |
| 0.311           | 150                       | Speer          | 303            | Spitzer                | 2700                  | 4                       | 0.351                      |                         |
| 0.311           | 174                       | PMC            | 303 British    | HPBT                   | 2425                  | 3                       | 0.493                      |                         |
| 0.311           | 174                       | PMC            | 303 British    | FMJ                    | 2425                  | 3                       | 0.493                      |                         |
| 0.311           | 174                       | Sierra Bullets | Bullet Only    | HPBT Matchking         | 2400                  | 3                       | 0.499                      |                         |
| 0.311           | 180                       | Federal        | 303 British    | Hot-Cor SP             | 2460                  | 2                       | 0.328                      |                         |
| 0.311           | 180                       | PMC            | 303 British    | PSP                    | 2450                  | 2                       | 0.411                      |                         |
| 0.311           | 180                       | PMC            | 303 British    | SPBT                   | 2450                  | 3                       | 0.411                      |                         |
| 0.311           | 180                       | Remington      | 303 British    | SPCL                   | 2460                  | 2                       | 0.247                      |                         |
| 0.311           | 180                       | Sierra Bullets | Bullet Only    | SPT                    | 2400                  | 3                       | 0.411                      |                         |
| 0.311           | 180                       | Speer          | Bullet Only    | RN                     | 2700                  | 3                       | 0.299                      |                         |
| 0.311           | 180                       | Winchester     | 303 British    | PP                     | 2460                  | 3                       | 0.369                      |                         |
| 0.311           | 200                       | Lapua          | Bullet Only    | FMJBT                  | 2200                  | 2                       | 0.483                      |                         |
| 0.312           | 150                       | Hornady        | 303 & 7.7 Jap  | SP Interlock           | 2600                  | 3                       | 0.361                      |                         |
| 0.312           | 174                       | Hornady        | 303 & 7.7 Jap  | RN Interlock           | 2500                  | 2                       | 0.262                      |                         |
| 0.312           | 174                       | Hornady        | 303 & 7.7 Jap  | FMJBT                  | 2400                  | 3                       | 0.47                       |                         |
| 0.321           | 170                       | Federal        | 32 Win Special | Hi-Shok SP FN          | 2250                  | 1                       | 0.24                       |                         |
| 0.321           | 170                       | Speer          | Bullet Only    | Flat Nose              | 2700                  | 3                       | 0.283                      |                         |
| 0.323           | 123                       | Norma          | Bullet Only    | FMJ Jaktmatch          | 2822                  | 2                       | 0.191                      |                         |
| 0.323           | 125                       | Hornady        | Bullet Only    | SP Interlock           | 3100                  | 5                       | 0.246                      |                         |
| 0.323           | 150                       | Hornady        | Bullet Only    | SP                     | 2900                  | 4                       | 0.29                       |                         |
| 0.323           | 150                       | Hornady        | Bullet Only    | SP Interlock           | 2900                  | 4                       | 0.29                       |                         |
| 0.323           | 150                       | Sierra Bullets | Bullet Only    | SPT                    | 2800                  | 4                       | 0.336                      |                         |
| 0.323           | 150                       | Speer          | Bullet Only    | Spitzer                | 2700                  | 4                       | 0.343                      |                         |
| 0.323           | 170                       | Federal        | 8mm Mauser     | Power-Shok SP          | 2250                  | 1                       | 0.354                      |                         |
| 0.323           | 170                       | Hornady        | Bullet Only    | RN Interlock           | 2700                  | 3                       | 0.217                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge         | Bullet Type         | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------------|---------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.323           | 170                       | Remington         | 8mm Mauser        | SPCL                | 2360                  | 1                       | 0.205                      |                         |
| 0.323           | 170                       | Speer             | Bullet Only       | Semi-Spitzer        | 2700                  | 3                       | 0.311                      |                         |
| 0.323           | 170                       | Winchester        | 8mm Mauser (8x57) | PP                  | 2360                  | 1                       | 0.205                      |                         |
| 0.323           | 175                       | Sierra Bullets    | Bullet Only       | SPT                 | 2600                  | 4                       | 0.381                      |                         |
| 0.323           | 180                       | Barnes            | Bullet Only       | X - TSCBT           | 2700                  | 4                       | 0.381                      |                         |
| 0.323           | 180                       | Nosler            | Bullet Only       | Ballistic Tip       | 2800                  | 4                       | 0.394                      |                         |
| 0.323           | 180                       | Winchester        | 325 WSM           | Ballistic Silvertip | 3060                  | 6                       | 0.438                      |                         |
| 0.323           | 181                       | RWS-Dynamit Nobel | 8 x 60 S          | DK                  | 2740                  | 3                       | 0.282                      |                         |
| 0.323           | 181                       | RWS-Dynamit Nobel | 8 x 68 S          | DK                  | 3100                  | 5                       | 0.282                      |                         |
| 0.323           | 181                       | RWS-Dynamit Nobel | 8 x 68 S          | KS                  | 3248                  | 6                       | 0.31                       |                         |
| 0.323           | 187                       | RWS-Dynamit Nobel | 8 x 57 JRS        | HMK                 | 2526                  | 2                       | 0.326                      |                         |
| 0.323           | 187                       | RWS-Dynamit Nobel | 8 x 57 JS         | HMK                 | 2690                  | 3                       | 0.326                      |                         |
| 0.323           | 187                       | RWS-Dynamit Nobel | 8 x 68 S          | HMK                 | 3182                  | 6                       | 0.326                      |                         |
| 0.323           | 195                       | Hornady           | Bullet Only       | SP Interlock        | 2700                  | 4                       | 0.41                       |                         |
| 0.323           | 196                       | Norma             | Bullet Only       | Alaska SPRN         | 2700                  | 3                       | 0.296                      |                         |
| 0.323           | 196                       | Norma             | Bullet Only       | Oryx Bonded SP      | 2650                  | 3                       | 0.331                      |                         |
| 0.323           | 196                       | Norma             | Bullet Only       | Vulkan PP           | 2700                  | 4                       | 0.345                      |                         |
| 0.323           | 196                       | RWS-Dynamit Nobel | 8 x 57 JR         | TMR                 | 2313                  | 1                       | 0.288                      |                         |
| 0.323           | 196                       | RWS-Dynamit Nobel | 8 x 57 JRS        | TMR                 | 2395                  | 2                       | 0.288                      |                         |
| 0.323           | 196                       | RWS-Dynamit Nobel | 8 x 57 JRS        | TMR                 | 2395                  | 2                       | 0.288                      |                         |
| 0.323           | 196                       | RWS-Dynamit Nobel | 8 x 57 JS         | TMR                 | 2625                  | 3                       | 0.288                      |                         |
| 0.323           | 196                       | RWS-Dynamit Nobel | 8 x 57 JS         | TMR                 | 2625                  | 3                       | 0.288                      |                         |
| 0.323           | 198                       | RWS-Dynamit Nobel | 8 x 57 JRS        | TIG                 | 2461                  | 2                       | 0.36                       |                         |
| 0.323           | 198                       | RWS-Dynamit Nobel | 8 x 57 JS         | TIG                 | 2625                  | 3                       | 0.36                       |                         |
| 0.323           | 200                       | Barnes            | Bullet Only       | X - LC FB           | 2600                  | 4                       | 0.421                      |                         |
| 0.323           | 200                       | Nosler            | Bullet Only       | Partition           | 2700                  | 4                       | 0.426                      |                         |
| 0.323           | 200                       | Nosler            | Bullet Only       | Accubond            | 2700                  | 4                       | 0.45                       |                         |
| 0.323           | 200                       | Remington         | 8mm Rem Arms      | A-Frame             | 2900                  | 5                       | 0.332                      |                         |
| 0.323           | 200                       | Speer             | Bullet Only       | Spitzer             | 2700                  | 4                       | 0.44                       |                         |
| 0.323           | 200                       | Swift             | Bullet Only       | A-Frame             | 3000                  | 5                       | 0.357                      |                         |
| 0.323           | 200                       | Winchester        | 325 WSM           | Accubond CT         | 2950                  | 6                       | 0.477                      |                         |
| 0.323           | 220                       | Barnes            | Bullet Only       | Solid RN            | 2500                  | 2                       | 0.294                      |                         |
| 0.323           | 220                       | Barnes            | Bullet Only       | X                   | 2500                  | 3                       | 0.462                      |                         |
| 0.323           | 220                       | Swift             | Bullet Only       | A-Frame             | 2900                  | 5                       | 0.393                      |                         |
| 0.323           | 220                       | Winchester        | 325 WSM           | PP                  | 2840                  | 5                       | 0.388                      |                         |
| 0.323           | 224                       | RWS-Dynamit Nobel | 8 x 68 S          | KS                  | 2854                  | 4                       | 0.343                      |                         |
| 0.338           | 160                       | Barnes            | Bullet Only       | X                   | 3300                  | 7                       | 0.337                      |                         |
| 0.338           | 175                       | Barnes            | Bullet Only       | X                   | 3100                  | 6                       | 0.392                      |                         |
| 0.338           | 180                       | Federal           | 338 Win Mag       | Ballistic Tip       | 3120                  | 6                       | 0.372                      |                         |
| 0.338           | 180                       | Federal           | 338 RUM           | Ballistic Tip       | 3280                  | 7                       | 0.372                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand          | Cartridge         | Bullet Type            | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|----------------|-------------------|------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.338           | 180                       | Nosler         | Bullet Only       | Ballistic Tip          | 2789                  | 4                       | 0.372                      |                         |
| 0.338           | 180                       | Nosler         | Bullet Only       | Accubond               | 2800                  | 5                       | 0.372                      |                         |
| 0.338           | 185                       | Barnes         | Bullet Only       | TSX BT                 | 2750                  | 5                       | 0.352                      |                         |
| 0.338           | 185                       | Barnes         | Bullet Only       | XBT                    | 3050                  | 6                       | 0.352                      |                         |
| 0.338           | 185                       | Barnes         | Bullet Only       | XLC BT                 | 3175                  | 7                       | 0.437                      |                         |
| 0.338           | 185                       | Lazzeroni      | 8.59 Titan        | Lazerhead              | 3550                  | 8                       | 0.437                      |                         |
| 0.338           | 185                       | Lazzeroni      | 8.59 Titan        | XBT Lubed              | 3550                  | 8                       | 0.437                      |                         |
| 0.338           | 200                       | Barnes         | Bullet Only       | Solid                  | 2300                  | 2                       | 0.465                      |                         |
| 0.338           | 200                       | Barnes         | Bullet Only       | X                      | 3000                  | 6                       | 0.440                      |                         |
| 0.338           | 200                       | Combined Tech  | Bullet Only       | Ballistic Silvertip    | 2600                  | 5                       | 0.414                      |                         |
| 0.338           | 200                       | Hornady        | Bullet Only       | SP Interlock           | 3000                  | 6                       | 0.361                      |                         |
| 0.338           | 200                       | Nosler         | Bullet Only       | Ballistic Silvertip CT | 2700                  | 4                       | 0.414                      |                         |
| 0.338           | 200                       | Nosler         | Bullet Only       | Ballistic Tip          | 2700                  | 4                       | 0.414                      |                         |
| 0.338           | 200                       | Speer          | Bullet Only       | Spitzer                | 2900                  | 5                       | 0.426                      |                         |
| 0.338           | 200                       | Weatherby      | 338-378 Weatherby | Ballistic Tip          | 3350                  | 7                       | 0.414                      |                         |
| 0.338           | 200                       | Weatherby      | 340 Weatherby     | Ballistic Tip          | 3221                  | 6                       | 0.414                      |                         |
| 0.338           | 200                       | Weatherby      | 340 Weatherby     | SP                     | 3221                  | 7                       | 0.361                      |                         |
| 0.338           | 200                       | Winchester     | 338 Win Mag       | PP                     | 2960                  | 5                       | 0.308                      |                         |
| 0.338           | 200                       | Winchester     | 338 Win           | Ballistic Silvertip    | 2950                  | 6                       | 0.414                      |                         |
| 0.338           | 210                       | Barnes         | Bullet Only       | XBT - XLCBT            | 3000                  | 6                       | 0.404                      |                         |
| 0.338           | 210                       | Barnes         | Bullet Only       | Solid                  | 2850                  | 6                       | 0.48                       |                         |
| 0.338           | 210                       | Federal        | 338 Win Mag       | Partition              | 2830                  | 5                       | 0.398                      |                         |
| 0.338           | 210                       | Nosler         | Bullet Only       | Partition              | 2800                  | 4                       | 0.4                        |                         |
| 0.338           | 210                       | Swift          | Bullet Only       | Scirocco               | 2900                  | 6                       | 0.507                      |                         |
| 0.338           | 210                       | Weatherby      | 338-06 A-Square   | Partition              | 2750                  | 4                       | 0.400                      |                         |
| 0.338           | 210                       | Weatherby      | 340 Weatherby     | Partition              | 3211                  | 7                       | 0.4                        |                         |
| 0.338           | 215                       | Sierra Bullets | Bullet Only       | SBT                    | 2500                  | 4                       | 0.485                      |                         |
| 0.338           | 225                       | Barnes         | Bullet Only       | XLC                    | 2875                  | 5                       | 0.482                      |                         |
| 0.338           | 225                       | Barnes         | Bullet Only       | TSX FB                 | 2750                  | 5                       | 0.386                      |                         |
| 0.338           | 225                       | Barnes         | Bullet Only       | X - XLCFB              | 2750                  | 5                       | 0.386                      |                         |
| 0.338           | 225                       | Barnes         | Bullet Only       | Solid BT               | 2750                  | 5                       | 0.506                      |                         |
| 0.338           | 225                       | Federal        | 338 Win Mag       | BTSP                   | 2780                  | 4                       | 0.484                      |                         |
| 0.338           | 225                       | Federal        | 338 Win Mag       | Trophy Bonded B. C.    | 2730                  | 4                       | 0.371                      |                         |
| 0.338           | 225                       | Federal        | 338 Win Mag       | XLC                    | 2800                  | 5                       | 0.482                      |                         |
| 0.338           | 225                       | Federal        | 338 Win Mag       | Triple-Shock X         | 2800                  | 5                       | 0.386                      |                         |
| 0.338           | 225                       | Federal        | 338 Win Mag       | Accubond               | 2800                  | 5                       | 0.55                       |                         |
| 0.338           | 225                       | Federal        | 338 RUM           | Accubond               | 3020                  | 6                       | 0.550                      |                         |
| 0.338           | 225                       | Hornady        | Bullet Only       | SP Interlock           | 2700                  | 4                       | 0.397                      |                         |
| 0.338           | 225                       | Hornady        | Bullet Only       | Interbond              | 2700                  | 4                       | 0.43                       |                         |
| 0.338           | 225                       | Hornady        | Bullet Only       | SST Interlock          | 2700                  | 4                       | 0.43                       |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand            | Cartridge         | Bullet Type              | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|------------------|-------------------|--------------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.338           | 225                       | Lazzeroni        | 8.59 Titan        | A-Frame Lubed            | 3300                  | 8                       | 0.384                      |                         |
| 0.338           | 225                       | Lazzeroni        | 8.59 Titan        | Partition Lubed          | 3300                  | 8                       | 0.454                      |                         |
| 0.338           | 225                       | Nosler           | Bullet Only       | Partition                | 2800                  | 5                       | 0.454                      |                         |
| 0.338           | 225                       | Nosler           | Bullet Only       | Accubond                 | 2800                  | 5                       | 0.55                       |                         |
| 0.338           | 225                       | PMC              | 338 Win Mag       | X-BT                     | 2780                  | 4                       | 0.523                      |                         |
| 0.338           | 225                       | Remington        | 338 Win Mag       | A-Frame                  | 2785                  | 4                       | 0.337                      |                         |
| 0.338           | 225                       | Remington        | 338 Win Mag       | PSPCL Ultra              | 2780                  | 5                       | 0.456                      |                         |
| 0.338           | 225                       | Speer            | Bullet Only       | TBBC                     | 2600                  | 3                       | 0.376                      |                         |
| 0.338           | 225                       | Speer            | Bullet Only       | Grand Slam SP            | 2600                  | 3                       | 0.382                      |                         |
| 0.338           | 225                       | Speer            | Bullet Only       | BT Spitzer               | 2800                  | 5                       | 0.497                      |                         |
| 0.338           | 225                       | Swift            | Bullet Only       | A-Frame                  | 2800                  | 5                       | 0.384                      |                         |
| 0.338           | 225                       | Weatherby        | 338-378 Weatherby | Barnes-X                 | 3180                  | 7                       | 0.482                      |                         |
| 0.338           | 225                       | Weatherby        | 340 Weatherby     | Barnes-X                 | 3001                  | 6                       | 0.482                      |                         |
| 0.338           | 225                       | Weatherby        | 340 Weatherby     | SP                       | 3001                  | 6                       | 0.397                      |                         |
| 0.338           | 225                       | Winchester       | 338 Win Mag       | Accubond CT              | 2800                  | 5                       | 0.548                      |                         |
| 0.338           | 230                       | Combined Tech    | Bullet Only       | Fail Safe                | 2750                  | 5                       | 0.436                      |                         |
| 0.338           | 230                       | Nosler           | Bullet Only       | Fail Safe                | 2500                  | 3                       | 0.436                      |                         |
| 0.338           | 230                       | Winchester       | 338 Win           | FailSafe                 | 2780                  | 5                       | 0.436                      |                         |
| 0.338           | 250                       | Barnes           | Bullet Only       | Solid RN                 | 2650                  | 3                       | 0.208                      |                         |
| 0.338           | 250                       | Barnes           | Bullet Only       | X                        | 2650                  | 4                       | 0.521                      |                         |
| 0.338           | 250                       | Black Hills Ammo | 338 Lapua         | HPBT Match               | 2950                  | 6                       | 0.587                      |                         |
| 0.338           | 250                       | Combined Tech    | Bullet Only       | Partition Gold           | 2700                  | 5                       | 0.473                      |                         |
| 0.338           | 250                       | Federal          | 338 Win Mag       | Partition                | 2660                  | 4                       | 0.473                      |                         |
| 0.338           | 250                       | Federal          | 338 Win Mag       | Partition HE             | 2660                  | 5                       | 0.473                      |                         |
| 0.338           | 250                       | Hornady          | Bullet Only       | RN Interlock             | 2500                  | 2                       | 0.291                      |                         |
| 0.338           | 250                       | Hornady          | Bullet Only       | SP Interlock             | 2500                  | 3                       | 0.431                      |                         |
| 0.338           | 250                       | Lapua            | Bullet Only       | Lock Base                | 2500                  | 4                       | 0.626                      |                         |
| 0.338           | 250                       | Lapua            | Bullet Only       | Scenar                   | 2500                  | 4                       | 0.675                      |                         |
| 0.338           | 250                       | Lazzeroni        | 8.59 Titan        | A-Frame Lubed            | 3150                  | 7                       | 0.427                      |                         |
| 0.338           | 250                       | Nosler           | Bullet Only       | Partition                | 2700                  | 4                       | 0.473                      |                         |
| 0.338           | 250                       | Nosler           | Bullet Only       | Partition Gold           | 2700                  | 4                       | 0.473                      |                         |
| 0.338           | 250                       | Nosler           | Bullet Only       | Partition Gold Moly-Free | 2700                  | 4                       | 0.473                      |                         |
| 0.338           | 250                       | Remington        | 338 Win Mag       | PSPCL                    | 2660                  | 4                       | 0.431                      |                         |
| 0.338           | 250                       | Remington        | 338 RUM           | Swift A-Frame            | 2860                  | 5                       | 0.427                      |                         |
| 0.338           | 250                       | Sierra Bullets   | Bullet Only       | SBT                      | 2500                  | 4                       | 0.565                      |                         |
| 0.338           | 250                       | Sierra Bullets   | Bullet Only       | HPBT Matchking           | 2500                  | 4                       | 0.587                      |                         |
| 0.338           | 250                       | Speer            | Bullet Only       | Grand Slam SP            | 2600                  | 4                       | 0.436                      |                         |
| 0.338           | 250                       | Swift            | Bullet Only       | A-Frame                  | 2700                  | 4                       | 0.427                      |                         |
| 0.338           | 250                       | Weatherby        | 338-378 Weatherby | Partition                | 3060                  | 6                       | 0.473                      |                         |
| 0.338           | 250                       | Weatherby        | 340 Weatherby     | SP                       | 2672                  | 6                       | 0.431                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type     | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|-----------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.338           | 250                       | Weatherby         | 340 Weatherby | Partition       | 2941                  | 6                       | 0.473                      |                         |
| 0.338           | 250                       | Winchester        | 338 Win       | Partition Gold  | 2650                  | 4                       | 0.48                       |                         |
| 0.338           | 275                       | Swift             | Bullet Only   | A-Frame         | 2600                  | 4                       | 0.469                      |                         |
| 0.338           | 300                       | Black Hills Ammo  | 338 Lapua     | HPBT Match      | 2800                  | 6                       | 0.768                      |                         |
| 0.338           | 300                       | Sierra Bullets    | Bullet Only   | HPBT Matchking  | 2500                  | 4                       | 0.768                      |                         |
| 0.348           | 200                       | Barnes            | Bullet Only   | X-FN            | 2500                  | 2                       | 0.301                      |                         |
| 0.348           | 200                       | Hornady           | Bullet Only   | FP Interlock    | 2400                  | 2                       | 0.246                      |                         |
| 0.348           | 220                       | Barnes            | Bullet Only   | FNSP            | 2400                  | 2                       | 0.301                      |                         |
| 0.348           | 220                       | Barnes            | Bullet Only   | X-FN            | 2400                  | 2                       | 0.327                      |                         |
| 0.348           | 250                       | Barnes            | Bullet Only   | FNSP            | 2250                  | 2                       | 0.327                      |                         |
| 0.358           | 150                       | Remington         | 35 Rem Arms   | PSPCL           | 2300                  | 1                       | 0.184                      |                         |
| 0.358           | 180                       | Barnes            | Bullet Only   | X               | 2750                  | 4                       | 0.298                      |                         |
| 0.358           | 180                       | Speer             | Bullet Only   | Flat Nose       | 2500                  | 2                       | 0.236                      |                         |
| 0.358           | 200                       | Barnes            | Bullet Only   | X               | 2600                  | 3                       | 0.346                      |                         |
| 0.358           | 200                       | Hornady           | Bullet Only   | RN Interlock    | 2600                  | 2                       | 0.195                      |                         |
| 0.358           | 200                       | Hornady           | Bullet Only   | SP Interlock    | 2800                  | 4                       | 0.282                      |                         |
| 0.358           | 200                       | Remington         | 35 Whelan     | PSP             | 2675                  | 3                       | 0.294                      |                         |
| 0.358           | 200                       | Winchester        | 358 Win       | ST              | 2490                  | 2                       | 0.195                      |                         |
| 0.358           | 200                       | Winchester        | 356 Win       | PP              | 2460                  | 2                       | 0.238                      |                         |
| 0.358           | 220                       | Speer             | Bullet Only   | Flat Nose       | 2400                  | 2                       | 0.296                      |                         |
| 0.358           | 225                       | Barnes            | Bullet Only   | X -TSXBT -XLCBT | 2500                  | 4                       | 0.359                      |                         |
| 0.358           | 225                       | Federal           | 35 Whelan     | Bear Claw       | 2600                  | 4                       | 0.347                      |                         |
| 0.358           | 225                       | Nosler            | Bullet Only   | Ballistic Tip   | 2600                  | 3                       | 0.421                      |                         |
| 0.358           | 225                       | Nosler            | Bullet Only   | Partition       | 2450                  | 3                       | 0.43                       |                         |
| 0.358           | 225                       | Speer             | Bullet Only   | TBBC            | 2350                  | 2                       | 0.35                       |                         |
| 0.358           | 225                       | Swift             | Bullet Only   | A-Frame         | 2600                  | 3                       | 0.312                      |                         |
| 0.358           | 250                       | Barnes            | Bullet Only   | X               | 2500                  | 3                       | 0.458                      |                         |
| 0.358           | 250                       | Barnes            | Bullet Only   | Solid RN        | 2500                  | 3                       | 0.313                      |                         |
| 0.358           | 250                       | Hornady           | Bullet Only   | RN Interlock    | 2400                  | 2                       | 0.271                      |                         |
| 0.358           | 250                       | Hornady           | Bullet Only   | SP Interlock    | 2400                  | 2                       | 0.375                      |                         |
| 0.358           | 250                       | Nosler            | Bullet Only   | Partition       | 2900                  | 5                       | 0.446                      |                         |
| 0.358           | 250                       | Remington         | 35 Whelan     | PSP             | 2400                  | 2                       | 0.409                      |                         |
| 0.358           | 250                       | Speer             | Bullet Only   | Grand Slam SP   | 2200                  | 2                       | 0.335                      |                         |
| 0.358           | 250                       | Speer             | Bullet Only   | Spitzer         | 2200                  | 2                       | 0.422                      |                         |
| 0.358           | 250                       | Swift             | Bullet Only   | A-Frame         | 2500                  | 3                       | 0.347                      |                         |
| 0.358           | 280                       | Swift             | Bullet Only   | A-Frame         | 2400                  | 2                       | 0.388                      |                         |
| 0.366           | 225                       | RWS-Dynamit Nobel | 9.3 x 62      | DK              | 2625                  | 3                       | 0.266                      |                         |
| 0.366           | 225                       | RWS-Dynamit Nobel | 9.3 x 74 R    | DK              | 2575                  | 3                       | 0.266                      |                         |
| 0.366           | 225                       | RWS-Dynamit Nobel | 9.3 x 64      | DK              | 2953                  | 6                       | 0.266                      |                         |
| 0.366           | 232                       | Norma             | Bullet Only   | Vulkan PP       | 2789                  | 2                       | 0.278                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge   | Bullet Type       | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|-------------|-------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.366           | 232                       | Norma             | Bullet Only | FMJ               | 2789                  | 2                       | 0.381                      |                         |
| 0.366           | 247                       | RWS-Dynamit Nobel | 9.3 x 74 R  | KS                | 2461                  | 2                       | 0.32                       |                         |
| 0.366           | 247                       | RWS-Dynamit Nobel | 9.3 x 62    | KS                | 2625                  | 3                       | 0.32                       |                         |
| 0.366           | 250                       | Barnes            | Bullet Only | X                 | 2500                  | 3                       | 0.361                      |                         |
| 0.366           | 250                       | Nosler            | Bullet Only | Ballistic Tip     | 2400                  | 3                       | 0.494                      |                         |
| 0.366           | 250                       | Swift             | Bullet Only | A-Frame           | 2500                  | 2                       | 0.285                      |                         |
| 0.366           | 270                       | Lapua             | Bullet Only | Naturalis         | 2500                  | 3                       | 0.322                      |                         |
| 0.366           | 270                       | Speer             | Bullet Only | Semi-Spitzer      | 2500                  | 3                       | 0.361                      |                         |
| 0.366           | 285                       | Lapua             | Bullet Only | Mega              | 2350                  | 2                       | 0.339                      |                         |
| 0.366           | 285                       | Norma             | Bullet Only | Oryx Bonded SP    | 2789                  | 2                       | 0.33                       |                         |
| 0.366           | 285                       | Norma             | Bullet Only | Alaska SPRN       | 2789                  | 2                       | 0.365                      |                         |
| 0.366           | 285                       | RWS-Dynamit Nobel | 9.3 x 74 R  | TM                | 2280                  | 1                       | 0.309                      |                         |
| 0.366           | 285                       | RWS-Dynamit Nobel | 9.3 x 62    | TM                | 2280                  | 1                       | 0.309                      |                         |
| 0.366           | 286                       | Barnes            | Bullet Only | Solid RN          | 2400                  | 2                       | 0.258                      |                         |
| 0.366           | 286                       | Barnes            | Bullet Only | X                 | 2400                  | 3                       | 0.411                      |                         |
| 0.366           | 286                       | Nosler            | Bullet Only | Partition         | 2300                  | 2                       | 0.482                      |                         |
| 0.366           | 293                       | RWS-Dynamit Nobel | 9.3 x 74 R  | TUG               | 2280                  | 2                       | 0.465                      |                         |
| 0.366           | 293                       | RWS-Dynamit Nobel | 9.3 x 62    | TUG               | 2428                  | 2                       | 0.465                      |                         |
| 0.366           | 293                       | RWS-Dynamit Nobel | 9.3 x 64    | TUG               | 2575                  | 3                       | 0.465                      |                         |
| 0.366           | 300                       | Swift             | Bullet Only | A-Frame           | 2500                  | 3                       | 0.342                      |                         |
| 0.375           | 200                       | Sierra Bullets    | Bullet Only | FN                | 2200                  | 1                       | 0.148                      |                         |
| 0.375           | 200                       | Winchester        | 375 Win     | PP                | 2200                  | 1                       | 0.214                      |                         |
| 0.375           | 210                       | Barnes            | Bullet Only | X                 | 3000                  | 6                       | 0.341                      |                         |
| 0.375           | 220                       | Hornady           | Bullet Only | SP                | 2200                  | 1                       | 0.217                      |                         |
| 0.375           | 225                       | Hornady           | Bullet Only | SP Interlock      | 2200                  | 1                       | 0.32                       |                         |
| 0.375           | 235                       | Barnes            | Bullet Only | XLC FB            | 3000                  | 6                       | 0.27                       |                         |
| 0.375           | 235                       | Barnes            | Bullet Only | Solid             | 2953                  | 6                       | 0.442                      |                         |
| 0.375           | 235                       | Speer             | Bullet Only | Semi-Spitzer      | 2600                  | 3                       | 0.301                      |                         |
| 0.375           | 250                       | Barnes            | Bullet Only | Solid             | 2300                  | 3                       | 0.551                      |                         |
| 0.375           | 250                       | Barnes            | Bullet Only | X                 | 2900                  | 6                       | 0.450                      |                         |
| 0.375           | 250                       | Federal           | 375 H&H     | Bear Claw         | 2670                  | 3                       | 0.34                       |                         |
| 0.375           | 250                       | Sierra Bullets    | Bullet Only | SBT               | 2200                  | 2                       | 0.353                      |                         |
| 0.375           | 250                       | Speer             | Bullet Only | TBBC              | 2600                  | 3                       | 0.286                      |                         |
| 0.375           | 250                       | Swift             | Bullet Only | A-Frame           | 2700                  | 3                       | 0.271                      |                         |
| 0.375           | 255                       | Barnes            | Bullet Only | FNSP              | 2850                  | 3                       | 0.290                      |                         |
| 0.375           | 260                       | Nosler            | Bullet Only | Partition         | 2700                  | 3                       | 0.314                      |                         |
| 0.375           | 260                       | Nosler            | Bullet Only | Ballistic Tip     | 2700                  | 4                       | 0.473                      |                         |
| 0.375           | 260                       | Nosler            | Bullet Only | Accubond          | 2700                  | 4                       | 0.473                      |                         |
| 0.375           | 270                       | Barnes            | Bullet Only | Solid RN          | 2700                  | 3                       | 0.284                      |                         |
| 0.375           | 270                       | Barnes            | Bullet Only | X - XLCFB - TSXFB | 2700                  | 4                       | 0.326                      |                         |



| Bullet Diameter | Bullet Weight (in Grains) | Brand             | Cartridge     | Bullet Type           | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------------|---------------|-----------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.375           | 270                       | Combined Tech     | Bullet Only   | Fail Safe             | 2650                  | 4                       | 0.393                      |                         |
| 0.375           | 270                       | Federal           | 375 H&H       | Hi-Shok SP            | 2690                  | 4                       | 0.323                      |                         |
| 0.375           | 270                       | Hornady           | Bullet Only   | RN Interlock          | 2600                  | 2                       | 0.25                       |                         |
| 0.375           | 270                       | Hornady           | Bullet Only   | SP Interlock          | 2600                  | 3                       | 0.38                       |                         |
| 0.375           | 270                       | Nosler            | Bullet Only   | Fail Safe             | 2600                  | 3                       | 0.393                      |                         |
| 0.375           | 270                       | Remington         | 375 RUM       | SP                    | 2900                  | 2                       | 0.267                      |                         |
| 0.375           | 270                       | Remington         | 375 H&H Mag   | SP                    | 2690                  | 3                       | 0.267                      |                         |
| 0.375           | 270                       | Speer             | Bullet Only   | Soft Point BT         | 2600                  | 4                       | 0.478                      |                         |
| 0.375           | 270                       | Swift             | Bullet Only   | A-Frame               | 2650                  | 3                       | 0.349                      |                         |
| 0.375           | 270                       | Weatherby         | 378 Weatherby | Barnes-X              | 3150                  | 7                       | 0.503                      |                         |
| 0.375           | 270                       | Weatherby         | 378 Weatherby | SP                    | 3180                  | 7                       | 0.38                       |                         |
| 0.375           | 270                       | Winchester        | 375 H&H Mag   | FailSafe              | 2670                  | 4                       | 0.393                      |                         |
| 0.375           | 285                       | Speer             | Bullet Only   | Grand Slam            | 2600                  | 3                       | 0.354                      |                         |
| 0.375           | 299                       | RWS-Dynamit Nobel | 375 H&H Mag   | VMR                   | 2592                  | 3                       | 0.29                       |                         |
| 0.375           | 299                       | RWS-Dynamit Nobel | 375 H&H Mag   | KS                    | 2133                  | 3                       | 0.403                      |                         |
| 0.375           | 300                       | Barnes            | Bullet Only   | Solid RN              | 2550                  | 3                       | 0.307                      |                         |
| 0.375           | 300                       | Barnes            | Bullet Only   | X - TSXFB             | 2550                  | 4                       | 0.357                      |                         |
| 0.375           | 300                       | Combined Tech     | Bullet Only   | Fail Safe             | 2600                  | 3                       | 0.441                      |                         |
| 0.375           | 300                       | Federal           | 375 H&H       | Sledgehammer          | 2440                  | 2                       | 0.253                      |                         |
| 0.375           | 300                       | Federal           | 375 H&H       | Bear Claw             | 2400                  | 2                       | 0.342                      |                         |
| 0.375           | 300                       | Federal           | 375 H&H       | Partition             | 2530                  | 2                       | 0.398                      |                         |
| 0.375           | 300                       | Federal           | 375 H&H       | Hi-Shok SP            | 2530                  | 3                       | 0.323                      |                         |
| 0.375           | 300                       | Federal           | 375 H&H       | Trophy Bonded B. C.   | 2600                  | 3                       | 0.342                      |                         |
| 0.375           | 300                       | Hornady           | Bullet Only   | Interbond             | 2400                  | 2                       | 0.25                       |                         |
| 0.375           | 300                       | Hornady           | Bullet Only   | RN Interlock          | 2400                  | 2                       | 0.25                       |                         |
| 0.375           | 300                       | Hornady           | Bullet Only   | FMJ-RN                | 2400                  | 2                       | 0.275                      |                         |
| 0.375           | 300                       | Hornady           | Bullet Only   | BTSP Interlock        | 2400                  | 3                       | 0.46                       |                         |
| 0.375           | 300                       | Nosler            | Bullet Only   | Partition             | 2600                  | 3                       | 0.398                      |                         |
| 0.375           | 300                       | Nosler            | Bullet Only   | Fail Safe             | 2500                  | 3                       | 0.441                      |                         |
| 0.375           | 300                       | Remington         | 375 H&H Mag   | A-Frame               | 2530                  | 3                       | 0.35                       |                         |
| 0.375           | 300                       | Remington         | 375 RUM       | Swift A-Frame         | 2760                  | 3                       | 0.35                       |                         |
| 0.375           | 300                       | Sierra Bullets    | Bullet Only   | SBT                   | 2500                  | 3                       | 0.475                      |                         |
| 0.375           | 300                       | Speer             | Bullet Only   | A.G.S. Tungsten Solid | 2500                  | 3                       | 0.258                      |                         |
| 0.375           | 300                       | Speer             | Bullet Only   | A.G.S. SP             | 2500                  | 3                       | 0.323                      |                         |
| 0.375           | 300                       | Speer             | Bullet Only   | TBBC                  | 2500                  | 3                       | 0.336                      |                         |
| 0.375           | 300                       | Swift             | Bullet Only   | A-Frame               | 2600                  | 3                       | 0.325                      |                         |
| 0.375           | 300                       | Weatherby         | 375 Weatherby | Partition             | 2800                  | 4                       | 0.398                      |                         |
| 0.375           | 300                       | Weatherby         | 378 Weatherby | FMJ                   | 2925                  | 4                       | 0.284                      |                         |
| 0.375           | 300                       | Weatherby         | 378 Weatherby | RN-Ex                 | 2925                  | 4                       | 0.307                      |                         |
| 0.375           | 300                       | Winchester        | 375 H&H Mag   | FailSafe              | 2530                  | 3                       | 0.198                      |                         |

| Bullet Diameter | Bullet Weight (in Grains) | Brand       | Cartridge         | Bullet Type          | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-------------|-------------------|----------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.375           | 301                       | RWS-Dynamit | Nobel 375 H&H Mag | TUG                  | 2592                  | 3                       | 0.334                      |                         |
| 0.41            | 300                       | Hornady     | Bullet Only       | FP Interlock         | 2550                  | 1                       | 0.215                      |                         |
| 0.411           | 300                       | Hornady     | 405 Win           | FP                   | 2400                  | 1                       | 0.215                      |                         |
| 0.411           | 300                       | Hornady     | 405 Win           | SP Interlock         | 2400                  | 2                       | 0.25                       |                         |
| 0.411           | 350                       | Barnes      | Bullet Only       | Solid                | 2100                  | 1                       | 0.374                      |                         |
| 0.416           | 300                       | Barnes      | Bullet Only       | X                    | 2150                  | 1                       | 0.304                      |                         |
| 0.416           | 350                       | Barnes      | Bullet Only       | X - TSXFB            | 2500                  | 3                       | 0.357                      |                         |
| 0.416           | 350                       | Barnes      | Bullet Only       | Solid RN             | 2500                  | 3                       | 0.364                      |                         |
| 0.416           | 350                       | Speer       | Bullet Only       | Magnum Mag-Tip       | 2300                  | 2                       | 0.332                      |                         |
| 0.416           | 350                       | Swift       | Bullet Only       | A-Frame              | 2500                  | 3                       | 0.321                      |                         |
| 0.416           | 350                       | Weatherby   | 416 Weatherby     | Barnes-X             | 2050                  | 1                       | 0.521                      |                         |
| 0.416           | 400                       | Barnes      | Bullet Only       | Solid RN             | 2400                  | 3                       | 0.388                      |                         |
| 0.416           | 400                       | Barnes      | Bullet Only       | X - XLCFB            | 2400                  | 3                       | 0.392                      |                         |
| 0.416           | 400                       | Federal     | 416 Rem Mag       | Partition            | 2410                  | 2                       | 0.390                      |                         |
| 0.416           | 400                       | Federal     | 416 Rigby         | Sledgehammer         | 2370                  | 2                       | 0.273                      |                         |
| 0.416           | 400                       | Federal     | 416 Rem Mag       | Sledgehammer         | 2400                  | 2                       | 0.273                      |                         |
| 0.416           | 400                       | Federal     | 416 Rem Mag       | Bear Claw            | 2400                  | 2                       | 0.373                      |                         |
| 0.416           | 400                       | Federal     | 416 Rigby         | Partition            | 2440                  | 3                       | 0.390                      |                         |
| 0.416           | 400                       | Federal     | 416 Rigby         | Bear Claw            | 2370                  | 3                       | 0.273                      |                         |
| 0.416           | 400                       | Hornady     | Bullet Only       | RN Interbond         | 2400                  | 2                       | 0.311                      |                         |
| 0.416           | 400                       | Hornady     | Bullet Only       | FMJ-RN               | 2400                  | 2                       | 0.319                      |                         |
| 0.416           | 400                       | Speer       | Bullet Only       | A.G.S. SP            | 2250                  | 2                       | 0.318                      |                         |
| 0.416           | 400                       | Speer       | Bullet Only       | TBBC                 | 2250                  | 3                       | 0.374                      |                         |
| 0.416           | 400                       | Swift       | Bullet Only       | A-Frame              | 2500                  | 3                       | 0.367                      |                         |
| 0.416           | 400                       | Weatherby   | 416 Weatherby     | RN-Ex                | 2700                  | 3                       | 0.319                      |                         |
| 0.416           | 400                       | Weatherby   | 416 Weatherby     | Monolithic Solid     | 2700                  | 3                       | 0.326                      |                         |
| 0.423           | 400                       | Barnes      | 404 Jeff Exp 425  | Solid RN             | 2300                  | 2                       | 0.236                      |                         |
| 0.423           | 400                       | Barnes      | 404 Jeff Exp 425  | X                    | 2300                  | 3                       | 0.537                      |                         |
| 0.423           | 400                       | Swift       | Bullet Only       | A-Frame              | 2200                  | 1                       | 0.375                      |                         |
| 0.423           | 400                       | Swift       | Bullet Only       | A-Frame HP           | 2200                  | 1                       | 0.375                      |                         |
| 0.435           | 410                       | Barnes      | 425 Wesly         | Solid                | 2100                  | 1                       | 0.39                       |                         |
| 0.45            | 175                       | Powerbelt   | .45 Cal           | Copper Clad Aero Tip | 2161                  | 10                      | 0.145                      | 100                     |
| 0.45            | 175                       | Powerbelt   | .45 Cal           | Copper Clad Aero Tip | 2469                  | 10                      | 0.145                      | 150                     |
| 0.45            | 195                       | Powerbelt   | .45 Cal           | HP Copper Clad       | 2053                  | 10                      | 0.152                      | 100                     |
| 0.45            | 195                       | Powerbelt   | .45 Cal           | HP Copper Clad       | 2362                  | 10                      | 0.152                      | 150                     |
| 0.45            | 195                       | Powerbelt   | .45 Cal           | Copper Clad Aero Tip | 2053                  | 10                      | 0.183                      | 100                     |
| 0.45            | 195                       | Powerbelt   | .45 Cal           | Copper Clad Aero Tip | 2362                  | 10                      | 0.183                      | 150                     |
| 0.45            | 225                       | Powerbelt   | .45 Cal           | HP Copper Clad       | 2020                  | 10                      | 0.176                      | 100                     |
| 0.45            | 225                       | Powerbelt   | .45 Cal           | HP Copper Clad       | 2248                  | 10                      | 0.176                      | 150                     |
| 0.45            | 225                       | Powerbelt   | .45 Cal           | Copper Clad Aero Tip | 2020                  | 10                      | 0.211                      | 100                     |

| Bullet Diameter | Bullet Weight (in Grains) | Brand     | Cartridge     | Bullet Type          | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-----------|---------------|----------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.45            | 225                       | Powerbelt | .45 Cal       | Copper Clad Aero Tip | 2248                  | 10                      | 0.211                      | 150                     |
| 0.45            | 275                       | Powerbelt | .45 Cal       | HP Copper Clad       | 1770                  | 10                      | 0.215                      | 100                     |
| 0.45            | 275                       | Powerbelt | .45 Cal       | HP Copper Clad       | 2111                  | 10                      | 0.215                      | 150                     |
| 0.45            | 275                       | Powerbelt | .45 Cal       | Copper Clad Aero Tip | 1770                  | 10                      | 0.258                      | 100                     |
| 0.45            | 275                       | Powerbelt | .45 Cal       | Copper Clad Aero Tip | 2111                  | 10                      | 0.258                      | 150                     |
| 0.458           | 300                       | Barnes    | Bullet Only   | X                    | 2500                  | 3                       | 0.34                       |                         |
| 0.458           | 350                       | Barnes    | Bullet Only   | X                    | 2450                  | 3                       | 0.402                      |                         |
| 0.458           | 350                       | Hornady   | Bullet Only   | RN Interlock         | 2500                  | 1                       | 0.189                      |                         |
| 0.458           | 350                       | Swift     | Bullet Only   | A-Frame              | 2500                  | 1                       | 0.17                       |                         |
| 0.458           | 400                       | Barnes    | Bullet Only   | X                    | 2300                  | 2                       | 0.457                      |                         |
| 0.458           | 400                       | Barnes    | Bullet Only   | Solid RN             | 2300                  | 2                       | 0.321                      |                         |
| 0.458           | 400                       | Federal   | 458 Win Mag   | Bear Claw            | 2250                  | 2                       | 0.353                      |                         |
| 0.458           | 450                       | Barnes    | Bullet Only   | Solid RN             | 2250                  | 2                       | 0.362                      |                         |
| 0.458           | 450                       | Barnes    | Bullet Only   | X - TSXFB            | 2250                  | 2                       | 0.369                      |                         |
| 0.458           | 450                       | Swift     | Bullet Only   | A-Frame              | 2100                  | 1                       | 0.325                      |                         |
| 0.458           | 450                       | Weatherby | 460 Weatherby | Barnes-X             | 2700                  | 4                       | 0.488                      |                         |
| 0.458           | 500                       | Barnes    | Bullet Only   | Solid RN             | 2100                  | 1                       | 0.394                      |                         |
| 0.458           | 500                       | Barnes    | Bullet Only   | X - TSXFB            | 2100                  | 1                       | 0.412                      |                         |
| 0.458           | 500                       | Federal   | 458 Win Mag   | Solid                | 2050                  | 1                       | 0.26                       |                         |
| 0.458           | 500                       | Federal   | 458 Win Mag   | Bear Claw            | 2090                  | 1                       | 0.282                      |                         |
| 0.458           | 500                       | Federal   | 458 Win Mag   | Sledgehammer         | 1950                  | 1                       | 0.328                      |                         |
| 0.458           | 500                       | Hornady   | Bullet Only   | RN Interlock         | 2200                  | 1                       | 0.287                      |                         |
| 0.458           | 500                       | Hornady   | Bullet Only   | FMJ-RN               | 2200                  | 1                       | 0.295                      |                         |
| 0.458           | 500                       | Swift     | Bullet Only   | A-Frame              | 2000                  | 1                       | 0.361                      |                         |
| 0.458           | 500                       | Weatherby | 460 Weatherby | RN-Ex                | 2600                  | 3                       | 0.287                      |                         |
| 0.458           | 500                       | Weatherby | 460 Weatherby | FMJ                  | 2600                  | 3                       | 0.295                      |                         |
| 0.458           | 600                       | Barnes    | Bullet Only   | RNSP                 | 2000                  | 1                       | 0.454                      |                         |
| 0.475           | 500                       | Barnes    | 470 Nitro     | XLC FB               | 2150                  | 1                       | 0.318                      |                         |
| 0.475           | 500                       | Swift     | Bullet Only   | A-Frame RN           | 2100                  | 1                       | 0.364                      |                         |
| 0.483           | 500                       | Federal   | 470 Nit Exp   | Woodleigh Solid      | 2150                  | 1                       | 0.26                       |                         |
| 0.483           | 500                       | Federal   | 470 Nit Exp   | Bear Claw            | 2150                  | 1                       | 0.299                      |                         |
| 0.483           | 500                       | Federal   | 470 Nit Exp   | Weldcore SP          | 2150                  | 1                       | 0.3                        |                         |
| 0.483           | 500                       | Federal   | 470 Nit Exp   | Sledgehammer         | 2150                  | 1                       | 0.280                      |                         |
| 0.488           | 500                       | Barnes    | Bullet Only   | Solid RN             | 2100                  | 1                       | 0.378                      |                         |
| 0.5             | 223                       | Powerbelt | .50 Cal       | Copper Clad Aero Tip | 1861                  | 9                       | 0.142                      | 100                     |
| 0.5             | 223                       | Powerbelt | .50 Cal       | Copper Clad Aero Tip | 2321                  | 10                      | 0.142                      | 150                     |
| 0.5             | 245                       | Powerbelt | .50 Cal       | HP Copper Clad       | 1823                  | 9                       | 0.14                       | 100                     |
| 0.5             | 245                       | Powerbelt | .50 Cal       | Copper Clad Aero Tip | 1823                  | 9                       | 0.161                      | 100                     |
| 0.5             | 245                       | Powerbelt | .50 Cal       | HP Copper Clad       | 2268                  | 10                      | 0.14                       | 150                     |
| 0.5             | 245                       | Powerbelt | .50 Cal       | Copper Clad Aero Tip | 2268                  | 10                      | 0.161                      | 150                     |

| Bullet Diameter | Bullet Weight (in Grains) | Brand     | Cartridge   | Bullet Type          | Muzzle Velocity (FPS) | Ballistics Group Number | Ballistic Coefficient (BC) | Powder Weight (ML only) |
|-----------------|---------------------------|-----------|-------------|----------------------|-----------------------|-------------------------|----------------------------|-------------------------|
| 0.5             | 270                       | Powerbelt | .50 Cal     | Platinum Aero Tip    | 1790                  | 9                       | 0.192                      | 100                     |
| 0.5             | 270                       | Powerbelt | .50 Cal     | Platinum Aero Tip    | 2130                  | 10                      | 0.192                      | 150                     |
| 0.5             | 295                       | Powerbelt | .50 Cal     | HP Copper Clad       | 1670                  | 9                       | 0.168                      | 100                     |
| 0.5             | 295                       | Powerbelt | .50 Cal     | Copper Clad Aero Tip | 1670                  | 9                       | 0.186                      | 100                     |
| 0.5             | 295                       | Powerbelt | .50 Cal     | HP Copper Clad       | 1980                  | 10                      | 0.168                      | 150                     |
| 0.5             | 295                       | Powerbelt | .50 Cal     | Copper Clad Aero Tip | 1980                  | 10                      | 0.186                      | 150                     |
| 0.5             | 338                       | Powerbelt | .50 Cal     | Platinum Aero Tip    | 1593                  | 9                       | 0.241                      | 100                     |
| 0.5             | 338                       | Powerbelt | .50 Cal     | Platinum Aero Tip    | 1927                  | 10                      | 0.241                      | 150                     |
| 0.5             | 348                       | Powerbelt | .50 Cal     | HP Copper Clad       | 1565                  | 9                       | 0.198                      | 100                     |
| 0.5             | 348                       | Powerbelt | .50 Cal     | HP Copper Clad       | 1873                  | 10                      | 0.198                      | 150                     |
| 0.5             | 348                       | Powerbelt | .50 Cal     | Copper Clad Aero Tip | 1873                  | 10                      | 0.22                       | 150                     |
| 0.5             | 405                       | Powerbelt | .50 Cal     | HP Copper Clad       | 1435                  | 9                       | 0.231                      | 100                     |
| 0.5             | 405                       | Powerbelt | .50 Cal     | Copper Clad Aero Tip | 1435                  | 9                       | 0.257                      | 100                     |
| 0.5             | 444                       | Powerbelt | .50 Cal     | FP Copper Clad       | 1330                  | 9                       | 0.253                      | 100                     |
| 0.505           | 525                       | Barnes    | Bullet Only | Solid RN             | 2300                  | 2                       | 0.226                      |                         |
| 0.505           | 600                       | Barnes    | Bullet Only | Solid RN             | 2100                  | 1                       | 0.395                      |                         |
| 0.51            | 750                       | Barnes    | 50 BMG      | LRS-Solid            | 2700                  | 6                       | 1.07                       |                         |
| 0.51            | 800                       | Barnes    | 50 BMG      | BoreRider            | 2650                  | 5                       | 1.095                      |                         |